



A Study on Drug Abuse and Attitudes towards  
Drugs

**CODE BOOK**

Korea Social Science Data Archive

All works using or referring KOSSDA data collections should acknowledge the data sources by means of standard bibliographic citations. Citations must appear in footnotes or the reference section of publications.

### KOSSDA Data Citation Requirement

Principal Investigator, Year of Collection, Title, Producer, Distributor, Data ID No, Version No

#### The bibliographic citation for this data collection is :

Kang, Eun-Young. 2004. A Study on Drug Abuse and Attitudes towards Drugs.  
Producer: Korean Institute of Criminology. Distributor: KOSSDA. Year of Distribution:  
2005. A1-2004-0033-Eng.

#### The bibliographic citation for this codebook is :

Korea Social Science Data Archive. 2014. *A Study on Drug Abuse and Attitudes towards Drugs Code Book*. pp.1-161.

A STUDY ON DRUG ABUSE AND ATTITUDES TOWARDS DRUGS CODE BOOK

Copyrights © 2014 KOSSDA

For the codebook of this data collection, all rights are reserved to KOSSDA. It may not be copied, transmitted, published or redistributed without permission.

## Study Description

<i>Study Title:</i>	A Study on Drug Abuse and Attitudes towards Drugs
<i>Fieldwork Dates:</i>	June, 2004 ~ July, 2004
<i>Principal Investigator:</i>	Kang, Eun-Young
<i>Producers:</i>	Korean Institute of Criminology
<i>Sample Type:</i>	Multi stage stratified sampling
<i>Fieldwork Institute:</i>	Research Plus
<i>Fieldwork Methods:</i>	Face to face interview
<i>Number of Cases:</i>	2,500 (valid)
<i>Geographic Coverage:</i>	7 cities in South Korea (Seoul, Busan, Daegu, Kwangju, Daejeon, Incheon, Ulsan)
<i>Universe:</i>	Person aged 20 and over
<i>Distributor:</i>	Korea Social Science Data Archive (KOSSDA)

## Please note

In the codebook, each frequency table consists of a variable name, question, and frequency table. The first column, RESPONSE, indicates response categories and the second column, PUNCH, is a value for each response category. The third and fourth columns, FREQ and PERCENT, show the number of individuals and percentage of individuals belonging to a specific response category. The last column VALID % is the percentage of individuals who are assigned to a specific response category without missing data, such as DK (Don't know), NA (No answer), and NAP (Not applicable).

**area** Survey area

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Seoul	1	1,123	44.9	44.9
Busan	2	417	16.7	16.7
Daegu	3	268	10.7	10.7
Gwangju	4	147	5.9	5.9
Daejeon	5	152	6.1	6.1
Incheon	6	279	11.2	11.2
Ulsan	7	114	4.6	4.6
		2,500	100.0	100.0

**A. Have you heard of the following drugs? Please circle the applicable number.**

**a1** R has heard of substances hazardous for inhalation

A1. Substances hazardous for inhalation (glue, butane gas)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	75	3.0	3.0
I have heard of it but don't know much about it	2	773	30.9	30.9
I have heard of it and am somewhat knowledgeable about it	3	1,648	65.9	65.9
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**a2** R has heard of Marijuana

A2. Marijuana

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	46	1.8	1.8
I have heard of it but don't know much about it	2	1,196	47.8	47.8
I have heard of it and am somewhat knowledgeable about it	3	1,258	50.3	50.3
		2,500	100.0	100.0

**a3** R has heard of Hashish

A3. Hashish

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	1,726	69.0	69.0
I have heard of it but don't know much about it	2	582	23.3	23.3
I have heard of it and am somewhat knowledgeable about it	3	173	6.9	6.9
NA	9	19	0.8	0.8
		2,500	100.0	100.0

**a4** R has heard of Opium

A4. Opium

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	127	5.1	5.1
I have heard of it but don't know much about it	2	1,381	55.2	55.2
I have heard of it and am somewhat knowledgeable about it	3	988	39.5	39.5
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**a5** R has heard of Morphine

A5. Morphine

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	686	27.4	27.4
I have heard of it but don't know much about it	2	1,200	48.0	48.0
I have heard of it and am somewhat knowledgeable about it	3	602	24.1	24.1
NA	9	12	0.5	0.5
		2,500	100.0	100.0

**a6** R has heard of Heroin

A6. Heroin

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	707	28.3	28.3
I have heard of it but don't know much about it	2	1,283	51.3	51.3
I have heard of it and am somewhat knowledgeable about it	3	497	19.9	19.9
NA	9	13	0.5	0.5
		2,500	100.0	100.0

**a7** R has heard of Nalbuphine Hydrochloride (Nubain)

A7. Nalbuphine Hydrochloride (Nubain)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	1,813	72.5	72.5
I have heard of it but don't know much about it	2	505	20.2	20.2
I have heard of it and am somewhat knowledgeable about it	3	168	6.7	6.7
NA	9	14	0.6	0.6
		2,500	100.0	100.0

**a8** R has heard of Cocaine

A8. Cocaine

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	589	23.6	23.6
I have heard of it but don't know much about it	2	1,410	56.4	56.4
I have heard of it and am somewhat knowledgeable about it	3	497	19.9	19.9
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**a9** R has heard of Crack

A9. Crack

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,186	87.4	87.4
I have heard of it but don't know much about it	2	209	8.4	8.4
I have heard of it and am somewhat knowledgeable about it	3	83	3.3	3.3
NA	9	22	0.9	0.9
		2,500	100.0	100.0

**a10** R has heard of Methamphetamine (Philopon)

A10. Methamphetamine (Philopon)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	487	19.5	19.5
I have heard of it but don't know much about it	2	1,228	49.1	49.1
I have heard of it and am somewhat knowledgeable about it	3	776	31.0	31.0
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**a11** R has heard of LSD

A11. LSD

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,162	86.5	86.5
I have heard of it but don't know much about it	2	270	10.8	10.8
I have heard of it and am somewhat knowledgeable about it	3	61	2.4	2.4
NA	9	7	0.3	0.3
		2,500	100.0	100.0

**a12** R has heard of PCP

A12. PCP

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,334	93.4	93.4
I have heard of it but don't know much about it	2	141	5.6	5.6
I have heard of it and am somewhat knowledgeable about it	3	22	0.9	0.9
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**a13** R has heard of Peyote

A13. Peyote

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,314	92.6	92.6
I have heard of it but don't know much about it	2	138	5.5	5.5
I have heard of it and am somewhat knowledgeable about it	3	39	1.6	1.6
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**a14** R has heard of Ecstasy

A14. Ecstasy

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	1,177	47.1	47.1
I have heard of it but don't know much about it	2	984	39.4	39.4
I have heard of it and am somewhat knowledgeable about it	3	336	13.4	13.4
NA	9	3	0.1	0.1
		2,500	100.0	100.0



**a15** R has heard of Seconal

A15. Seconal

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,004	80.2	80.2
I have heard of it but don't know much about it	2	387	15.5	15.5
I have heard of it and am somewhat knowledgeable about it	3	107	4.3	4.3
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**a16** R has heard of Lorazepam

A16. Lorazepam

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,278	91.1	91.1
I have heard of it but don't know much about it	2	174	7.0	7.0
I have heard of it and am somewhat knowledgeable about it	3	45	1.8	1.8
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**a17** R has heard of Dextromethorphan Hydrobromide

A17. Dextromethorphan Hydrobromide

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,347	93.9	93.9
I have heard of it but don't know much about it	2	91	3.6	3.6
I have heard of it and am somewhat knowledgeable about it	3	57	2.3	2.3
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**a18** R has heard of Methor

A18. Methor

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,317	92.7	92.7
I have heard of it but don't know much about it	2	141	5.6	5.6
I have heard of it and am somewhat knowledgeable about it	3	40	1.6	1.6
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**a19** R has heard of Romilar

A19. Romilar

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,010	80.4	80.4
I have heard of it but don't know much about it	2	367	14.7	14.7
I have heard of it and am somewhat knowledgeable about it	3	120	4.8	4.8
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**a20** R has heard of Jungle Juice

A20. Jungle Juice

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,133	85.3	85.3
I have heard of it but don't know much about it	2	308	12.3	12.3
I have heard of it and am somewhat knowledgeable about it	3	59	2.4	2.4
		2,500	100.0	100.0

**a21** R has heard of **타이**

A21. 타이

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,274	91.0	91.0
I have heard of it but don't know much about it	2	188	7.5	7.5
I have heard of it and am somewhat knowledgeable about it	3	37	1.5	1.5
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**a22** R has heard of **아데코신정**

A22. 아데코신정

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

\* 아데코신정 : A type of weight loss pill which includes phenylpropanolamine HCl as an ingredient.

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,330	93.2	93.2
I have heard of it but don't know much about it	2	141	5.6	5.6
I have heard of it and am somewhat knowledgeable about it	3	28	1.1	1.1
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**a23** R has heard of Fringaol

A23. Fringaol

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,376	95.0	95.0
I have heard of it but don't know much about it	2	94	3.8	3.8
I have heard of it and am somewhat knowledgeable about it	3	27	1.1	1.1
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**a24** R has heard of Lasix

A24. Lasix

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,103	84.1	84.1
I have heard of it but don't know much about it	2	276	11.0	11.0
I have heard of it and am somewhat knowledgeable about it	3	117	4.7	4.7
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**a25** R has heard of Carissorprodol

A25. Carissorprodol

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I have heard of it	1	2,120	84.8	84.8
I have heard of it but don't know much about it	2	287	11.5	11.5
I have heard of it and am somewhat knowledgeable about it	3	87	3.5	3.5
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**B. Have you ever used the following drugs? Please circle the number of the drug you have used out of the seven drugs below and continue to answer the questions to the right. If you have never used any of the drugs you may leave the section blank.**

**b11\_1** Intended use of Seconal

B1-1. [Sleeping Pills] Seconal

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,437	97.5	97.5
Original use (treatment purpose)	1	58	2.3	2.3
As a hallucinogen (purposefully used as a hallucinogen)	2	2	0.1	0.1
Purpose undisclosed	3	3	0.1	0.1
		2,500	100.0	100.0

**b11\_2** Age at the time of first use of Seconal

B1-1. [Sleeping Pills] Seconal

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	1	0.0	1.6
15 years old	15	1	0.0	1.6
17 years old	17	5	0.2	7.9
19 years old	19	2	0.1	3.2
20 years old	20	4	0.2	6.3
21 years old	21	3	0.1	4.8
22 years old	22	2	0.1	3.2
23 years old	23	1	0.0	1.6
24 years old	24	1	0.0	1.6
25 years old	25	4	0.2	6.3
26 years old	26	1	0.0	1.6
27 years old	27	2	0.1	3.2
28 years old	28	1	0.0	1.6
30 years old	30	7	0.3	11.1
34 years old	34	1	0.0	1.6
35 years old	35	5	0.2	7.9
36 years old	36	1	0.0	1.6
38 years old	38	3	0.1	4.8
40 years old	40	5	0.2	7.9
41 years old	41	1	0.0	1.6
42 years old	42	1	0.0	1.6
43 years old	43	2	0.1	3.2
45 years old	45	2	0.1	3.2
46 years old	46	1	0.0	1.6
48 years old	48	2	0.1	3.2
50 years old	50	1	0.0	1.6
55 years old	55	1	0.0	1.6
56 years old	56	1	0.0	1.6
NA	99	1	0.0	1.6
NAP	0	2,437	97.5	
		2,500	100.0	100.0

**b11\_3** Most recent use of Seconal

B1-1. [Sleeping Pills] Seconal  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	4	0.2	6.3
Within the last 3 months	2	1	0.0	1.6
Within the last 6 months	3	2	0.1	3.2
Within the last year	4	1	0.0	1.6
Within the last 2 years	5	1	0.0	1.6
Within the last 3 years	6	2	0.1	3.2
More than 3 years ago	7	45	1.8	71.4
NA	9	7	0.3	11.1
NAP	0	2,437	97.5	
		2,500	100.0	100.0

**b11\_4** Number of times R used Seconal in the last year

B1-1. [Sleeping Pills] Seconal  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	1	0.0	12.5
More than 2-3 times a week	2	3	0.1	37.5
Once a week	3	2	0.1	25.0
1-3 times a year	7	2	0.1	25.0
NAP	0	2,492	99.7	
		2,500	100.0	100.0

**b12\_1** Intended use of Amytal

B1-2. [Sleeping Pills] Amytal  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,490	99.6	99.6
Original use (treatment purpose)	1	9	0.4	0.4
Purpose undisclosed	3	1	0.0	0.0
		2,500	100.0	100.0

**b12\_2** Age at the time of first use of Amytal

B1-2. [Sleeping Pills] Amytal  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
17 years old	17	2	0.1	20.0
20 years old	20	3	0.1	30.0
21 years old	21	3	0.1	30.0
27 years old	27	1	0.0	10.0
38 years old	38	1	0.0	10.0
NAP	0	2,490	99.6	
		2,500	100.0	100.0

**b12\_3** Most recent use of Amytal

B1-2. [Sleeping Pills] Amytal  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	10.0
Within the last 2 years	5	1	0.0	10.0
More than 3 years ago	7	7	0.3	70.0
NA	9	1	0.0	10.0
NAP	0	2,490	99.6	
		2,500	100.0	100.0

**b12\_4** Number of times R used Amytal in the last year

B1-2. [Sleeping Pills] Amytal  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1-3 times a year	7	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**b13\_1** Intended use of Luminal

B1-3. [Sleeping Pills] Luminal  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,488	99.5	99.5
Original use (treatment purpose)	1	11	0.4	0.4
As a hallucinogen (purposefully used as a hallucinogen)	2	1	0.0	0.0
		2,500	100.0	100.0

**b13\_2** Age at the time of first use of Luminal

B1-3. [Sleeping Pills] Luminal  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
16 years old	16	2	0.1	16.7
18 years old	18	2	0.1	16.7
25 years old	25	1	0.0	8.3
27 years old	27	3	0.1	25.0
35 years old	35	1	0.0	8.3
38 years old	38	1	0.0	8.3
40 years old	40	1	0.0	8.3
55 years old	55	1	0.0	8.3
NAP	0	2,488	99.5	
		2,500	100.0	100.0

**b13\_3** Most recent use of Luminal

B1-3. [Sleeping Pills] Luminal  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 2 years	5	2	0.1	16.7
Within the last 3 years	6	4	0.2	33.3
More than 3 years ago	7	6	0.2	50.0
NAP	0	2,488	99.5	
		2,500	100.0	100.0



**b13\_4** Number of times R used Luminal in the last year

B1-3. [Sleeping Pills] Luminal  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**b14\_1** Intended use of other sleeping pills

B1-4. [Sleeping Pills] Other/ Don't know the name  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,373	94.9	94.9
Original use (treatment purpose)	1	124	5.0	5.0
As a hallucinogen (purposefully used as a hallucinogen)	2	2	0.1	0.1
Purpose undisclosed	3	1	0.0	0.0
		2,500	100.0	100.0

**b14\_2** Age at the time of first use of other sleeping pills

B1-4. [Sleeping Pills] Other/ Don't know the name  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
10 years old	10	1	0.0	0.8
15 years old	15	2	0.1	1.6
16 years old	16	3	0.1	2.4
17 years old	17	5	0.2	3.9
18 years old	18	3	0.1	2.4
19 years old	19	3	0.1	2.4
20 years old	20	12	0.5	9.4
21 years old	21	5	0.2	3.9
22 years old	22	4	0.2	3.1
23 years old	23	4	0.2	3.1
24 years old	24	3	0.1	2.4
25 years old	25	7	0.3	5.5
26 years old	26	5	0.2	3.9

27 years old	27	3	0.1	2.4
28 years old	28	1	0.0	0.8
29 years old	29	2	0.1	1.6
30 years old	30	10	0.4	7.9
31 years old	31	2	0.1	1.6
33 years old	33	2	0.1	1.6
34 years old	34	1	0.0	0.8
35 years old	35	3	0.1	2.4
36 years old	36	2	0.1	1.6
40 years old	40	11	0.4	8.7
41 years old	41	1	0.0	0.8
42 years old	42	4	0.2	3.1
43 years old	43	3	0.1	2.4
44 years old	44	2	0.1	1.6
45 years old	45	4	0.2	3.1
46 years old	46	1	0.0	0.8
47 years old	47	1	0.0	0.8
48 years old	48	2	0.1	1.6
49 years old	49	1	0.0	0.8
50 years old	50	5	0.2	3.9
51 years old	51	2	0.1	1.6
53 years old	53	1	0.0	0.8
55 years old	55	2	0.1	1.6
57 years old	57	1	0.0	0.8
60 years old	60	1	0.0	0.8
61 years old	61	1	0.0	0.8
NA	99	1	0.0	0.8
NAP	0	2,373	94.9	
		2,500	100.0	100.0

**b14\_3** Most recent use of other sleeping pills

B1-4. [Sleeping Pills] Other/ Don't know the name  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	11	0.4	8.7
Within the last 3 months	2	1	0.0	0.8
Within the last 6 months	3	6	0.2	4.7
Within the last year	4	13	0.5	10.2
Within the last 2 years	5	7	0.3	5.5
Within the last 3 years	6	4	0.2	3.1
More than 3 years ago	7	81	3.2	63.8
NA	9	4	0.2	3.1
NAP	0	2,373	94.9	
		2,500	100.0	100.0

**b14\_4** Number of times R used other sleeping pills in the last year

B1-4. [Sleeping Pills] Other/ Don't know the name  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	3	0.1	9.7
More than 2-3 times a week	2	4	0.2	12.9
2-3 times a month	4	4	0.2	12.9
Once a month	5	2	0.1	6.5
Once every 3 months	6	1	0.0	3.2
1-3 times a year	7	16	0.6	51.6
NA	9	1	0.0	3.2
NAP	0	2,469	98.8	
		2,500	100.0	100.0

**b21\_1** Intended use of Diazepam

B2-1. [Sedatives/ Tranquilizers] Diazepam

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,475	99.0	99.0
Original use (treatment purpose)	1	22	0.9	0.9
As a hallucinogen (purposefully used as a hallucinogen)	2	1	0.0	0.0
Purpose undisclosed	3	2	0.1	0.1
		2,500	100.0	100.0

**b21\_2** Age at the time of first use of Diazepam

B2-1. [Sedatives/ Tranquilizers] Diazepam

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	1	0.0	4.0
17 years old	17	1	0.0	4.0
20 years old	20	2	0.1	8.0
21 years old	21	2	0.1	8.0
23 years old	23	2	0.1	8.0
25 years old	25	2	0.1	8.0
26 years old	26	1	0.0	4.0
30 years old	30	3	0.1	12.0
37 years old	37	1	0.0	4.0
38 years old	38	1	0.0	4.0
39 years old	39	1	0.0	4.0
40 years old	40	2	0.1	8.0
42 years old	42	1	0.0	4.0
50 years old	50	2	0.1	8.0
52 years old	52	1	0.0	4.0
65 years old	65	1	0.0	4.0
NA	99	1	0.0	4.0
NAP	0	2,475	99.0	
		2,500	100.0	100.0

**b21\_3** Most recent use of Diazepam

B2-1. [Sedatives/ Tranquilizers] Diazepam  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	6	0.2	24.0
Within the last 3 months	2	1	0.0	4.0
Within the last year	4	1	0.0	4.0
Within the last 2 years	5	2	0.1	8.0
Within the last 3 years	6	2	0.1	8.0
More than 3 years ago	7	11	0.4	44.0
NA	9	2	0.1	8.0
NAP	0	2,475	99.0	
		2,500	100.0	100.0

**b21\_4** Number of times R used Diazepam in the last year

B2-1. [Sedatives/ Tranquilizers] Diazepam  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	3	0.1	37.5
2-3 times a month	4	1	0.0	12.5
1-3 times a year	7	3	0.1	37.5
NA	9	1	0.0	12.5
NAP	0	2,492	99.7	
		2,500	100.0	100.0

**b22\_1** Intended use of Lorazepam

B2-2. [Sedatives/ Tranquilizers] Lorazepam  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,487	99.5	99.5
Original use (treatment purpose)	1	12	0.5	0.5
As a hallucinogen (purposefully used as a hallucinogen)	2	1	0.0	0.0
		2,500	100.0	100.0

**b22\_2** Age at the time of first use of Lorazepam

B2-2. [Sedatives/ Tranquilizers] Lorazepam  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
12 years old	12	1	0.0	7.7
14 years old	14	1	0.0	7.7
20 years old	20	1	0.0	7.7
25 years old	25	1	0.0	7.7
29 years old	29	1	0.0	7.7
30 years old	30	1	0.0	7.7
31 years old	31	1	0.0	7.7
35 years old	35	1	0.0	7.7
38 years old	38	2	0.1	15.4
40 years old	40	1	0.0	7.7
50 years old	50	1	0.0	7.7
55 years old	55	1	0.0	7.7
NAP	0	2,487	99.5	
		2,500	100.0	100.0

**b22\_3** Most recent use of Lorazepam

B2-2. [Sedatives/ Tranquilizers] Lorazepam  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last year	4	1	0.0	7.7
Within the last 2 years	5	2	0.1	15.4
Within the last 3 years	6	2	0.1	15.4
More than 3 years ago	7	8	0.3	61.5
NAP	0	2,487	99.5	
		2,500	100.0	100.0

**b22\_4** Number of times R used Lorazepam in the last year

B2-2. [Sedatives/ Tranquilizers] Lorazepam  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 2-3 times a week	2	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**b23\_1** Intended use of other Sedatives

B2-3. [Sedatives/ Tranquilizers] Other/ Don't know the name  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,382	95.3	95.3
Original use (treatment purpose)	1	113	4.5	4.5
Purpose undisclosed	3	5	0.2	0.2
		2,500	100.0	100.0

**b23\_2** Age at the time of first use of other Sedatives

B2-3. [Sedatives/ Tranquilizers] Other/ Don't know the name  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
10 years old	10	2	0.1	1.7
13 years old	13	1	0.0	0.8
14 years old	14	1	0.0	0.8
15 years old	15	1	0.0	0.8
17 years old	17	3	0.1	2.5
18 years old	18	1	0.0	0.8
19 years old	19	2	0.1	1.7
20 years old	20	10	0.4	8.5
21 years old	21	2	0.1	1.7
23 years old	23	2	0.1	1.7
24 years old	24	1	0.0	0.8
25 years old	25	8	0.3	6.8
26 years old	26	2	0.1	1.7

27 years old	27	2	0.1	1.7
28 years old	28	2	0.1	1.7
29 years old	29	3	0.1	2.5
30 years old	30	9	0.4	7.6
31 years old	31	2	0.1	1.7
32 years old	32	3	0.1	2.5
33 years old	33	4	0.2	3.4
34 years old	34	3	0.1	2.5
35 years old	35	2	0.1	1.7
36 years old	36	3	0.1	2.5
40 years old	40	14	0.6	11.9
42 years old	42	4	0.2	3.4
43 years old	43	2	0.1	1.7
44 years old	44	1	0.0	0.8
45 years old	45	5	0.2	4.2
46 years old	46	2	0.1	1.7
47 years old	47	1	0.0	0.8
49 years old	49	1	0.0	0.8
50 years old	50	7	0.3	5.9
51 years old	51	3	0.1	2.5
52 years old	52	1	0.0	0.8
53 years old	53	2	0.1	1.7
55 years old	55	3	0.1	2.5
61 years old	61	1	0.0	0.8
68 years old	68	1	0.0	0.8
NA	99	1	0.0	0.8
NAP	0	2,382	95.3	
		2,500	100.0	100.0

**b23\_3** Most recent use of other Sedatives

B2-3. [Sedatives/ Tranquilizers] Other/ Don't know the name  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	11	0.4	9.3
Within the last 3 months	2	7	0.3	5.9
Within the last 6 months	3	6	0.2	5.1



Within the last year	4	11	0.4	9.3
Within the last 2 years	5	5	0.2	4.2
Within the last 3 years	6	3	0.1	2.5
More than 3 years ago	7	70	2.8	59.3
NA	9	5	0.2	4.2
NAP	0	2,382	95.3	
		2,500	100.0	100.0

**b23\_4** Number of times R used other Sedatives in the last year

B2-3. [Sedatives/ Tranquilizers] Other/ Don't know the name  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	3	0.1	8.6
More than 2-3 times a week	2	5	0.2	14.3
Once a week	3	1	0.0	2.9
2-3 times a month	4	3	0.1	8.6
Once a month	5	3	0.1	8.6
Once every 3 months	6	4	0.2	11.4
1-3 times a year	7	14	0.6	40.0
NA	9	2	0.1	5.7
NAP	0	2,465	98.6	
		2,500	100.0	100.0

**b31\_1** Intended use of Dextromethorphan Hydrobromide

B3-1. [Antitussive expectorants/Cough medicine] Dextromethorphan Hydrobromide  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,493	99.7	99.7
Original use (treatment purpose)	1	7	0.3	0.3
		2,500	100.0	100.0

**b31\_2** Age at the time of first use of Dextromethorphan Hydrobromide

B3-1. [Antitussive expectorants/Cough medicine] Dextromethorphan Hydrobromide

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
10 years old	10	3	0.1	42.9
19 years old	19	1	0.0	14.3
26 years old	26	1	0.0	14.3
28 years old	28	1	0.0	14.3
NA	99	1	0.0	14.3
NAP	0	2,493	99.7	
		2,500	100.0	100.0

**b31\_3** Most recent use of Dextromethorphan Hydrobromide

B3-1. [Antitussive expectorants/Cough medicine] Dextromethorphan Hydrobromide

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 3 months	2	1	0.0	14.3
Within the last 6 months	3	1	0.0	14.3
Within the last year	4	1	0.0	14.3
More than 3 years ago	7	4	0.2	57.1
NAP	0	2,493	99.7	
		2,500	100.0	100.0

**b31\_4** Number of times R used Dextromethorphan Hydrobromide in the last year

B3-1. [Antitussive expectorants/Cough medicine] Dextromethorphan Hydrobromide

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	1	0.0	33.3
Once every 3 months	6	1	0.0	33.3
1-3 times a year	7	1	0.0	33.3
NAP	0	2,497	99.9	
		2,500	100.0	100.0

**b32\_1** Intended use of Methor

B3-2. [Antitussive expectorants/Cough medicine] Methor

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,496	99.8	99.8
Original use (treatment purpose)	1	4	0.2	0.2
		2,500	100.0	100.0

**b32\_2** Age at the time of first use of Methor

B3-2. [Antitussive expectorants/Cough medicine] Methor

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
18 years old	18	1	0.0	25.0
19 years old	19	1	0.0	25.0
21 years old	21	1	0.0	25.0
28 years old	28	1	0.0	25.0
NAP	0	2,496	99.8	
		2,500	100.0	100.0

**b32\_3** Most recent use of Methor

B3-2. [Antitussive expectorants/Cough medicine] Methor

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	25.0
Within the last 6 months	3	1	0.0	25.0
NA	9	2	0.1	50.0
NAP	0	2,496	99.8	
		2,500	100.0	100.0

**b32\_4** Number of times R used Methor in the last year

B3-2. [Antitussive expectorants/Cough medicine] Methor  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 2-3 times a week	2	1	0.0	50.0
1-3 times a year	7	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b33\_1** Intended use of Romilar

B3-3. [Antitussive expectorants/Cough medicine] Romilar  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,485	99.4	99.4
Original use (treatment purpose)	1	12	0.5	0.5
As a hallucinogen (purposefully used as a hallucinogen)	2	3	0.1	0.1
		2,500	100.0	100.0

**b33\_2** Age at the time of first use of Romilar

B3-3. [Antitussive expectorants/Cough medicine] Romilar  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	1	0.0	6.7
16 years old	16	1	0.0	6.7
17 years old	17	2	0.1	13.3
18 years old	18	1	0.0	6.7
20 years old	20	1	0.0	6.7
21 years old	21	1	0.0	6.7
23 years old	23	1	0.0	6.7
24 years old	24	1	0.0	6.7
26 years old	26	1	0.0	6.7
27 years old	27	1	0.0	6.7
30 years old	30	1	0.0	6.7
32 years old	32	1	0.0	6.7

## A Study on Drug Abuse and Attitudes towards Drugs

46 years old	46	1	0.0	6.7
50 years old	50	1	0.0	6.7
NAP	0	2,485	99.4	
		2,500	100.0	100.0

**b33\_3** Most recent use of Romilar

B3-3. [Antitussive expectorants/Cough medicine] Romilar

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	6.7
Within the last 3 months	2	1	0.0	6.7
Within the last year	4	3	0.1	20.0
Within the last 2 years	5	1	0.0	6.7
More than 3 years ago	7	9	0.4	60.0
NAP	0	2,485	99.4	
		2,500	100.0	100.0

**b33\_4** Number of times R used Romilar in the last year

B3-3. [Antitussive expectorants/Cough medicine] Romilar

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Once a week	3	1	0.0	20.0
1-3 times a year	7	4	0.2	80.0
NAP	0	2,495	99.8	
		2,500	100.0	100.0

**b34\_1** Intended use of Jungle Juice

B3-4. [Antitussive expectorants/Cough medicine] Jungle Juice

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,494	99.8	99.8
Original use (treatment purpose)	1	6	0.2	0.2
		2,500	100.0	100.0

**b34\_2** Age at the time of first use of Jungle Juice

B3-4. [Antitussive expectorants/Cough medicine] Jungle Juice  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
17 years old	17	1	0.0	16.7
18 years old	18	1	0.0	16.7
20 years old	20	2	0.1	33.3
40 years old	40	1	0.0	16.7
45 years old	45	1	0.0	16.7
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**b34\_3** Most recent use of Jungle Juice

B3-4. [Antitussive expectorants/Cough medicine] Jungle Juice  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	2	0.1	33.3
Within the last 2 years	5	2	0.1	33.3
Within the last 3 years	6	1	0.0	16.7
More than 3 years ago	7	1	0.0	16.7
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**b34\_4** Number of times R used Jungle Juice in the last year

B3-4. [Antitussive expectorants/Cough medicine] Jungle Juice  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	1	0.0	50.0
1-3 times a year	7	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b35\_1** Intended use of Antitussive expetorants

B3-5. [Antitussive expectorants/Cough medicine] Other/ Don't know the name

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,114	84.6	84.6
Original use (treatment purpose)	1	377	15.1	15.1
Purpose undisclosed	3	9	0.4	0.4
		2,500	100.0	100.0

**b35\_2** Age at the time of first use of Antitussive expetorants

B3-5. [Antitussive expectorants/Cough medicine] Other/ Don't know the name

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
2 years old	2	1	0.0	0.3
3 years old	3	4	0.2	1.0
4 years old	4	1	0.0	0.3
5 years old	5	2	0.1	0.5
6 years old	6	1	0.0	0.3
7 years old	7	3	0.1	0.8
8 years old	8	3	0.1	0.8
9 years old	9	1	0.0	0.3
10 years old	10	23	0.9	6.0
11 years old	11	3	0.1	0.8
12 years old	12	2	0.1	0.5
13 years old	13	3	0.1	0.8
14 years old	14	4	0.2	1.0
15 years old	15	18	0.7	4.7
16 years old	16	15	0.6	3.9
17 years old	17	12	0.5	3.1
18 years old	18	18	0.7	4.7
19 years old	19	6	0.2	1.6
20 years old	20	43	1.7	11.1
21 years old	21	11	0.4	2.8
22 years old	22	6	0.2	1.6

## A Study on Drug Abuse and Attitudes towards Drugs

23 years old	23	2	0.1	0.5
24 years old	24	9	0.4	2.3
25 years old	25	28	1.1	7.3
26 years old	26	4	0.2	1.0
27 years old	27	4	0.2	1.0
28 years old	28	5	0.2	1.3
29 years old	29	5	0.2	1.3
30 years old	30	38	1.5	9.8
31 years old	31	4	0.2	1.0
32 years old	32	4	0.2	1.0
33 years old	33	3	0.1	0.8
34 years old	34	2	0.1	0.5
35 years old	35	12	0.5	3.1
36 years old	36	1	0.0	0.3
37 years old	37	2	0.1	0.5
38 years old	38	6	0.2	1.6
39 years old	39	1	0.0	0.3
40 years old	40	23	0.9	6.0
41 years old	41	1	0.0	0.3
42 years old	42	1	0.0	0.3
43 years old	43	2	0.1	0.5
44 years old	44	4	0.2	1.0
45 years old	45	8	0.3	2.1
47 years old	47	1	0.0	0.3
48 years old	48	1	0.0	0.3
50 years old	50	11	0.4	2.8
52 years old	52	3	0.1	0.8
55 years old	55	2	0.1	0.5
56 years old	56	1	0.0	0.3
60 years old	60	1	0.0	0.3
61 years old	61	1	0.0	0.3
62 years old	62	1	0.0	0.3
65 years old	65	1	0.0	0.3
67 years old	67	1	0.0	0.3
69 years old	69	1	0.0	0.3
NA	99	12	0.5	3.1



NAP	0	2,114	84.6	
		2,500	100.0	100.0

**b35\_3** Most recent use of Antitussive expetorants

B3-5. [Antitussive expectorants/Cough medicine] Other/ Don't know the name  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	41	1.6	10.6
Within the last 3 months	2	31	1.2	8.0
Within the last 6 months	3	64	2.6	16.6
Within the last year	4	92	3.7	23.8
Within the last 2 years	5	34	1.4	8.8
Within the last 3 years	6	21	0.8	5.4
More than 3 years ago	7	96	3.8	24.9
NA	9	7	0.3	1.8
NAP	0	2,114	84.6	
		2,500	100.0	100.0

**b35\_4** Number of times R used Antitussive expetorants in the last year

B3-5. [Antitussive expectorants/Cough medicine] Other/ Don't know the name  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	11	0.4	4.8
More than 2-3 times a week	2	13	0.5	5.7
Once a week	3	7	0.3	3.1
2-3 times a month	4	9	0.4	3.9
Once a month	5	7	0.3	3.1
Once every 3 months	6	32	1.3	14.0
1-3 times a year	7	127	5.1	55.7
NA	9	22	0.9	9.6
NAP	0	2,272	90.9	
		2,500	100.0	100.0

**b41\_1** Intended use of pain reliever

B4. [Pain reliever]  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	1,115	44.6	44.6
Original use (treatment purpose)	1	1,352	54.1	54.1
As a hallucinogen (purposefully used as a hallucinogen)	2	7	0.3	0.3
Purpose undisclosed	3	26	1.0	1.0
		2,500	100.0	100.0

**b41\_2** Age at the time of first use of pain reliever

B4. [Pain reliever]  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
4 years old	4	1	0.0	0.1
5 years old	5	1	0.0	0.1
6 years old	6	1	0.0	0.1
7 years old	7	9	0.4	0.6
8 years old	8	3	0.1	0.2
9 years old	9	1	0.0	0.1
10 years old	10	25	1.0	1.8
11 years old	11	6	0.2	0.4
12 years old	12	18	0.7	1.3
13 years old	13	27	1.1	1.9
14 years old	14	40	1.6	2.9
15 years old	15	96	3.8	6.9
16 years old	16	54	2.2	3.9
17 years old	17	97	3.9	7.0
18 years old	18	93	3.7	6.7
19 years old	19	50	2.0	3.6
20 years old	20	296	11.8	21.4
21 years old	21	33	1.3	2.4
22 years old	22	24	1.0	1.7
23 years old	23	29	1.2	2.1

## A Study on Drug Abuse and Attitudes towards Drugs

24 years old	24	26	1.0	1.9
25 years old	25	73	2.9	5.3
26 years old	26	12	0.5	0.9
27 years old	27	12	0.5	0.9
28 years old	28	14	0.6	1.0
29 years old	29	8	0.3	0.6
30 years old	30	105	4.2	7.6
31 years old	31	9	0.4	0.6
32 years old	32	17	0.7	1.2
33 years old	33	4	0.2	0.3
34 years old	34	4	0.2	0.3
35 years old	35	23	0.9	1.7
37 years old	37	6	0.2	0.4
38 years old	38	5	0.2	0.4
39 years old	39	2	0.1	0.1
40 years old	40	51	2.0	3.7
41 years old	41	3	0.1	0.2
42 years old	42	5	0.2	0.4
43 years old	43	2	0.1	0.1
44 years old	44	2	0.1	0.1
45 years old	45	15	0.6	1.1
46 years old	46	4	0.2	0.3
47 years old	47	2	0.1	0.1
48 years old	48	1	0.0	0.1
49 years old	49	3	0.1	0.2
50 years old	50	12	0.5	0.9
51 years old	51	3	0.1	0.2
52 years old	52	1	0.0	0.1
54 years old	54	2	0.1	0.1
55 years old	55	3	0.1	0.2
58 years old	58	3	0.1	0.2
60 years old	60	3	0.1	0.2
61 years old	61	1	0.0	0.1
62 years old	62	1	0.0	0.1
63 years old	63	1	0.0	0.1
65 years old	65	1	0.0	0.1

73 years old	73	1	0.0	0.1
NA	99	41	1.6	3.0
NAP	0	1,115	44.6	
		2,500	100.0	100.0

**b41\_3** Most recent use of pain reliever

B4. [Pain reliever]  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	312	12.5	22.5
Within the last 3 months	2	208	8.3	15.0
Within the last 6 months	3	165	6.6	11.9
Within the last year	4	236	9.4	17.0
Within the last 2 years	5	69	2.8	5.0
Within the last 3 years	6	40	1.6	2.9
More than 3 years ago	7	312	12.5	22.5
NA	9	43	1.7	3.1
NAP	0	1,115	44.6	
		2,500	100.0	100.0

**b41\_4** Number of times R used pain reliever in the last year

B4. [Pain reliever]  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	69	2.8	7.5
More than 2-3 times a week	2	22	0.9	2.4
Once a week	3	25	1.0	2.7
2-3 times a month	4	81	3.2	8.8
Once a month	5	142	5.7	15.4
Once every 3 months	6	180	7.2	19.5
1-3 times a year	7	375	15.0	40.7
NA	9	27	1.1	2.9
NAP	0	1,579	63.2	
		2,500	100.0	100.0

**b51\_1** Intended use of Timing

B5-1. [Sleep preventing medication] Timing

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,343	93.7	93.7
Original use (treatment purpose)	1	149	6.0	6.0
As a hallucinogen (purposefully used as a hallucinogen)	2	2	0.1	0.1
Purpose undisclosed	3	6	0.2	0.2
		2,500	100.0	100.0

**b51\_2** Age at the time of first use of Timing

B5-1. [Sleep preventing medication] Timing

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
13 years old	13	5	0.2	3.2
14 years old	14	9	0.4	5.7
15 years old	15	25	1.0	15.9
16 years old	16	32	1.3	20.4
17 years old	17	40	1.6	25.5
18 years old	18	19	0.8	12.1
19 years old	19	6	0.2	3.8
20 years old	20	8	0.3	5.1
21 years old	21	2	0.1	1.3
22 years old	22	2	0.1	1.3
25 years old	25	3	0.1	1.9
28 years old	28	1	0.0	0.6
30 years old	30	2	0.1	1.3
35 years old	35	1	0.0	0.6
NA	99	2	0.1	1.3
NAP	0	2,343	93.7	
		2,500	100.0	100.0

**b51\_3** Most recent use of Timing

B5-1. [Sleep preventing medication] Timing  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	0.6
Within the last 3 months	2	2	0.1	1.3
Within the last 6 months	3	3	0.1	1.9
Within the last 2 years	5	2	0.1	1.3
Within the last 3 years	6	3	0.1	1.9
More than 3 years ago	7	135	5.4	86.0
NA	9	11	0.4	7.0
NAP	0	2,343	93.7	
		2,500	100.0	100.0

**b51\_4** Number of times R used Timing in the last year

B5-1. [Sleep preventing medication] Timing  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 2-3 times a week	2	1	0.0	16.7
2-3 times a month	4	1	0.0	16.7
1-3 times a year	7	1	0.0	16.7
NA	9	3	0.1	50.0
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**b52\_1** Intended use of **나이트투에스**

B5-2. [Sleep preventing medication] 나이트투에스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

나이트투에스 : A type of sleep preventing pill which includes caffeine as an ingredient.

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,498	99.9	99.9
Original use (treatment purpose)	1	2	0.1	0.1
		2,500	100.0	100.0

**b52\_2** Age at the time of first use of **나이트투에스**

B5-2. [Sleep preventing medication] 나이트투에스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

나이트투에스 : A type of sleep preventing pill which includes caffeine as an ingredient.

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
18 years old	18	1	0.0	50.0
20 years old	20	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b52\_3** Most recent use of **나이트투에스**

B5-2. [Sleep preventing medication] 나이트투에스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

나이트투에스 : A type of sleep preventing pill which includes caffeine as an ingredient.

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 3 months	2	1	0.0	50.0
More than 3 years ago	7	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b52\_4** Number of times R used **나이트투에스** in the last year

B5-2. [Sleep preventing medication] 나이트투에스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

나이트투에스 : A type of sleep preventing pill which includes caffeine as an ingredient.

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Once every 3 months	6	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**b53\_1** Intended use of **에스나인**

B5-3. [Sleep preventing medication] 에스나인

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

에스나인 : A type of sleep preventing pill which includes caffeine as an ingredient.

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,499	100.0	100.0
Original use (treatment purpose)	1	1	0.0	0.0
		2,500	100.0	100.0

**b53\_2** Age at the time of first use of **에스나인**

B5-3. [Sleep preventing medication] 에스나인

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

에스나인 : A type of sleep preventing pill which includes caffeine as an ingredient.

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
35 years old	35	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**b53\_3** Most recent use of **에스나인**

B5-3. [Sleep preventing medication] 에스나인

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

에스나인 : A type of sleep preventing pill which includes caffeine as an ingredient.

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last year	4	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**b53\_4** Number of times R used **에스나인** in the last year

B5-3. [Sleep preventing medication] 에스나인

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

에스나인 : A type of sleep preventing pill which includes caffeine as an ingredient.

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1-3 times a year	7	1	0.0	100.0



NAP	0	2,499	100.0	
		2,500	100.0	100.0

**b54\_1** Intended use of 레크린

B5-4. [Sleep preventing medication] 레크린

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

레크린 : A type of sleep preventing pill which includes caffeine as an ingredient.

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,497	99.9	99.9
Original use (treatment purpose)	1	3	0.1	0.1
		2,500	100.0	100.0

**b54\_2** Age at the time of first use of 레크린

B5-4. [Sleep preventing medication] 레크린

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

레크린 : A type of sleep preventing pill which includes caffeine as an ingredient.

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	1	0.0	33.3
15 years old	15	1	0.0	33.3
33 years old	33	1	0.0	33.3
NAP	0	2,497	99.9	
		2,500	100.0	100.0

**b54\_3** Most recent use of 레크린

B5-4. [Sleep preventing medication] 레크린

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

레크린 : A type of sleep preventing pill which includes caffeine as an ingredient.

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 3 years	6	1	0.0	33.3
More than 3 years ago	7	2	0.1	66.7
NAP	0	2,497	99.9	
		2,500	100.0	100.0

**b54\_4** Number of times R used 레크린 in the last year

B5-4. [Sleep preventing medication] 레크린

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

레크린 : A type of sleep preventing pill which includes caffeine as an ingredient.

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**b55\_1** Intended use of other sleep preventing medication

B5-5. [Sleep preventing medication] Other/ Don't know the name

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,434	97.4	97.4
Original use (treatment purpose)	1	61	2.4	2.4
As a hallucinogen (purposefully used as a hallucinogen)	2	3	0.1	0.1
Purpose undisclosed	3	2	0.1	0.1
		2,500	100.0	100.0

**b55\_2** Age at the time of first use of other sleep preventing medication

B5-5. [Sleep preventing medication] Other/ Don't know the name

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	4	0.2	6.1
15 years old	15	6	0.2	9.1
16 years old	16	17	0.7	25.8
17 years old	17	11	0.4	16.7
18 years old	18	16	0.6	24.2
19 years old	19	2	0.1	3.0
21 years old	21	1	0.0	1.5
25 years old	25	1	0.0	1.5
26 years old	26	1	0.0	1.5
29 years old	29	1	0.0	1.5
40 years old	40	1	0.0	1.5

## A Study on Drug Abuse and Attitudes towards Drugs

55 years old	55	1	0.0	1.5
56 years old	56	1	0.0	1.5
63 years old	63	1	0.0	1.5
87 years old	87	2	0.1	3.0
NAP	0	2,434	97.4	
		2,500	100.0	100.0

**b55\_3** Most recent use of other sleep preventing medication

B5-5. [Sleep preventing medication] Other/ Don't know the name

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	3	0.1	4.5
Within the last 2 years	5	3	0.1	4.5
Within the last 3 years	6	2	0.1	3.0
More than 3 years ago	7	56	2.2	84.8
NA	9	2	0.1	3.0
NAP	0	2,434	97.4	
		2,500	100.0	100.0

**b55\_4** Number of times R used other sleep preventing medication in the last year

B5-5. [Sleep preventing medication] Other/ Don't know the name

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	1	0.0	33.3
More than 2-3 times a week	2	1	0.0	33.3
Once every 3 months	6	1	0.0	33.3
NAP	0	2,497	99.9	
		2,500	100.0	100.0

**b61\_1** Intended use of 아테코신정

B6-1. [Weight loss drugs] 아테코신정

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

아테코신정 : A type of weight loss pill which includes phenylpropanolamine HCl as an ingredient.

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,498	99.9	99.9
Original use (treatment purpose)	1	2	0.1	0.1
		2,500	100.0	100.0

**b61\_2** Age at the time of first use of 아테코신정

B6-1. [Weight loss drugs] 아테코신정

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

아테코신정 : A type of weight loss pill which includes phenylpropanolamine HCl as an ingredient.

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
17 years old	17	1	0.0	50.0
23 years old	23	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b61\_3** Most recent use of 아테코신정

B6-1. [Weight loss drugs] 아테코신정

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

아테코신정 : A type of weight loss pill which includes phenylpropanolamine HCl as an ingredient.

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	2	0.1	100.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b61\_4** Number of times R used 아테코신정 in the last year

B6-1. [Weight loss drugs] 아테코신정

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

아테코신정 : A type of weight loss pill which includes phenylpropanolamine HCl as an ingredient.

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**b62\_1** Intended use of Fringaol

B6-2. [Weight loss drugs] Fringaol  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,491	99.6	99.6
Original use (treatment purpose)	1	8	0.3	0.3
As a hallucinogen (purposefully used as a hallucinogen)	2	1	0.0	0.0
		2,500	100.0	100.0

**b62\_2** Age at the time of first use of Fringaol

B6-2. [Weight loss drugs] Fringaol  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	3	0.1	33.3
25 years old	25	2	0.1	22.2
27 years old	27	1	0.0	11.1
28 years old	28	1	0.0	11.1
30 years old	30	1	0.0	11.1
40 years old	40	1	0.0	11.1
NAP	0	2,491	99.6	
		2,500	100.0	100.0

**b62\_3** Most recent use of Fringaol

B6-2. [Weight loss drugs] Fringaol  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	11.1
Within the last 3 years	6	1	0.0	11.1
More than 3 years ago	7	6	0.2	66.7
NA	9	1	0.0	11.1
NAP	0	2,491	99.6	
		2,500	100.0	100.0

**b62\_4** Number of times R used Fringaol in the last year

B6-2. [Weight loss drugs] Fringaol  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 2-3 times a week	2	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**b63\_1** Intended use of Lasix

B6-3. [Weight loss drugs] Lasix  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,477	99.1	99.1
Original use (treatment purpose)	1	21	0.8	0.8
As a hallucinogen (purposefully used as a hallucinogen)	2	1	0.0	0.0
Purpose undisclosed	3	1	0.0	0.0
		2,500	100.0	100.0

**b63\_2** Age at the time of first use of Lasix

B6-3. [Weight loss drugs] Lasix  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	1	0.0	4.3
17 years old	17	1	0.0	4.3
18 years old	18	1	0.0	4.3
19 years old	19	1	0.0	4.3
20 years old	20	3	0.1	13.0
22 years old	22	2	0.1	8.7
23 years old	23	2	0.1	8.7
24 years old	24	2	0.1	8.7
25 years old	25	3	0.1	13.0
27 years old	27	1	0.0	4.3
29 years old	29	1	0.0	4.3
32 years old	32	1	0.0	4.3

## A Study on Drug Abuse and Attitudes towards Drugs

33 years old	33	1	0.0	4.3
35 years old	35	1	0.0	4.3
37 years old	37	1	0.0	4.3
45 years old	45	1	0.0	4.3
NAP	0	2,477	99.1	
		2,500	100.0	100.0

**b63\_3** Most recent use of Lasix

B6-3. [Weight loss drugs] Lasix

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	4.3
Within the last year	4	1	0.0	4.3
Within the last 2 years	5	4	0.2	17.4
Within the last 3 years	6	2	0.1	8.7
More than 3 years ago	7	15	0.6	65.2
NAP	0	2,477	99.1	
		2,500	100.0	100.0

**b63\_4** Number of times R used Lasix in the last year

B6-3. [Weight loss drugs] Lasix

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 2-3 times a week	2	1	0.0	50.0
1-3 times a year	7	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b64\_1** Intended use of 디라스

B6-4. [Weight loss drugs] 디라스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

디라스: A type of weight loss pill which includes flosemide as an ingredient.

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,498	99.9	99.9
Original use (treatment purpose)	1	2	0.1	0.1
		2,500	100.0	100.0

**b64\_2** Age at the time of first use of 디라스

B6-4. [Weight loss drugs] 디라스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

디라스: A type of weight loss pill which includes flosemide as an ingredient.

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
24 years old	24	2	0.1	100.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b64\_3** Most recent use of 디라스

B6-4. [Weight loss drugs] 디라스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

디라스: A type of weight loss pill which includes flosemide as an ingredient.

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 3 years	6	1	0.0	50.0
More than 3 years ago	7	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b64\_4** Number of times R used 디라스 in the last year

B6-4. [Weight loss drugs] 디라스

※ Unable to translate due to the lack of an English name or equivalent, or is not an approved product.

디라스: A type of weight loss pill which includes flosemide as an ingredient.

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**b65\_1** Intended use of Chinese Lotus Leaf Tea

B6-5. [Weight loss drugs] Chinese Lotus Leaf Tea

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,442	97.7	97.7
Original use (treatment purpose)	1	52	2.1	2.1



## A Study on Drug Abuse and Attitudes towards Drugs

As a hallucinogen (purposefully used as a hallucinogen)	2	2	0.1	0.1
Purpose undisclosed	3	4	0.2	0.2
		2,500	100.0	100.0

**b65\_2** Age at the time of first use of Chinese Lotus Leaf Tea

B6-5. [Weight loss drugs] Chinese Lotus Leaf Tea

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
17 years old	17	2	0.1	3.4
18 years old	18	1	0.0	1.7
19 years old	19	2	0.1	3.4
20 years old	20	12	0.5	20.7
21 years old	21	2	0.1	3.4
22 years old	22	4	0.2	6.9
25 years old	25	4	0.2	6.9
27 years old	27	2	0.1	3.4
29 years old	29	1	0.0	1.7
30 years old	30	6	0.2	10.3
32 years old	32	1	0.0	1.7
33 years old	33	1	0.0	1.7
35 years old	35	9	0.4	15.5
37 years old	37	1	0.0	1.7
38 years old	38	2	0.1	3.4
39 years old	39	1	0.0	1.7
40 years old	40	5	0.2	8.6
45 years old	45	2	0.1	3.4
NAP	0	2,442	97.7	
		2,500	100.0	100.0

**b65\_3** Most recent use of Chinese Lotus Leaf Tea

B6-5. [Weight loss drugs] Chinese Lotus Leaf Tea  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	1.7
Within the last 6 months	3	2	0.1	3.4
Within the last year	4	6	0.2	10.3
Within the last 2 years	5	4	0.2	6.9
Within the last 3 years	6	5	0.2	8.6
More than 3 years ago	7	39	1.6	67.2
NA	9	1	0.0	1.7
NAP	0	2,442	97.7	
		2,500	100.0	100.0

**b65\_4** Number of times R used Chinese Lotus Leaf Tea in the last year

B6-5. [Weight loss drugs] Chinese Lotus Leaf Tea  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	1	0.0	11.1
More than 2-3 times a week	2	3	0.1	33.3
2-3 times a month	4	1	0.0	11.1
Once every 3 months	6	1	0.0	11.1
1-3 times a year	7	2	0.1	22.2
NA	9	1	0.0	11.1
NAP	0	2,491	99.6	
		2,500	100.0	100.0

**b66\_1** Intended use of other weight loss drugs

B6-6. [Weight loss drugs] Other/ Don't know the name  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,434	97.4	97.4
Original use (treatment purpose)	1	61	2.4	2.4
Purpose undisclosed	3	5	0.2	0.2
		2,500	100.0	100.0

**b66\_2** Age at the time of first use of other weight loss drugs

B6-6. [Weight loss drugs] Other/ Don't know the name  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
17 years old	17	2	0.1	3.0
18 years old	18	1	0.0	1.5
19 years old	19	3	0.1	4.5
20 years old	20	7	0.3	10.6
21 years old	21	2	0.1	3.0
22 years old	22	4	0.2	6.1
23 years old	23	2	0.1	3.0
24 years old	24	2	0.1	3.0
25 years old	25	5	0.2	7.6
26 years old	26	2	0.1	3.0
28 years old	28	1	0.0	1.5
30 years old	30	7	0.3	10.6
32 years old	32	4	0.2	6.1
35 years old	35	4	0.2	6.1
36 years old	36	1	0.0	1.5
38 years old	38	2	0.1	3.0
39 years old	39	3	0.1	4.5
40 years old	40	3	0.1	4.5
42 years old	42	1	0.0	1.5
44 years old	44	1	0.0	1.5
45 years old	45	4	0.2	6.1
48 years old	48	1	0.0	1.5
49 years old	49	1	0.0	1.5
50 years old	50	1	0.0	1.5
56 years old	56	1	0.0	1.5
NA	99	1	0.0	1.5
NAP	0	2,434	97.4	
		2,500	100.0	100.0

**b66\_3** Most recent use of other weight loss drugs

B6-6. [Weight loss drugs] Other/ Don't know the name  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	8	0.3	12.1
Within the last 3 months	2	3	0.1	4.5
Within the last 6 months	3	2	0.1	3.0
Within the last year	4	7	0.3	10.6
Within the last 2 years	5	2	0.1	3.0
Within the last 3 years	6	2	0.1	3.0
More than 3 years ago	7	40	1.6	60.6
NA	9	2	0.1	3.0
NAP	0	2,434	97.4	
		2,500	100.0	100.0

**b66\_4** Number of times R used other weight loss drugs in the last year

B6-6. [Weight loss drugs] Other/ Don't know the name  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	6	0.2	30.0
More than 2-3 times a week	2	5	0.2	25.0
Once a week	3	1	0.0	5.0
Once every 3 months	6	3	0.1	15.0
1-3 times a year	7	3	0.1	15.0
NA	9	2	0.1	10.0
NAP	0	2,480	99.2	
		2,500	100.0	100.0

**b71\_1** Intended use of Carissorprodol

B7-1. [Muscle relaxant/ Muscle enhancers] Carissorprodol  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,490	99.6	99.6
Original use (treatment purpose)	1	10	0.4	0.4
		2,500	100.0	100.0

**b71\_2** Age at the time of first use of Carissorprodol

B7-1. [Muscle relaxant/ Muscle enhancers] Carissorprodol

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
16 years old	16	1	0.0	10.0
17 years old	17	1	0.0	10.0
21 years old	21	2	0.1	20.0
25 years old	25	2	0.1	20.0
27 years old	27	1	0.0	10.0
30 years old	30	1	0.0	10.0
32 years old	32	1	0.0	10.0
40 years old	40	1	0.0	10.0
NAP	0	2,490	99.6	
		2,500	100.0	100.0

**b71\_3** Most recent use of Carissorprodol

B7-1. [Muscle relaxant/ Muscle enhancers] Carissorprodol

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	10.0
Within the last year	4	1	0.0	10.0
Within the last 2 years	5	1	0.0	10.0
Within the last 3 years	6	1	0.0	10.0
More than 3 years ago	7	5	0.2	50.0
NA	9	1	0.0	10.0
NAP	0	2,490	99.6	
		2,500	100.0	100.0

**b71\_4** Number of times R used Carissorprodol in the last year

B7-1. [Muscle relaxant/ Muscle enhancers] Carissorprodol

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
2-3 times a month	4	1	0.0	50.0
1-3 times a year	7	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b72\_1** Intended use of Anabolic steroid

B7-2. [Muscle relaxant/ Muscle enhancers] Anabolic steroid

1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,494	99.8	99.8
Original use (treatment purpose)	1	5	0.2	0.2
Purpose undisclosed	3	1	0.0	0.0
		2,500	100.0	100.0

**b72\_2** Age at the time of first use of Anabolic steroid

B7-2. [Muscle relaxant/ Muscle enhancers] Anabolic steroid

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
16 years old	16	1	0.0	16.7
17 years old	17	1	0.0	16.7
18 years old	18	1	0.0	16.7
22 years old	22	1	0.0	16.7
33 years old	33	1	0.0	16.7
40 years old	40	1	0.0	16.7
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**b72\_3** Most recent use of Anabolic steroid

B7-2. [Muscle relaxant/ Muscle enhancers] Anabolic steroid

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 6 months	3	1	0.0	16.7
Within the last year	4	1	0.0	16.7
Within the last 3 years	6	1	0.0	16.7
More than 3 years ago	7	2	0.1	33.3
NA	9	1	0.0	16.7
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**b72\_4** Number of times R used Anabolic steroid in the last year

B7-2. [Muscle relaxant/ Muscle enhancers] Anabolic steroid  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
2-3 times a month	4	1	0.0	50.0
1-3 times a year	7	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**b73\_1** Intended use of other muscle relaxant

B7-3. [Muscle relaxant/ Muscle enhancers] Other/ Don't know the name  
1) Intended use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No experience of use	0	2,474	99.0	99.0
Original use (treatment purpose)	1	26	1.0	1.0
		2,500	100.0	100.0

**b73\_2** Age at the time of first use of other muscle relaxant

B7-3. [Muscle relaxant/ Muscle enhancers] Other/ Don't know the name  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
16 years old	16	1	0.0	3.8
18 years old	18	2	0.1	7.7
19 years old	19	3	0.1	11.5
20 years old	20	2	0.1	7.7
22 years old	22	1	0.0	3.8
23 years old	23	2	0.1	7.7
24 years old	24	1	0.0	3.8
25 years old	25	1	0.0	3.8
26 years old	26	1	0.0	3.8
28 years old	28	1	0.0	3.8
30 years old	30	2	0.1	7.7
32 years old	32	1	0.0	3.8
35 years old	35	1	0.0	3.8

37 years old	37	1	0.0	3.8
49 years old	49	1	0.0	3.8
50 years old	50	4	0.2	15.4
51 years old	51	1	0.0	3.8
NAP	0	2,474	99.0	
		2,500	100.0	100.0

**b73\_3** Most recent use of other muscle relaxant

B7-3. [Muscle relaxant/ Muscle enhancers] Other/ Don't know the name  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	4	0.2	15.4
Within the last 3 months	2	3	0.1	11.5
Within the last 6 months	3	2	0.1	7.7
Within the last year	4	8	0.3	30.8
Within the last 2 years	5	2	0.1	7.7
Within the last 3 years	6	1	0.0	3.8
More than 3 years ago	7	5	0.2	19.2
NA	9	1	0.0	3.8
NAP	0	2,474	99.0	
		2,500	100.0	100.0

**b73\_4** Number of times R used other muscle relaxant in the last year

B7-3. [Muscle relaxant/ Muscle enhancers] Other/ Don't know the name  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than once a day	1	1	0.0	5.9
More than 2-3 times a week	2	1	0.0	5.9
Once a week	3	2	0.1	11.8
2-3 times a month	4	3	0.1	17.6
Once a month	5	1	0.0	5.9
Once every 3 months	6	2	0.1	11.8
1-3 times a year	7	5	0.2	29.4
NA	9	2	0.1	11.8
NAP	0	2,483	99.3	
		2,500	100.0	100.0



**C. Please answer the following questions if you have used any of the drugs mentioned above. If you have not used any of the above mentioned drugs please answer the questions on the following page.**

**c1** Drugs that R has used the most(1)

C1. Which of the following drugs have you used the most often?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Sleeping Pills	1	66	2.6	3.8
Sedatives/ Tranquilizers	2	60	2.4	3.5
Antitussive expectorants/ Cough medicine	3	219	8.8	12.6
Pain reliever	4	1,212	48.5	69.9
Sleep preventing medication	5	65	2.6	3.7
Weight loss drugs	6	77	3.1	4.4
Muscle relaxant/ Muscle enhancers	7	19	0.8	1.1
NA	9	16	0.6	0.9
NAP	0	766	30.6	
		2,500	100.0	100.0

**c2** Reason for starting to use the drug(1)

C2. What is the main reason for starting to use that drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Curiosity	1	18	0.7	1.0
Boredom	2	2	0.1	0.1
Recommendation by others	3	17	0.7	1.0
To relieve stress/to recover from fatigue	4	15	0.6	0.9
To lose weight	5	70	2.8	4.0
To calm my nerves while committing a crime	7	1	0.0	0.1
For treatment purposes (relieve pain, induce sleep, etc.)	8	1,552	62.1	89.5
Other	9	59	2.4	3.4
NAP	0	766	30.6	
		2,500	100.0	100.0

**c3** How did R find out about the drug(1)

C3. How did you find out about the drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Family/relative	1	519	20.8	29.9
Friend/coworker	2	234	9.4	13.5
Boyfriend/girlfriend	3	2	0.1	0.1
Someone other than those mentioned previously	4	109	4.4	6.3
Various media (Internet, TV, movies)	5	480	19.2	27.7
Book, magazine	6	13	0.5	0.7
Other	7	345	13.8	19.9
NA	9	32	1.3	1.8
NAP	0	766	30.6	
		2,500	100.0	100.0

**c4** Where did R purchase the drug(1)

C4. Where did you mostly purchase the drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Family/relative	1	84	3.4	4.8
Friend/schoolmate/coworker	2	44	1.8	2.5
Dealer	4	17	0.7	1.0
An employee at an adult entertainment establishment	5	2	0.1	0.1
Internet	6	3	0.1	0.2
Pharmacy/doctor's office	7	1,541	61.6	88.9
Abroad	8	1	0.0	0.1
Other	9	21	0.8	1.2
NA	99	21	0.8	1.2
NAP	0	766	30.6	
		2,500	100.0	100.0

**c5** R mostly uses the drug alone or not(1)

C5. Do you mostly use the drug alone? Or do you use it with someone else?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Mostly alone	1	1,648	65.9	95.0
Mostly with someone else	2	55	2.2	3.2
NA	9	31	1.2	1.8
NAP	0	766	30.6	
		2,500	100.0	100.0

**c6** Where does R use the drug(1)

C6. Where do you mostly use the drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Home	1	1,636	65.4	94.3
Home of a friend/relative/boyfriend or girlfriend	2	15	0.6	0.9
Lodging facility	3	2	0.1	0.1
Adult entertainment establishment	4	1	0.0	0.1
Outdoors/on the street	5	5	0.2	0.3
Other	6	47	1.9	2.7
NA	9	28	1.1	1.6
NAP	0	766	30.6	
		2,500	100.0	100.0

**D. Please mark the applicable answers.**

**d1** R has family members who have used drugs

D1. Do you have any family members or relatives who have used drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	50	2.0	2.0
No	2	2,450	98.0	98.0
		2,500	100.0	100.0

**d2** R has friends who have used drugs

D2. Do you have any friends who have used drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	204	8.2	8.2
No	2	2,296	91.8	91.8
		2,500	100.0	100.0

**d3** Boyfriend/Girlfriend has used drugs

D3. Has your boyfriend or girlfriend ever used drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	15	0.6	0.6
No	2	2,485	99.4	99.4
		2,500	100.0	100.0

**d4** Family members have advised to use drugs

D4. Have you been advised to use drugs by a family member or a relative?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	12	0.5	0.5
No	2	2,488	99.5	99.5
		2,500	100.0	100.0

**d5** Friends have advised to use drugs

D5. Have you been advised to use drugs by friends?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	132	5.3	5.3
No	2	2,368	94.7	94.7
		2,500	100.0	100.0

**d6** Boyfriend/Girlfriend have advised to use drugs

D6. Have you been advised to use drugs by your boyfriend or girlfriend?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	8	0.3	0.3
No	2	2,492	99.7	99.7
		2,500	100.0	100.0

**E. Among the following list of drugs please mark the drugs you have used and answer the applicable questions.**

**e11\_1** R has used glue

E1-1. [Substances hazardous for inhalation] Glue

1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	45	1.8	1.8
No	2	2,455	98.2	98.2
		2,500	100.0	100.0

**e11\_2** Age at the time of first use of glue

E1-1. [Substances hazardous for inhalation] Glue

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	4	0.2	8.9
15 years old	15	5	0.2	11.1
16 years old	16	5	0.2	11.1
17 years old	17	20	0.8	44.4
18 years old	18	6	0.2	13.3
19 years old	19	2	0.1	4.4
20 years old	20	3	0.1	6.7
NAP	0	2,455	98.2	
		2,500	100.0	100.0

**e11\_3** Most recent use of glue

E1-1. [Substances hazardous for inhalation] Glue

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last year	4	1	0.0	2.2
Within the last 2 years	5	1	0.0	2.2
Within the last 3 years	6	1	0.0	2.2
More than 3 years ago	7	41	1.6	91.1
NA	9	1	0.0	2.2
NAP	0	2,455	98.2	
		2,500	100.0	100.0

**e11\_4** Number of times R used glue in the last year

E1-1. [Substances hazardous for inhalation] Glue  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1-3 times a year	7	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e12\_1** R has used Butane gas

E1-2. [Substances hazardous for inhalation] Butane gas  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	25	1.0	1.0
No	2	2,475	99.0	99.0
		2,500	100.0	100.0

**e12\_2** Age at the time of first use of Butane gas

E1-2. [Substances hazardous for inhalation] Butane gas  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
14 years old	14	2	0.1	8.0
16 years old	16	5	0.2	20.0
17 years old	17	9	0.4	36.0
18 years old	18	6	0.2	24.0
19 years old	19	2	0.1	8.0
20 years old	20	1	0.0	4.0
NAP	0	2,475	99.0	
		2,500	100.0	100.0

**e12\_3** Most recent use of Butane gas

E1-2. [Substances hazardous for inhalation] Butane gas  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 2 years	5	1	0.0	4.0
Within the last 3 years	6	1	0.0	4.0
More than 3 years ago	7	22	0.9	88.0
NA	9	1	0.0	4.0
NAP	0	2,475	99.0	
		2,500	100.0	100.0

**e12\_4** Number of times R used Butane gas in the last year

E1-2. [Substances hazardous for inhalation] Butane gas  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e13\_1** R has used Varnish/paint thinner/paint

E1-3. [Substances hazardous for inhalation] Varnish/paint thinner/paint  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	5	0.2	0.2
No	2	2,495	99.8	99.8
		2,500	100.0	100.0

**e13\_2** Age at the time of first use of Varnish/paint thinner/paint

E1-3. [Substances hazardous for inhalation] Varnish/paint thinner/paint  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
15 years old	15	1	0.0	20.0
16 years old	16	1	0.0	20.0
17 years old	17	2	0.1	40.0

18 years old	18	1	0.0	20.0
NAP	0	2,495	99.8	
		2,500	100.0	100.0

**e13\_3** Most recent use of Varnish/paint thinner/paint

E1-3. [Substances hazardous for inhalation] Varnish/paint thinner/paint

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	5	0.2	100.0
NAP	0	2,495	99.8	
		2,500	100.0	100.0

**e13\_4** Number of times R used Varnish/paint thinner/paint in the last year

E1-3. [Substances hazardous for inhalation] Varnish/paint thinner/paint

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e14\_1** R has used other substances hazardous for inhalation

E1-4. [Substances hazardous for inhalation] Other

1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1	0.0	0.0
No	2	2,499	100.0	100.0
		2,500	100.0	100.0

**e14\_2** Age at the time of first use of other substances hazardous for inhalation

E1-4. [Substances hazardous for inhalation] Other

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
18 years old	18	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0



**e14\_3** Most recent use of other substances hazardous for inhalation

E1-4. [Substances hazardous for inhalation] Other  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e14\_4** Number of times R used other substances hazardous for inhalation in the last year

E1-4. [Substances hazardous for inhalation] Other  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e21\_1** R has used Marijuana

E2-1. [Hemp] Marijuana  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	44	1.8	1.8
No	2	2,456	98.2	98.2
		2,500	100.0	100.0

**e21\_2** Age at the time of first use of Marijuana

E2-1. [Hemp] Marijuana  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
11 years old	11	2	0.1	4.5
12 years old	12	2	0.1	4.5
16 years old	16	1	0.0	2.3
17 years old	17	3	0.1	6.8
18 years old	18	1	0.0	2.3
19 years old	19	1	0.0	2.3

20 years old	20	9	0.4	20.5
21 years old	21	4	0.2	9.1
22 years old	22	2	0.1	4.5
23 years old	23	2	0.1	4.5
24 years old	24	4	0.2	9.1
25 years old	25	3	0.1	6.8
26 years old	26	1	0.0	2.3
30 years old	30	5	0.2	11.4
31 years old	31	1	0.0	2.3
35 years old	35	1	0.0	2.3
42 years old	42	1	0.0	2.3
NA	99	1	0.0	2.3
NAP	0	2,456	98.2	
		2,500	100.0	100.0

**e21\_3** Most recent use of Marijuana

E2-1. [Hemp] Marijuana  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1	0.0	2.3
Within the last 6 months	3	1	0.0	2.3
Within the last 2 years	5	1	0.0	2.3
Within the last 3 years	6	2	0.1	4.5
More than 3 years ago	7	35	1.4	79.5
NA	9	4	0.2	9.1
NAP	0	2,456	98.2	
		2,500	100.0	100.0

**e21\_4** Number of times R used Marijuana in the last year

E2-1. [Hemp] Marijuana  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1-3 times a year	7	1	0.0	50.0
NA	9	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**e22\_1** R has used Hashish

E2-2. [Hemp] Hashish  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1	0.0	0.0
No	2	2,499	100.0	100.0
		2,500	100.0	100.0

**e22\_2** Age at the time of first use of Hashish

E2-2. [Hemp] Hashish  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e22\_3** Most recent use of Hashish

E2-2. [Hemp] Hashish  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e22\_4** Number of times R used Hashish in the last year

E2-2. [Hemp] Hashish  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e31\_1** R has used Opium

E3-1. [Opium] Opium  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	5	0.2	0.2
No	2	2,495	99.8	99.8
		2,500	100.0	100.0

**e31\_2** Age at the time of first use of Opium

E3-1. [Opium] Opium  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
10 years old	10	1	0.0	20.0
12 years old	12	1	0.0	20.0
20 years old	20	1	0.0	20.0
23 years old	23	1	0.0	20.0
30 years old	30	1	0.0	20.0
NAP	0	2,495	99.8	
		2,500	100.0	100.0

**e31\_3** Most recent use of Opium

E3-1. [Opium] Opium  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	5	0.2	100.0
NAP	0	2,495	99.8	
		2,500	100.0	100.0

**e31\_4** Number of times R used Opium in the last year

E3-1. [Opium] Opium  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e32\_1** R has used Morphine

E3-2. [Opium] Morphine

1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	6	0.2	0.2
No	2	2,494	99.8	99.8
		2,500	100.0	100.0

**e32\_2** Age at the time of first use of Morphine

E3-2. [Opium] Morphine

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	1	0.0	16.7
22 years old	22	2	0.1	33.3
25 years old	25	1	0.0	16.7
28 years old	28	1	0.0	16.7
35 years old	35	1	0.0	16.7
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**e32\_3** Most recent use of Morphine

E3-2. [Opium] Morphine

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	6	0.2	100.0
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**e32\_4** Number of times R used Morphine in the last year

E3-2. [Opium] Morphine

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e33\_1** R has used Heroine

E3-3. [Opium] Heroine  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2	0.1	0.1
No	2	2,498	99.9	99.9
		2,500	100.0	100.0

**e33\_2** Age at the time of first use of Heroine

E3-3. [Opium] Heroine  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	1	0.0	50.0
44 years old	44	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**e33\_3** Most recent use of Heroine

E3-3. [Opium] Heroine  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	2	0.1	100.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**e33\_4** Number of times R used Heroine in the last year

E3-3. [Opium] Heroine  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e34\_1** R has used Nalbuhpine Hydrochloride

E3-4. [Opium] Nalbuhpine Hydrochloride  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2	0.1	0.1
No	2	2,498	99.9	99.9
		2,500	100.0	100.0

**e34\_2** Age at the time of first use of Nalbuhpine Hydrochloride

E3-4. [Opium] Nalbuhpine Hydrochloride  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	1	0.0	50.0
29 years old	29	1	0.0	50.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**e34\_3** Most recent use of Nalbuhpine Hydrochloride

E3-4. [Opium] Nalbuhpine Hydrochloride  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	2	0.1	100.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**e34\_4** Number of times R used Nalbuhpine Hydrochloride in the last year

E3-4. [Opium] Nalbuhpine Hydrochloride  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e35\_1** R has used other Opium

E3-5. [Opium] Other  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e35\_2** Age at the time of first use of other Opium

E3-5. [Opium] Other  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e35\_3** Most recent use of other Opium

E3-5. [Opium] Other  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e35\_4** Number of times R used other Opium in the last year

E3-5. [Opium] Other  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	100.0

**e41\_1** R has used Cocaine

E4-1. [Cocaine] Cocaine  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	6	0.2	0.2
No	2	2,494	99.8	99.8
		2,500	100.0	100.0



**e41\_2** Age at the time of first use of Cocaine

E4-1. [Cocaine] Cocaine  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	1	0.0	16.7
30 years old	30	2	0.1	33.3
33 years old	33	1	0.0	16.7
36 years old	36	1	0.0	16.7
44 years old	44	1	0.0	16.7
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**e41\_3** Most recent use of Cocaine

E4-1. [Cocaine] Cocaine  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last year	4	1	0.0	16.7
More than 3 years ago	7	5	0.2	83.3
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**e41\_4** Number of times R used Cocaine in the last year

E4-1. [Cocaine] Cocaine  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Once every 3 months	6	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e42\_1** R has used Crack

E4-2. [Cocaine] Crack  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e42\_2** Age at the time of first use of Crack

E4-2. [Cocaine] Crack  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e42\_3** Most recent use of Crack

E4-2. [Cocaine] Crack  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e42\_4** Number of times R used Crack in the last year

E4-2. [Cocaine] Crack  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e51\_1** R has used Methamphetamine (Philoapon)

E5-1. [Psychotropic stimulant] Methamphetamine (Philoapon)  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	5	0.2	0.2
No	2	2,495	99.8	99.8
		2,500	100.0	100.0

**e51\_2** Age at the time of first use of Methamphetamine (Philopon)

E5-1. [Psychotropic stimulant] Methamphetamine (Philopon)  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	1	0.0	20.0
21 years old	21	1	0.0	20.0
22 years old	22	1	0.0	20.0
30 years old	30	1	0.0	20.0
36 years old	36	1	0.0	20.0
NAP	0	2,495	99.8	
		2,500	100.0	100.0

**e51\_3** Most recent use of Methamphetamine (Philopon)

E5-1. [Psychotropic stimulant] Methamphetamine (Philopon)  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	5	0.2	100.0
NAP	0	2,495	99.8	
		2,500	100.0	100.0

**e51\_4** Number of times R used Methamphetamine (Philopon) in the last year

E5-1. [Psychotropic stimulant] Methamphetamine (Philopon)  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e52\_1** R has used other psychotropic stimulant

E5-2. [Psychotropic stimulant] Other  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e52\_2** Age at the time of first use of other psychotropic stimulant

E5-2. [Psychotropic stimulant] Other  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e52\_3** Most recent use of other psychotropic stimulant

E5-2. [Psychotropic stimulant] Other  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e52\_4** Number of times R used other psychotropic stimulant in the last year

E5-2. [Psychotropic stimulant] Other  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e61\_1** R has used LSD

E6-1. [Psychotropic hallucinogen] LSD  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2	0.1	0.1
No	2	2,498	99.9	99.9
		2,500	100.0	100.0

**e61\_2** Age at the time of first use of LSD

E6-1. [Psychotropic hallucinogen] LSD  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	2	0.1	100.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**e61\_3** Most recent use of LSD

E6-1. [Psychotropic hallucinogen] LSD  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	2	0.1	100.0
NAP	0	2,498	99.9	
		2,500	100.0	100.0

**e61\_4** Number of times R used LSD in the last year

E6-1. [Psychotropic hallucinogen] LSD  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e62\_1** R has used PCP

E6-2. [Psychotropic hallucinogen] PCP  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e62\_2** Age at the time of first use of PCP

E6-2. [Psychotropic hallucinogen] PCP  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e62\_3** Most recent use of PCP

E6-2. [Psychotropic hallucinogen] PCP  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e62\_4** Number of times R used PCP in the last year

E6-2. [Psychotropic hallucinogen] PCP  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e63\_1** R has used Peyote

E6-3. [Psychotropic hallucinogen] Peyote  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e63\_2** Age at the time of first use of Peyote

E6-3. [Psychotropic hallucinogen] Peyote  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e63\_3** Most recent use of Peyote

E6-3. [Psychotropic hallucinogen] Peyote  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	100.0

**e63\_4** Number of times R used Peyote in the last year

E6-3. [Psychotropic hallucinogen] Peyote  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e64\_1** R has used other psychotropic hallucinogen

E6-4. [Psychotropic hallucinogen] Other  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1	0.0	0.0
No	2	2,499	100.0	100.0
		2,500	100.0	100.0

**e64\_2** Age at the time of first use of other psychotropic hallucinogen

E6-4. [Psychotropic hallucinogen] Other  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
18 years old	18	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e64\_3** Most recent use of other psychotropic hallucinogen

E6-4. [Psychotropic hallucinogen] Other  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last 2 years	5	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e64\_4** Number of times R used other psychotropic hallucinogen in the last year

E6-4. [Psychotropic hallucinogen] Other  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e71\_1** R has used Ecstasy

E7-1. [New drugs] Ecstasy  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	7	0.3	0.3
No	2	2,493	99.7	99.7
		2,500	100.0	100.0

**e71\_2** Age at the time of first use of Ecstasy

E7-1. [New drugs] Ecstasy  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	3	0.1	42.9
22 years old	22	1	0.0	14.3
26 years old	26	1	0.0	14.3
34 years old	34	2	0.1	28.6
NAP	0	2,493	99.7	
		2,500	100.0	100.0



**e71\_3** Most recent use of Ecstasy

E7-1. [New drugs] Ecstasy  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last year	4	1	0.0	14.3
Within the last 2 years	5	1	0.0	14.3
Within the last 3 years	6	1	0.0	14.3
More than 3 years ago	7	3	0.1	42.9
NA	9	1	0.0	14.3
NAP	0	2,493	99.7	
		2,500	100.0	100.0

**e71\_4** Number of times R used Ecstasy in the last year

E7-1. [New drugs] Ecstasy  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
NA	9	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e72\_1** R has used Yaba

E7-2. [New drugs] Yaba  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1	0.0	0.0
No	2	2,499	100.0	100.0
		2,500	100.0	100.0

**e72\_2** Age at the time of first use of Yaba

E7-2. [New drugs] Yaba  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
30 years old	30	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e72\_3** Most recent use of Yaba

E7-2. [New drugs] Yaba  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 3 years ago	7	1	0.0	100.0
NAP	0	2,499	100.0	
		2,500	100.0	100.0

**e72\_4** Number of times R used Yaba in the last year

E7-2. [New drugs] Yaba  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e73\_1** R has used GHB

E7-3. [New drugs] GHB  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e73\_2** Age at the time of first use of GHB

E7-3. [New drugs] GHB  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e73\_3** Most recent use of GHB

E7-3. [New drugs] GHB  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e73\_4** Number of times R used GHB in the last year

E7-3. [New drugs] GHB  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e74\_1** R has used Ketamine

E7-4. [New drugs] Ketamine  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e74\_2** Age at the time of first use of Ketamine

E7-4. [New drugs] Ketamine  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	100.0

**e74\_3** Most recent use of Ketamine

E7-4. [New drugs] Ketamine  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e74\_4** Number of times R used Ketamine in the last year

E7-4. [New drugs] Ketamine  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e75\_1** R has used other new drugs

E7-5. [New drugs] Other  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e75\_2** Age at the time of first use of other new drugs

E7-5. [New drugs] Other  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e75\_3** Most recent use of other new drugs

E7-5. [New drugs] Other  
3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**e75\_4** Number of times R used other new drugs in the last year

E7-5. [New drugs] Other  
4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
System Missing	0	2,500	100.0	
		2,500	100.0	

**F. Please answer the relevant questions.**

**f1** R has been penalized for using drugs

F1. Have you ever been penalized for using drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	6	0.2	0.2
No	2	2,494	99.8	99.8
		2,500	100.0	100.0

**f2** Age at the time of being penalized for using drugs

F2. If you have been penalized for using drugs, how old were you at the time you were penalized for the first time?

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
16 years old	16	1	0.0	16.7
23 years old	23	1	0.0	16.7
31 years old	31	1	0.0	16.7
NA	99	3	0.1	50.0
NAP	0	2,494	99.8	
		2,500	100.0	100.0

**f3** R has criminal record other than related to drugs

F3. Do you have a criminal record other than related to drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	8	0.3	0.3
No	2	2,492	99.7	99.7
		2,500	100.0	100.0

**f4** How old was R when committed the crime

F4. If you have a criminal record, how old were you when you committed the crime (if more than once, at the time you committed the first crime)?  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
20 years old	20	2	0.1	25.0
21 years old	21	2	0.1	25.0
23 years old	23	1	0.0	12.5
27 years old	27	1	0.0	12.5
44 years old	44	1	0.0	12.5
NA	99	1	0.0	12.5
NAP	0	2,492	99.7	
		2,500	100.0	100.0

**f5a\_1** R has drunk alcohol

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.  
: Alcohol  
1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2,192	87.7	87.7
No	2	308	12.3	12.3
		2,500	100.0	100.0

**f5a\_2** Age at the time of first drinking

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.  
: Alcohol  
2) Age at the time of first use  
: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1 years old	1	4	0.2	0.2
2 years old	2	1	0.0	0.0
7 years old	7	2	0.1	0.1
8 years old	8	1	0.0	0.0
9 years old	9	3	0.1	0.1
10 years old	10	7	0.3	0.3
11 years old	11	7	0.3	0.3

## A Study on Drug Abuse and Attitudes towards Drugs

12 years old	12	6	0.2	0.3
13 years old	13	18	0.7	0.8
14 years old	14	35	1.4	1.6
15 years old	15	82	3.3	3.7
16 years old	16	96	3.8	4.4
17 years old	17	193	7.7	8.8
18 years old	18	259	10.4	11.8
19 years old	19	297	11.9	13.5
20 years old	20	561	22.4	25.6
21 years old	21	124	5.0	5.7
22 years old	22	61	2.4	2.8
23 years old	23	60	2.4	2.7
24 years old	24	39	1.6	1.8
25 years old	25	89	3.6	4.1
26 years old	26	18	0.7	0.8
27 years old	27	17	0.7	0.8
28 years old	28	7	0.3	0.3
29 years old	29	10	0.4	0.5
30 years old	30	69	2.8	3.1
31 years old	31	2	0.1	0.1
32 years old	32	8	0.3	0.4
33 years old	33	6	0.2	0.3
34 years old	34	3	0.1	0.1
35 years old	35	18	0.7	0.8
36 years old	36	6	0.2	0.3
37 years old	37	4	0.2	0.2
38 years old	38	4	0.2	0.2
39 years old	39	2	0.1	0.1
40 years old	40	18	0.7	0.8
42 years old	42	4	0.2	0.2
45 years old	45	8	0.3	0.4
46 years old	46	1	0.0	0.0
47 years old	47	3	0.1	0.1
49 years old	49	1	0.0	0.0
50 years old	50	13	0.5	0.6
52 years old	52	2	0.1	0.1

## A Study on Drug Abuse and Attitudes towards Drugs

54 years old	54	1	0.0	0.0
55 years old	55	1	0.0	0.0
59 years old	59	1	0.0	0.0
63 years old	63	1	0.0	0.0
NA	99	19	0.8	0.9
NAP	0	308	12.3	
		2,500	100.0	100.0

**f5a\_3** Most recent drinking

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.

: Alcohol

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	1,718	68.7	78.4
Within the last 3 months	2	158	6.3	7.2
Within the last 6 months	3	63	2.5	2.9
Within the last year	4	83	3.3	3.8
Within the last 5 years	5	53	2.1	2.4
Within the last 15 years	6	19	0.8	0.9
More than 15 years ago	7	52	2.1	2.4
NA	9	46	1.8	2.1
NAP	0	308	12.3	
		2,500	100.0	100.0

**f5a\_4** Number of times R drunk in the last year

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.

: Alcohol

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Almost every day	1	111	4.4	5.1
More than 2-3 times a week	2	441	17.6	20.1
Once a week	3	425	17.0	19.4
2-3 times a month	4	401	16.0	18.3
Once a month	5	325	13.0	14.8
Once every 3 months	6	155	6.2	7.1
1-3 times a week	7	176	7.0	8.0



Never	8	126	5.0	5.7
NA	9	32	1.3	1.5
NAP	0	308	12.3	
		2,500	100.0	100.0

**f5b\_1** R has smoked cigarettes

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.

: Cigarettes

1) Experience of use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1,120	44.8	44.8
No	2	1,380	55.2	55.2
		2,500	100.0	100.0

**f5b\_2** Age at the time of first smoking

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.

: Cigarettes

2) Age at the time of first use

: \_\_\_\_\_ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
6 years old	6	1	0.0	0.1
7 years old	7	1	0.0	0.1
9 years old	9	2	0.1	0.2
10 years old	10	2	0.1	0.2
11 years old	11	5	0.2	0.4
12 years old	12	2	0.1	0.2
13 years old	13	18	0.7	1.6
14 years old	14	22	0.9	2.0
15 years old	15	56	2.2	5.0
16 years old	16	70	2.8	6.3
17 years old	17	113	4.5	10.1
18 years old	18	154	6.2	13.8
19 years old	19	136	5.4	12.1
20 years old	20	257	10.3	22.9
21 years old	21	87	3.5	7.8
22 years old	22	38	1.5	3.4
23 years old	23	37	1.5	3.3

## A Study on Drug Abuse and Attitudes towards Drugs

24 years old	24	18	0.7	1.6
25 years old	25	33	1.3	2.9
26 years old	26	10	0.4	0.9
27 years old	27	7	0.3	0.6
28 years old	28	2	0.1	0.2
29 years old	29	6	0.2	0.5
30 years old	30	13	0.5	1.2
31 years old	31	2	0.1	0.2
32 years old	32	1	0.0	0.1
34 years old	34	1	0.0	0.1
35 years old	35	4	0.2	0.4
36 years old	36	1	0.0	0.1
40 years old	40	5	0.2	0.4
42 years old	42	2	0.1	0.2
45 years old	45	2	0.1	0.2
46 years old	46	3	0.1	0.3
48 years old	48	1	0.0	0.1
55 years old	55	1	0.0	0.1
58 years old	58	1	0.0	0.1
63 years old	63	1	0.0	0.1
NA	99	5	0.2	0.4
NAP	0	1,380	55.2	
		2,500	100.0	100.0

**f5b\_3** Most recent smoking

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.

: Cigarettes

3) Most recent use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Within the last month	1	819	32.8	73.1
Within the last 3 months	2	13	0.5	1.2
Within the last 6 months	3	19	0.8	1.7
Within the last year	4	27	1.1	2.4
Within the last 2 years	5	28	1.1	2.5
Within the last 3 years	6	14	0.6	1.3
More than 3 years ago	7	172	6.9	15.4

NA	9	28	1.1	2.5
NAP	0	1,380	55.2	
		2,500	100.0	100.0

**f5b\_4** Number of times R smoked in the last year

F5. Have you smoked cigarettes or drank alcohol? If so, please continue to answer to the right.

: Cigarettes

4) Number of times used in the last year

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
More than 2 boxes a day	1	43	1.7	3.8
Around one box a day	2	516	20.6	46.1
One box in 2-3 days	3	229	9.2	20.4
One box a week	4	34	1.4	3.0
One box in 2-3 weeks	5	12	0.5	1.1
One box a month	6	13	0.5	1.2
Almost never	7	45	1.8	4.0
Never	8	215	8.6	19.2
NA	9	13	0.5	1.2
NAP	0	1,380	55.2	
		2,500	100.0	100.0

**G. Please answer the following questions if you have used any of the drugs mentioned above. If you have not used any of the above mentioned drugs please answer the questions on the following page.**

**g1** Drugs that R has used the most(2)

1. Among the drugs you have used above, which have you used the most often?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Substances hazardous for inhalation	1	43	1.7	43.0
Hemp	2	35	1.4	35.0
Opium	3	8	0.3	8.0
Cocaine	4	5	0.2	5.0
Psychotropic stimulant	5	3	0.1	3.0
Psychotropic hallucinogen	6	1	0.0	1.0
New drugs	7	4	0.2	4.0

NA	9	1	0.0	1.0
NAP	0	2,400	96.0	
		2,500	100.0	100.0

**g2** Reason for starting to use the drug(2)

2. What is the main reason for starting to use that drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Curiosity	1	71	2.8	71.0
Boredom	2	1	0.0	1.0
Recommendation by others	3	12	0.5	12.0
To relieve stress/to recover from fatigue	4	2	0.1	2.0
For sexual pleasure	6	1	0.0	1.0
For treatment purposes (relieve pain, induce sleep, etc.)	8	3	0.1	3.0
Other	9	1	0.0	1.0
NA	99	9	0.4	9.0
NAP	0	2,400	96.0	
		2,500	100.0	100.0

**g3** How did R find out about the drug(2)

2. What is the main reason for starting to use that drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Family/relative	1	1	0.0	1.0
Friend/coworker	2	77	3.1	77.0
Boyfriend/girlfriend	3	1	0.0	1.0
Someone other than those mentioned previously	4	8	0.3	8.0
Various media (Internet, TV, movies)	5	2	0.1	2.0
Other	7	2	0.1	2.0
NA	9	9	0.4	9.0
NAP	0	2,400	96.0	
		2,500	100.0	100.0

**g4** Where did R purchase the drug(2)

4. Where did you mostly purchase the drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Family/relative	1	2	0.1	2.0
Friend/schoolmate/coworker	2	58	2.3	58.0
Dealer	4	12	0.5	12.0
An employee at an adult entertainment establishment	5	3	0.1	3.0
Pharmacy/doctor's office	7	4	0.2	4.0
Abroad	8	1	0.0	1.0
Other	9	11	0.4	11.0
NA	99	9	0.4	9.0
NAP	0	2,400	96.0	
		2,500	100.0	100.0

**g5** R mostly uses the drug alone or not(2)

5. Do you mostly use the drug alone? Or do you use it with someone else?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Mostly alone	1	14	0.6	14.0
Mostly with someone else	2	77	3.1	77.0
NA	9	9	0.4	9.0
NAP	0	2,400	96.0	
		2,500	100.0	100.0

**g6** Where does R use the drug(2)

6. Where do you mostly use the drug?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Home	1	15	0.6	15.0
Home of a friend/relative/boyfriend or girlfriend	2	45	1.8	45.0
Lodging facility	3	3	0.1	3.0
Adult entertainment establishment	4	17	0.7	17.0
Outdoors/on the street	5	7	0.3	7.0
Other	6	4	0.2	4.0
NA	9	9	0.4	9.0
NAP	0	2,400	96.0	
		2,500	100.0	100.0

**H. The following questions are regarding your opinion on how bad it is to use drugs.  
Please mark the applicable answer.**

**h1** How bad is it to use drugs

H1. In general, how bad do you think it is to use drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	3	0.1	0.1
Not bad	2	14	0.6	0.6
Neither bad nor good	3	136	5.4	5.4
Somewhat bad	4	698	27.9	27.9
Very bad	5	1,644	65.8	65.8
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**h2** How bad are the people who use drugs

H2. In general, how bad do you think are the people who use drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	5	0.2	0.2
Not bad	2	24	1.0	1.0
Neither bad nor good	3	216	8.6	8.6
Somewhat bad	4	777	31.1	31.1
Very bad	5	1,471	58.8	58.8
NA	9	7	0.3	0.3
		2,500	100.0	100.0

**h3** How bad are drug dealers

H3. In general, how bad do you think are drug dealers?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	2	0.1	0.1
Not bad	2	16	0.6	0.6
Neither bad nor good	3	119	4.8	4.8
Somewhat bad	4	494	19.8	19.8
Very bad	5	1,862	74.5	74.5

NA	9	7	0.3	0.3
		2,500	100.0	100.0

**h4** How bad is drug use compared to murder

H4. Murder in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	27	1.1	1.1
Less bad	2	59	2.4	2.4
Similar	3	292	11.7	11.7
Worse	4	458	18.3	18.3
Much worse	5	1,658	66.3	66.3
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**h5** How bad is drug use compared to violence

H5. Violence in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	16	0.6	0.6
Less bad	2	128	5.1	5.1
Similar	3	586	23.4	23.4
Worse	4	841	33.6	33.6
Much worse	5	924	37.0	37.0
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**h6** How bad is drug use compared to robbery

H6. Robbery in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	18	0.7	0.7
Less bad	2	97	3.9	3.9
Similar	3	550	22.0	22.0
Worse	4	827	33.1	33.1
Much worse	5	1,003	40.1	40.1
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**h7** How bad is drug use compared to theft

H7. Theft in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	18	0.7	0.7
Less bad	2	167	6.7	6.7
Similar	3	621	24.8	24.8
Worse	4	909	36.4	36.4
Much worse	5	779	31.2	31.2
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**h8** How bad is drug use compared to fraud

H8. Fraud in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	16	0.6	0.6
Less bad	2	158	6.3	6.3
Similar	3	622	24.9	24.9
Worse	4	843	33.7	33.7
Much worse	5	852	34.1	34.1
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**h9** How bad is drug use compared to rape

H9. Rape in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	18	0.7	0.7
Less bad	2	64	2.6	2.6
Similar	3	396	15.8	15.8
Worse	4	686	27.4	27.4
Much worse	5	1,330	53.2	53.2
NA	9	6	0.2	0.2
		2,500	100.0	100.0



**h10** How bad is drug use compared to sexual harassment

H10. Sexual harassment in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	32	1.3	1.3
Less bad	2	224	9.0	9.0
Similar	3	699	28.0	28.0
Worse	4	735	29.4	29.4
Much worse	5	799	32.0	32.0
NA	9	11	0.4	0.4
		2,500	100.0	100.0

**h11** How bad is drug use compared to traffic violation

H11. Traffic violation in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	199	8.0	8.0
Less bad	2	796	31.8	31.8
Similar	3	725	29.0	29.0
Worse	4	410	16.4	16.4
Much worse	5	359	14.4	14.4
NA	9	11	0.4	0.4
		2,500	100.0	100.0

**h12** How bad is drug use compared to alcohol addiction

H12. Alcohol addiction in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	62	2.5	2.5
Less bad	2	474	19.0	19.0
Similar	3	1,201	48.0	48.0
Worse	4	422	16.9	16.9
Much worse	5	330	13.2	13.2
NA	9	11	0.4	0.4
		2,500	100.0	100.0

**h13** How bad is drug use compared to smoking

H13. Smoking cigarettes in comparison to drug use is...

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Not at all bad	1	416	16.6	16.6
Less bad	2	999	40.0	40.0
Similar	3	575	23.0	23.0
Worse	4	236	9.4	9.4
Much worse	5	268	10.7	10.7
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**I. The following questions are regarding your opinion on the use of drugs. Please mark the applicable answer.**

**i1** Drugs are addictive and it would be difficult to stop

I1. Drugs are very addictive and it would be difficult to stop once you start

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	16	0.6	0.6
Somewhat disagree	2	42	1.7	1.7
Neither agree nor disagree	3	92	3.7	3.7
Somewhat agree	4	920	36.8	36.8
Strongly agree	5	1,428	57.1	57.1
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**i2** Drugs will make R feel good

I2. Drugs will make you feel good

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	160	6.4	6.4
Somewhat disagree	2	284	11.4	11.4
Neither agree nor disagree	3	502	20.1	20.1
Somewhat agree	4	1,051	42.0	42.0
Strongly agree	5	497	19.9	19.9
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**i3** Drugs will help relieve stress

I3. Drugs will help relieve stress

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	314	12.6	12.6
Somewhat disagree	2	541	21.6	21.6
Neither agree nor disagree	3	566	22.6	22.6
Somewhat agree	4	807	32.3	32.3
Strongly agree	5	261	10.4	10.4
NA	9	11	0.4	0.4
		2,500	100.0	100.0

**i4** R is curious about drugs

I4. I am curious about drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,267	50.7	50.7
Somewhat disagree	2	512	20.5	20.5
Neither agree nor disagree	3	362	14.5	14.5
Somewhat agree	4	230	9.2	9.2
Strongly agree	5	120	4.8	4.8
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**i5** R has felt that people using drugs on TV look cool

I5. I have felt that people using drugs on TV or in movies look cool

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,582	63.3	63.3
Somewhat disagree	2	501	20.0	20.0
Neither agree nor disagree	3	205	8.2	8.2
Somewhat agree	4	124	5.0	5.0
Strongly agree	5	81	3.2	3.2
NA	9	7	0.3	0.3
		2,500	100.0	100.0

**i6** R has experienced emptation to use drugs

I6. I have experienced the temptation to use drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,590	63.6	63.6
Somewhat disagree	2	489	19.6	19.6
Neither agree nor disagree	3	186	7.4	7.4
Somewhat agree	4	158	6.3	6.3
Strongly agree	5	73	2.9	2.9
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**i7** One's use of drugs does not harm society

I7. One's use of drugs does not harm society or others

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,291	51.6	51.6
Somewhat disagree	2	519	20.8	20.8
Neither agree nor disagree	3	255	10.2	10.2
Somewhat agree	4	205	8.2	8.2
Strongly agree	5	226	9.0	9.0
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**i8** The use of drugs costs a lot of money

I8. The use of drugs costs a lot of money

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	16	0.6	0.6
Somewhat disagree	2	51	2.0	2.0
Neither agree nor disagree	3	276	11.0	11.0
Somewhat agree	4	989	39.6	39.6
Strongly agree	5	1,160	46.4	46.4
NA	9	8	0.3	0.3
		2,500	100.0	100.0

**i9** Korean people seem to think badly about drugs

I9. In general, people in our country seem to think badly about drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	7	0.3	0.3
Somewhat disagree	2	42	1.7	1.7
Neither agree nor disagree	3	147	5.9	5.9
Somewhat agree	4	1,029	41.2	41.2
Strongly agree	5	1,274	51.0	51.0
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**i10** People around R think badly about drugs

I10. The people around me including my family, relatives, friends, and boyfriend/girlfriend think badly about drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	11	0.4	0.4
Somewhat disagree	2	19	0.8	0.8
Neither agree nor disagree	3	147	5.9	5.9
Somewhat agree	4	971	38.8	38.8
Strongly agree	5	1,343	53.7	53.7
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**i11** If R were to use drugs R will be criticized

I11. If I were to use drugs I will be criticized by those around me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	9	0.4	0.4
Somewhat disagree	2	17	0.7	0.7
Neither agree nor disagree	3	143	5.7	5.7
Somewhat agree	4	859	34.4	34.4
Strongly agree	5	1,468	58.7	58.7
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**i12** The use of drugs harms one's physical health

I12. The use of drugs harms one's physical health

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	5	0.2	0.2
Somewhat disagree	2	20	0.8	0.8
Neither agree nor disagree	3	111	4.4	4.4
Somewhat agree	4	755	30.2	30.2
Strongly agree	5	1,607	64.3	64.3
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**i13** The use of drugs harms one's mental health

I13. The use of drugs harms one's mental health

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	5	0.2	0.2
Somewhat disagree	2	24	1.0	1.0
Neither agree nor disagree	3	94	3.8	3.8
Somewhat agree	4	712	28.5	28.5
Strongly agree	5	1,661	66.4	66.4
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**i14** Drug abuse will lead to wrecking a person's life

I14. Drug abuse will lead to wrecking a person's life

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	5	0.2	0.2
Somewhat disagree	2	17	0.7	0.7
Neither agree nor disagree	3	100	4.0	4.0
Somewhat agree	4	632	25.3	25.3
Strongly agree	5	1,743	69.7	69.7
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**i15** Drug use can lead to death

I15. Drug use can lead to death

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	3	0.1	0.1
Somewhat disagree	2	45	1.8	1.8
Neither agree nor disagree	3	154	6.2	6.2
Somewhat agree	4	743	29.7	29.7
Strongly agree	5	1,553	62.1	62.1
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**i16** Drug use causes problems in relationships with people

I16. Drug use causes problems in the relationships with those around you

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	3	0.1	0.1
Somewhat disagree	2	28	1.1	1.1
Neither agree nor disagree	3	119	4.8	4.8
Somewhat agree	4	904	36.2	36.2
Strongly agree	5	1,443	57.7	57.7
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**i17** Drug use leads to breakup of family

I17. Drug use leads to the breakup of family

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	2	0.1	0.1
Somewhat disagree	2	36	1.4	1.4
Neither agree nor disagree	3	116	4.6	4.6
Somewhat agree	4	740	29.6	29.6
Strongly agree	5	1,604	64.2	64.2
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**i18** Drug use effects one's work life

I18. Drug use effects one's work life

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	4	0.2	0.2
Somewhat disagree	2	33	1.3	1.3
Neither agree nor disagree	3	211	8.4	8.4
Somewhat agree	4	911	36.4	36.4
Strongly agree	5	1,332	53.3	53.3
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**i19** Drug use causes financial damages

I19. Drug use causes financial damages

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	2	0.1	0.1
Somewhat disagree	2	25	1.0	1.0
Neither agree nor disagree	3	166	6.6	6.6
Somewhat agree	4	894	35.8	35.8
Strongly agree	5	1,411	56.4	56.4
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**i20** Drugs are morally harmful to society

I20. Drugs are morally harmful to society

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	2	0.1	0.1
Somewhat disagree	2	24	1.0	1.0
Neither agree nor disagree	3	138	5.5	5.5
Somewhat agree	4	911	36.4	36.4
Strongly agree	5	1,421	56.8	56.8
NA	9	4	0.2	0.2
		2,500	100.0	100.0



**i21** Drugs cause an increase in other crimes

I21. Drugs cause an increase in other crimes such as violence and sex crimes

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	2	0.1	0.1
Somewhat disagree	2	19	0.8	0.8
Neither agree nor disagree	3	112	4.5	4.5
Somewhat agree	4	803	32.1	32.1
Strongly agree	5	1,563	62.5	62.5
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**i22** Drugs may cause various accidents

I22. Drugs may cause various accidents such as traffic accidents

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	4	0.2	0.2
Somewhat disagree	2	27	1.1	1.1
Neither agree nor disagree	3	139	5.6	5.6
Somewhat agree	4	823	32.9	32.9
Strongly agree	5	1,504	60.2	60.2
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**i23** Drugs lead to the loss of labor productivity

I23. Drugs lead to the loss of labor productivity and causes economic stagnation

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	7	0.3	0.3
Somewhat disagree	2	65	2.6	2.6
Neither agree nor disagree	3	260	10.4	10.4
Somewhat agree	4	928	37.1	37.1
Strongly agree	5	1,235	49.4	49.4
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**i24** There is a serious problem of drug use

I24. There is a serious problem of drug use

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	5	0.2	0.2
Somewhat disagree	2	66	2.6	2.6
Neither agree nor disagree	3	336	13.4	13.4
Somewhat agree	4	943	37.7	37.7
Strongly agree	5	1,148	45.9	45.9
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**i25** The range of drug users is expanding

I25. The range of drug users is expanding to farmers, homemakers, students, etc.

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	12	0.5	0.5
Somewhat disagree	2	123	4.9	4.9
Neither agree nor disagree	3	482	19.3	19.3
Somewhat agree	4	1,002	40.1	40.1
Strongly agree	5	877	35.1	35.1
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**i26** The use of drugs is continuing to increase

I26. I believe that the use of drugs is continuing to increase

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	10	0.4	0.4
Somewhat disagree	2	61	2.4	2.4
Neither agree nor disagree	3	417	16.7	16.7
Somewhat agree	4	1,100	44.0	44.0
Strongly agree	5	908	36.3	36.3
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**i27** Who is responsible for the use of drugs

I27. Where do you think lies the greatest responsibility considering that there are people using drugs and that it is becoming a problem?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
The person who used the drugs	1	1,310	52.4	52.4
People such as the user's family, friends, etc.	2	175	7.0	7.0
The person selling the drugs	3	625	25.0	25.0
The government which didn't provide adequate measures	4	225	9.0	9.0
The entire country	5	162	6.5	6.5
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**i28** Social cause for the use of drugs

I28. What do you think is the greatest social cause for the use of drugs?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Decrease in morality	1	733	29.3	29.3
The gap between the rich and the poor	2	220	8.8	8.8
Economic stagnation including unemployment	3	606	24.2	24.2
The increase of adult entertainment establishments	4	361	14.4	14.4
The government's neglect in enforcement and control	5	210	8.4	8.4
The breaking up of family such as divorce, etc.	6	208	8.3	8.3
The competitiveness of society including college entrance, employment, etc.	7	100	4.0	4.0
Other	8	58	2.3	2.3
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**J. The following questions are regarding the treatment and measures for drug use. Please mark the applicable answer.**

**j1** Chances of drug use being detected is small

J1. The chances of drug use being detected is very small

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	241	9.6	9.6
Somewhat disagree	2	456	18.2	18.2
Neither agree nor disagree	3	565	22.6	22.6
Somewhat agree	4	1,023	40.9	40.9
Strongly agree	5	207	8.3	8.3
NA	9	8	0.3	0.3
		2,500	100.0	100.0

**j2** There is a need for crackdown and arrest regarding drugs

J2. There is a need for firmer crackdown and arrest regarding drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	19	0.8	0.8
Somewhat disagree	2	36	1.4	1.4
Neither agree nor disagree	3	151	6.0	6.0
Somewhat agree	4	965	38.6	38.6
Strongly agree	5	1,325	53.0	53.0
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**j3** Punishment of drug users should be strengthened

J3. Punishment of drug users should be strengthened

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	10	0.4	0.4
Somewhat disagree	2	31	1.2	1.2
Neither agree nor disagree	3	214	8.6	8.6
Somewhat agree	4	918	36.7	36.7
Strongly agree	5	1,322	52.9	52.9
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**j4** Punishment of drug dealers should be strengthened

J4. Punishment of drug dealers should be strengthened

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	13	0.5	0.5
Somewhat disagree	2	26	1.0	1.0
Neither agree nor disagree	3	157	6.3	6.3
Somewhat agree	4	727	29.1	29.1
Strongly agree	5	1,564	62.6	62.6
NA	9	13	0.5	0.5
		2,500	100.0	100.0

**j5** It isn't right to penalize the use of drugs

J5. It isn't right to penalize the use of drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,232	49.3	49.3
Somewhat disagree	2	573	22.9	22.9
Neither agree nor disagree	3	230	9.2	9.2
Somewhat agree	4	269	10.8	10.8
Strongly agree	5	188	7.5	7.5
NA	9	8	0.3	0.3
		2,500	100.0	100.0

**j6** Number of users will increase if drugs are legalized

J6. The number of users will increase dramatically if drugs are legalized

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	45	1.8	1.8
Somewhat disagree	2	117	4.7	4.7
Neither agree nor disagree	3	346	13.8	13.8
Somewhat agree	4	914	36.6	36.6
Strongly agree	5	1,069	42.8	42.8
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**j7** Treatment of drug users will be difficult

J7. The treatment of drug users will be difficult

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	119	4.8	4.8
Somewhat disagree	2	242	9.7	9.7
Neither agree nor disagree	3	555	22.2	22.2
Somewhat agree	4	997	39.9	39.9
Strongly agree	5	577	23.1	23.1
NA	9	10	0.4	0.4
		2,500	100.0	100.0

**j8** Appropriate method of treating drug users

J8. What do you think is the most appropriate method of treating drug users?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Punished by a fine	1	89	3.6	3.6
Punished by imprisonment in a general penitentiary	2	179	7.2	7.2
Concurrently punish and provide treatment in a specialized treatment penitentiary	3	1,380	55.2	55.2
Focus on treatment in a specialized treatment facility other than a penitentiary	4	792	31.7	31.7
Outpatient treatment from home rather than in a penitentiary or treatment facility	5	55	2.2	2.2
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**j9** Important factor in process of treating drug users

J9. What is the most important factor in the process of treating drug users?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Providing psychological treatments such as treating depression, etc.	1	712	28.5	28.5
To help regain one's self-esteem	2	672	26.9	26.9
To promote a correct attitude towards drugs	3	803	32.1	32.1
Improve relationships with those around such as family members	4	255	10.2	10.2
Promote the importance of work and provide aid in gaining employment	5	51	2.0	2.0
NA	9	7	0.3	0.3
		2,500	100.0	100.0

**j10** Drug use can be resolved through one's own willpower

J10. Problems of drug use can be resolved through one's own willpower

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	282	11.3	11.3
Somewhat disagree	2	608	24.3	24.3
Neither agree nor disagree	3	361	14.4	14.4
Somewhat agree	4	907	36.3	36.3
Strongly agree	5	334	13.4	13.4
NA	9	8	0.3	0.3
		2,500	100.0	100.0

**j11** Punishment for drugs should be strengthened

J11. Punishment for drugs should be strengthened

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	9	0.4	0.4
Somewhat disagree	2	45	1.8	1.8
Neither agree nor disagree	3	257	10.3	10.3
Somewhat agree	4	1,067	42.7	42.7
Strongly agree	5	1,107	44.3	44.3
NA	9	15	0.6	0.6
		2,500	100.0	100.0

**j12** Efforts for systematic treatment should be made

J12. Efforts should be made to provide systematic and professional treatment for drug users

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	8	0.3	0.3
Somewhat disagree	2	21	0.8	0.8
Neither agree nor disagree	3	178	7.1	7.1
Somewhat agree	4	923	36.9	36.9
Strongly agree	5	1,358	54.3	54.3
NA	9	12	0.5	0.5
		2,500	100.0	100.0

**j13** Preventive education regarding drug use is necessary

J13. Preventive education regarding the use of drugs is necessary at a young age or during adolescences in schools, etc.

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	6	0.2	0.2
Somewhat disagree	2	23	0.9	0.9
Neither agree nor disagree	3	170	6.8	6.8
Somewhat agree	4	734	29.4	29.4
Strongly agree	5	1,556	62.2	62.2
NA	9	11	0.4	0.4
		2,500	100.0	100.0

**j14** Government should publicize harmful effects of drug use

J14. The government should actively publicize the harmful effects of drug use through television, etc.

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	10	0.4	0.4
Somewhat disagree	2	44	1.8	1.8
Neither agree nor disagree	3	167	6.7	6.7
Somewhat agree	4	780	31.2	31.2
Strongly agree	5	1,488	59.5	59.5
NA	9	11	0.4	0.4
		2,500	100.0	100.0

**j15** Monitoring of hazardous environments can prevent spread of drugs

J15. The monitoring of various hazardous environments such as room salons can prevent the spread of drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	50	2.0	2.0
Somewhat disagree	2	133	5.3	5.3
Neither agree nor disagree	3	360	14.4	14.4
Somewhat agree	4	1,127	45.1	45.1
Strongly agree	5	817	32.7	32.7
NA	9	13	0.5	0.5
		2,500	100.0	100.0



**j16** The public should take part in reporting/eradicating drug use

J16. The public, rather than the government, should actively take part in reporting and eradicating the use of drugs

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	16	0.6	0.6
Somewhat disagree	2	110	4.4	4.4
Neither agree nor disagree	3	416	16.6	16.6
Somewhat agree	4	1,128	45.1	45.1
Strongly agree	5	820	32.8	32.8
NA	9	10	0.4	0.4
		2,500	100.0	100.0

**j17** Attention/Assistance is necessary for drug users

J17. The attention and assistance of those around is necessary

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	11	0.4	0.4
Somewhat disagree	2	36	1.4	1.4
Neither agree nor disagree	3	249	10.0	10.0
Somewhat agree	4	1,111	44.4	44.4
Strongly agree	5	1,081	43.2	43.2
NA	9	12	0.5	0.5
		2,500	100.0	100.0

**j18** Investigative capacity of police should be increased for drug users

J18. The investigative capacity of the police should be increased through such measures as specialized detectives and state-of-the-art equipments

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	33	1.3	1.3
Somewhat disagree	2	132	5.3	5.3
Neither agree nor disagree	3	485	19.4	19.4
Somewhat agree	4	1,111	44.4	44.4
Strongly agree	5	725	29.0	29.0
NA	9	14	0.6	0.6
		2,500	100.0	100.0

**j19** Drug use should be resolved through international cooperation

J19. Since the problem of drugs is an internationally occurring problem it should be resolved through international cooperation

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	20	0.8	0.8
Somewhat disagree	2	110	4.4	4.4
Neither agree nor disagree	3	454	18.2	18.2
Somewhat agree	4	1,096	43.8	43.8
Strongly agree	5	806	32.2	32.2
NA	9	14	0.6	0.6
		2,500	100.0	100.0

**j20\_1** Important measure for drug use: 1st

J20. In general, which among the following measures for drug use do you think is the most important?  
Please select two in order of importance.

: 1st \_\_\_\_\_

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strengthen punishment	1	445	17.8	17.8
Professional treatment	2	646	25.8	25.8
Prevention(education)	3	809	32.4	32.4
Publicizing by the government	4	137	5.5	5.5
Monitoring of hazardous environments	5	133	5.3	5.3
Reporting and movement for eradication by the public	6	56	2.2	2.2
Attention and assistance from those around	7	210	8.4	8.4
Strengthen state-of-the-art investigative capacity	8	36	1.4	1.4
Strengthen international cooperation	9	14	0.6	0.6
NA	99	14	0.6	0.6
		2,500	100.0	100.0

**j20\_2** Important measure for drug use: 2nd

J20. In general, which among the following measures for drug use do you think is the most important?  
Please select two in order of importance.  
:2nd \_\_\_\_\_

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strengthen punishment	1	307	12.3	12.3
Professional treatment	2	640	25.6	25.6
Prevention(education)	3	548	21.9	21.9
Publicizing by the government	4	195	7.8	7.8
Monitoring of hazardous environments	5	182	7.3	7.3
Reporting and movement for eradication by the public	6	158	6.3	6.3
Attention and assistance from those around	7	348	13.9	13.9
Strengthen state-of-the-art investigative capacity	8	58	2.3	2.3
Strengthen international cooperation	9	47	1.9	1.9
NA	99	17	0.7	0.7
		2,500	100.0	100.0

**K. The following questions are regarding your relationship with those around you. Please mark the applicable answer.**

**k1\_1** Relationship with spouse is important

K1. [Questions on relationship with spouse]  
1) Is your relationship with your spouse important?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	5	0.2	0.3
Somewhat disagree	2	8	0.3	0.4
Neither agree nor disagree	3	48	1.9	2.6
Somewhat agree	4	427	17.1	23.2
Strongly agree	5	1,299	52.0	70.6
NA	9	54	2.2	2.9
NAP	0	659	26.4	
		2,500	100.0	100.0

**k1\_2** R is not satisfied with relationship with spouse

K1. [Questions on relationship with spouse]  
2) I am not satisfied with my relationship with my spouse

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	609	24.4	33.1
Somewhat disagree	2	585	23.4	31.8
Neither agree nor disagree	3	376	15.0	20.4
Somewhat agree	4	170	6.8	9.2
Strongly agree	5	44	1.8	2.4
NA	9	57	2.3	3.1
NAP	0	659	26.4	
		2,500	100.0	100.0

**k1\_3** R does not have good relationship with spouse

K1. [Questions on relationship with spouse]  
3) I do not have a good relationship with my spouse

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	696	27.8	37.8
Somewhat disagree	2	598	23.9	32.5
Neither agree nor disagree	3	359	14.4	19.5
Somewhat agree	4	100	4.0	5.4
Strongly agree	5	30	1.2	1.6
NA	9	58	2.3	3.2
NAP	0	659	26.4	
		2,500	100.0	100.0

**k1\_4** R gets annoyed when R thinks of spouse

K1. [Questions on relationship with spouse]  
4) I get annoyed when I think of my spouse

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	758	30.3	41.2
Somewhat disagree	2	579	23.2	31.5
Neither agree nor disagree	3	296	11.8	16.1
Somewhat agree	4	119	4.8	6.5

## A Study on Drug Abuse and Attitudes towards Drugs

Strongly agree	5	30	1.2	1.6
NA	9	59	2.4	3.2
NAP	0	659	26.4	
		2,500	100.0	100.0

**k1\_5** R is very comforted by spouse

K1. [Questions on relationship with spouse]

5) I am very comforted by my spouse

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	81	3.2	4.4
Somewhat disagree	2	134	5.4	7.3
Neither agree nor disagree	3	368	14.7	20.0
Somewhat agree	4	735	29.4	39.9
Strongly agree	5	470	18.8	25.5
NA	9	53	2.1	2.9
NAP	0	659	26.4	
		2,500	100.0	100.0

**k1\_6** Spouse is someone who will understand R

K1. [Questions on relationship with spouse]

6) My spouse is someone who will understand me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	64	2.6	3.5
Somewhat disagree	2	108	4.3	5.9
Neither agree nor disagree	3	372	14.9	20.2
Somewhat agree	4	764	30.6	41.5
Strongly agree	5	476	19.0	25.9
NA	9	57	2.3	3.1
NAP	0	659	26.4	
		2,500	100.0	100.0

**k1\_7** Spouse is someone R can talk to about troubles

K1. [Questions on relationship with spouse]

7) My spouse is someone I can talk to about my troubles when I am going through a difficult time

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	67	2.7	3.6
Somewhat disagree	2	115	4.6	6.2
Neither agree nor disagree	3	423	16.9	23.0
Somewhat agree	4	727	29.1	39.5
Strongly agree	5	454	18.2	24.7
NA	9	55	2.2	3.0
NAP	0	659	26.4	
		2,500	100.0	100.0

**k2\_1** Relationship with child(ren) is important

K2. [Questions on relationship with child]

1) Is your relationship with your child important?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1	0.0	0.1
Somewhat disagree	2	7	0.3	0.4
Neither agree nor disagree	3	34	1.4	1.9
Somewhat agree	4	355	14.2	20.1
Strongly agree	5	1,364	54.6	77.2
NA	9	6	0.2	0.3
NAP	0	733	29.3	
		2,500	100.0	100.0

**k2\_2** R is not satisfied with relationship with child(ren)

K2. [Questions on relationship with child]

2) I am not satisfied with my relationship with my child

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	873	34.9	49.4
Somewhat disagree	2	528	21.1	29.9
Neither agree nor disagree	3	212	8.5	12.0
Somewhat agree	4	106	4.2	6.0

## A Study on Drug Abuse and Attitudes towards Drugs

Strongly agree	5	39	1.6	2.2
NA	9	9	0.4	0.5
NAP	0	733	29.3	
		2,500	100.0	100.0

**k2\_3** R does not have good relationship with child(ren)

K2. [Questions on relationship with child]

3) I do not have a good relationship with my child

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	991	39.6	56.1
Somewhat disagree	2	513	20.5	29.0
Neither agree nor disagree	3	192	7.7	10.9
Somewhat agree	4	44	1.8	2.5
Strongly agree	5	19	0.8	1.1
NA	9	8	0.3	0.5
NAP	0	733	29.3	
		2,500	100.0	100.0

**k2\_4** R gets annoyed when R thinks of child(ren)

K2. [Questions on relationship with child]

4) I get annoyed when I think of my child

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,071	42.8	60.6
Somewhat disagree	2	450	18.0	25.5
Neither agree nor disagree	3	179	7.2	10.1
Somewhat agree	4	36	1.4	2.0
Strongly agree	5	21	0.8	1.2
NA	9	10	0.4	0.6
NAP	0	733	29.3	
		2,500	100.0	100.0

**k2\_5** R is very comforted by child(ren)

K2. [Questions on relationship with child]  
5) I am very comforted by my child

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	102	4.1	5.8
Somewhat disagree	2	82	3.3	4.6
Neither agree nor disagree	3	293	11.7	16.6
Somewhat agree	4	637	25.5	36.0
Strongly agree	5	645	25.8	36.5
NA	9	8	0.3	0.5
NAP	0	733	29.3	
		2,500	100.0	100.0

**k2\_6** Child(ren) is someone who will understand R

K2. [Questions on relationship with child]  
6) My child is someone who will understand me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	82	3.3	4.6
Somewhat disagree	2	110	4.4	6.2
Neither agree nor disagree	3	446	17.8	25.2
Somewhat agree	4	700	28.0	39.6
Strongly agree	5	417	16.7	23.6
NA	9	12	0.5	0.7
NAP	0	733	29.3	
		2,500	100.0	100.0

**k2\_7** Child(ren) is someone R can talk to about troubles

K2. [Questions on relationship with child]  
7) My child is someone I can talk to about my troubles when I am going through a difficult time

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	94	3.8	5.3
Somewhat disagree	2	186	7.4	10.5
Neither agree nor disagree	3	579	23.2	32.8
Somewhat agree	4	601	24.0	34.0



## A Study on Drug Abuse and Attitudes towards Drugs

Strongly agree	5	295	11.8	16.7
NA	9	12	0.5	0.7
NAP	0	733	29.3	
		2,500	100.0	100.0

**k3\_1** Relationship with coworkers/superiors is important

K3. [Questions on relationship with coworkers and superiors]

1) Are your relationships with your coworkers and superiors important?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	3	0.1	0.2
Somewhat disagree	2	9	0.4	0.6
Neither agree nor disagree	3	99	4.0	6.2
Somewhat agree	4	693	27.7	43.6
Strongly agree	5	784	31.4	49.3
NA	9	1	0.0	0.1
NAP	0	911	36.4	
		2,500	100.0	100.0

**k3\_2** R is not satisfied with relationship with coworkers/superiors

K3. [Questions on relationship with coworkers and superiors]

2) I am not satisfied with my relationships with my coworkers and superiors

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	336	13.4	21.1
Somewhat disagree	2	555	22.2	34.9
Neither agree nor disagree	3	525	21.0	33.0
Somewhat agree	4	141	5.6	8.9
Strongly agree	5	25	1.0	1.6
NA	9	7	0.3	0.4
NAP	0	911	36.4	
		2,500	100.0	100.0

**k3\_3** R does not have good relationship with coworkers/superiors

K3. [Questions on relationship with coworkers and superiors]

3) I do not have good relationships with my coworkers and superiors

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	405	16.2	25.5
Somewhat disagree	2	638	25.5	40.2
Neither agree nor disagree	3	450	18.0	28.3
Somewhat agree	4	72	2.9	4.5
Strongly agree	5	15	0.6	0.9
NA	9	9	0.4	0.6
NAP	0	911	36.4	
		2,500	100.0	100.0

**k3\_4** R gets annoyed when R thinks of coworkers/superiors

K3. [Questions on relationship with coworkers and superiors]

4) I get annoyed when I think of my coworkers and superiors

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	414	16.6	26.1
Somewhat disagree	2	629	25.2	39.6
Neither agree nor disagree	3	417	16.7	26.2
Somewhat agree	4	97	3.9	6.1
Strongly agree	5	24	1.0	1.5
NA	9	8	0.3	0.5
NAP	0	911	36.4	
		2,500	100.0	100.0

**k3\_5** R is very comforted by coworkers/superiors

K3. [Questions on relationship with coworkers and superiors]

5) I am very comforted by my coworkers and superiors

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	62	2.5	3.9
Somewhat disagree	2	241	9.6	15.2
Neither agree nor disagree	3	780	31.2	49.1
Somewhat agree	4	372	14.9	23.4

## A Study on Drug Abuse and Attitudes towards Drugs

Strongly agree	5	125	5.0	7.9
NA	9	9	0.4	0.6
NAP	0	911	36.4	
		2,500	100.0	100.0

**k3\_6** Coworkers/Superiors is someone who will understand R

K3. [Questions on relationship with coworkers and superiors]

6) My coworkers and superiors are people who will understand me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	45	1.8	2.8
Somewhat disagree	2	203	8.1	12.8
Neither agree nor disagree	3	791	31.6	49.8
Somewhat agree	4	432	17.3	27.2
Strongly agree	5	110	4.4	6.9
NA	9	8	0.3	0.5
NAP	0	911	36.4	
		2,500	100.0	100.0

**k3\_7** Coworkers/Superiors is someone R can talk to about troubles

K3. [Questions on relationship with coworkers and superiors]

7) I can talk to my coworkers and superiors about my troubles when I am going through a difficult time

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	71	2.8	4.5
Somewhat disagree	2	262	10.5	16.5
Neither agree nor disagree	3	776	31.0	48.8
Somewhat agree	4	369	14.8	23.2
Strongly agree	5	103	4.1	6.5
NA	9	8	0.3	0.5
NAP	0	911	36.4	
		2,500	100.0	100.0

**k4\_1** Relationship with parents/siblings is important

K4. [Questions regarding relationships with parents, siblings, and relatives]

1) Are your relationships with your parents, siblings, and relatives important?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	4	0.2	0.2
Somewhat disagree	2	17	0.7	0.7
Neither agree nor disagree	3	108	4.3	4.3
Somewhat agree	4	782	31.3	31.3
Strongly agree	5	1,584	63.4	63.4
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**k4\_2** R is not satisfied with relationship with parents/siblings

K4. [Questions regarding relationships with parents, siblings, and relatives]

2) I am not satisfied with my relationships with my parents, siblings, and relatives

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	860	34.4	34.4
Somewhat disagree	2	885	35.4	35.4
Neither agree nor disagree	3	510	20.4	20.4
Somewhat agree	4	199	8.0	8.0
Strongly agree	5	40	1.6	1.6
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**k4\_3** R does not have good relationship with parents/siblings

K4. [Questions regarding relationships with parents, siblings, and relatives]

3) I do not have good relationships with my parents, siblings, and relatives

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	934	37.4	37.4
Somewhat disagree	2	917	36.7	36.7
Neither agree nor disagree	3	494	19.8	19.8
Somewhat agree	4	117	4.7	4.7
Strongly agree	5	32	1.3	1.3
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**k4\_4** R gets annoyed when R thinks of parents/siblings

K4. [Questions regarding relationships with parents, siblings, and relatives]

4) I get annoyed when I think of my parents, siblings, and relatives

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,037	41.5	41.5
Somewhat disagree	2	895	35.8	35.8
Neither agree nor disagree	3	421	16.8	16.8
Somewhat agree	4	113	4.5	4.5
Strongly agree	5	27	1.1	1.1
NA	9	7	0.3	0.3
		2,500	100.0	100.0

**k4\_5** R is very comforted by parents/siblings

K4. [Questions regarding relationships with parents, siblings, and relatives]

5) I am very comforted by my parents, siblings, and relatives

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	79	3.2	3.2
Somewhat disagree	2	215	8.6	8.6
Neither agree nor disagree	3	733	29.3	29.3
Somewhat agree	4	945	37.8	37.8
Strongly agree	5	519	20.8	20.8
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**k4\_6** Parents/Siblings is someone who will understand R

K4. [Questions regarding relationships with parents, siblings, and relatives]

6) My parents, siblings, and relatives are people who will understand me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	60	2.4	2.4
Somewhat disagree	2	188	7.5	7.5
Neither agree nor disagree	3	714	28.6	28.6
Somewhat agree	4	980	39.2	39.2
Strongly agree	5	552	22.1	22.1
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**k4\_7** Parents/Siblings is someone R can talk to about troubles

K4. [Questions regarding relationships with parents, siblings, and relatives]

7) I can talk to my parents, siblings, and relatives about my troubles when I am going through a difficult time

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	82	3.3	3.3
Somewhat disagree	2	198	7.9	7.9
Neither agree nor disagree	3	797	31.9	31.9
Somewhat agree	4	926	37.0	37.0
Strongly agree	5	490	19.6	19.6
NA	9	7	0.3	0.3
		2,500	100.0	100.0

**L. Please mark the applicable answer to the following questions.**

**l1\_1** R has experienced accident/illness in the last year

L1. [Have you experienced the following in the last year?]

1) Accident or illness

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	335	13.4	13.4
No	2	2,165	86.6	86.6
		2,500	100.0	100.0

**l1\_2** R has experienced death of spouse/child in the last year

L1. [Have you experienced the following in the last year?]

2) The death of spouse/child

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	16	0.6	0.6
No	2	2,484	99.4	99.4
		2,500	100.0	100.0

**11\_3** R has experienced death of friend/relatives in the last year

L1. [Have you experienced the following in the last year?]

3) The death of a friend, sibling, relative

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	516	20.6	20.6
No	2	1,984	79.4	79.4
		2,500	100.0	100.0

**11\_4** R has experienced crime in the last year

L1. [Have you experienced the following in the last year?]

4) Crime or victimization by crime/calamities such as a fire, etc.

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	41	1.6	1.6
No	2	2,459	98.4	98.4
		2,500	100.0	100.0

**11\_5** R has experienced unwanted pregnancy/abortion in the last year

L1. [Have you experienced the following in the last year?]

5) Unwanted pregnancy or abortion

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	46	1.8	1.8
No	2	2,454	98.2	98.2
		2,500	100.0	100.0

**11\_6** R has experienced lay off/pay cut in the last year

L1. [Have you experienced the following in the last year?]

6) Lay off, unemployment, pay cut, failed business, failure in an examination

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	220	8.8	8.8
No	2	2,280	91.2	91.2
		2,500	100.0	100.0

**11\_7** R has experienced break up/divorce in the last year

L1. [Have you experienced the following in the last year?]  
7) Break up with boyfriend/girlfriend, divorce or separation

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	144	5.8	5.8
No	2	2,356	94.2	94.2
		2,500	100.0	100.0

**11\_8** R has experienced move in the last year

L1. [Have you experienced the following in the last year?]  
8) Move

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	409	16.4	16.4
No	2	2,091	83.6	83.6
		2,500	100.0	100.0

**12\_1** R lives apart from family

L2. [What is your status right now?]  
1) Living apart from my family

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	254	10.2	10.2
No	2	2,246	89.8	89.8
		2,500	100.0	100.0

**12\_2** R is in serious conflict with spouse

L2. [What is your status right now?]  
2) In a serious conflict with my spouse

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	113	4.5	4.5
No	2	2,387	95.5	95.5
		2,500	100.0	100.0



**12\_3** R is unhappy with workplace

L2. [What is your status right now?]

3) Unhappy with my workplace to the degree of wanting to change my job

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	169	6.8	6.8
No	2	2,331	93.2	93.2
		2,500	100.0	100.0

**12\_4** R is distraught by child

L2. [What is your status right now?]

4) Distraught by my child

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	119	4.8	4.8
No	2	2,381	95.2	95.2
		2,500	100.0	100.0

**12\_5** Family member is suffering from serious illness

L2. [What is your status right now?]

5) A member of my family is suffering from a serious illness

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	134	5.4	5.4
No	2	2,366	94.6	94.6
		2,500	100.0	100.0

**12\_6** R does not have many friends

L2. [What is your status right now?]

6) I don't have many friends

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	338	13.5	13.5
No	2	2,162	86.5	86.5
		2,500	100.0	100.0

**12\_7** R does not have time to enjoy leisure activities

L2. [What is your status right now?]

7) I don't have time to enjoy leisure activities or hobbies

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	819	32.8	32.8
No	2	1,681	67.2	67.2
		2,500	100.0	100.0

**12\_8** R has financial troubles

L2. [What is your status right now?]

8) I have financial troubles

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	748	29.9	29.9
No	2	1,752	70.1	70.1
		2,500	100.0	100.0

**12\_9** Neighborhood is loud/unsanitary

L2. [What is your status right now?]

9) My neighborhood is loud, unsanitary, and polluted

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	256	10.2	10.2
No	2	2,244	89.8	89.8
		2,500	100.0	100.0

**M. The following questions are regarding you. Please mark the applicable answer.**

**m1** R can't control things that are happening to R

M1. I can't control the things that are happening to me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	627	25.1	25.1
Somewhat disagree	2	1,146	45.8	45.8
Neither agree nor disagree	3	421	16.8	16.8
Somewhat agree	4	263	10.5	10.5

Strongly agree	5	41	1.6	1.6
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m2** R has no way of resolving problems that R is facing

M2. I have no way of resolving the problems that I am facing

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	641	25.6	25.6
Somewhat disagree	2	1,190	47.6	47.6
Neither agree nor disagree	3	449	18.0	18.0
Somewhat agree	4	172	6.9	6.9
Strongly agree	5	46	1.8	1.8
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m3** R can't change many important things in life

M3. I can't change the many important things in my life

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	531	21.2	21.2
Somewhat disagree	2	1,041	41.6	41.6
Neither agree nor disagree	3	603	24.1	24.1
Somewhat agree	4	286	11.4	11.4
Strongly agree	5	30	1.2	1.2
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**m4** R feels that R can't resolve many important issues in life

M4. I often feel that I can't resolve many important issues in my life

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	449	18.0	18.0
Somewhat disagree	2	921	36.8	36.8
Neither agree nor disagree	3	676	27.0	27.0
Somewhat agree	4	410	16.4	16.4
Strongly agree	5	40	1.6	1.6
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m5** R feels that R is being dragged along by this world

M5. I often feel that I am being dragged along by this world

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	341	13.6	13.6
Somewhat disagree	2	717	28.7	28.7
Neither agree nor disagree	3	798	31.9	31.9
Somewhat agree	4	597	23.9	23.9
Strongly agree	5	44	1.8	1.8
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m6** What will happen in the future is up to R

M6. What will happen in the future is up to me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	135	5.4	5.4
Somewhat disagree	2	322	12.9	12.9
Neither agree nor disagree	3	612	24.5	24.5
Somewhat agree	4	987	39.5	39.5
Strongly agree	5	441	17.6	17.6
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m7** R can do anything that R puts mind to

M7. I can do anything that I put my mind to

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	51	2.0	2.0
Somewhat disagree	2	368	14.7	14.7
Neither agree nor disagree	3	777	31.1	31.1
Somewhat agree	4	1,132	45.3	45.3
Strongly agree	5	171	6.8	6.8
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m8** R is an important person to those around R

M8. I am an important person to those around me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	23	0.9	0.9
Somewhat disagree	2	122	4.9	4.9
Neither agree nor disagree	3	840	33.6	33.6
Somewhat agree	4	1,164	46.6	46.6
Strongly agree	5	350	14.0	14.0
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m9** If R were to disappear people will miss R

M9. If I were to disappear people around me will miss me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	19	0.8	0.8
Somewhat disagree	2	139	5.6	5.6
Neither agree nor disagree	3	830	33.2	33.2
Somewhat agree	4	1,140	45.6	45.6
Strongly agree	5	369	14.8	14.8
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m10** Many people are interested in R

M10. Many people are interested in me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	10	0.4	0.4
Somewhat disagree	2	172	6.9	6.9
Neither agree nor disagree	3	1,038	41.5	41.5
Somewhat agree	4	1,019	40.8	40.8
Strongly agree	5	258	10.3	10.3
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m11** Many people tend to pay attention to R

M11. Many people tend to pay attention to my opinions

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	14	0.6	0.6
Somewhat disagree	2	177	7.1	7.1
Neither agree nor disagree	3	1,050	42.0	42.0
Somewhat agree	4	1,020	40.8	40.8
Strongly agree	5	235	9.4	9.4
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m12** Other people tend to rely on R

M12. Other people tend to rely on me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	38	1.5	1.5
Somewhat disagree	2	378	15.1	15.1
Neither agree nor disagree	3	1,165	46.6	46.6
Somewhat agree	4	782	31.3	31.3
Strongly agree	5	132	5.3	5.3
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**m13** R is very talented

M13. I am very talented

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	15	0.6	0.6
Somewhat disagree	2	192	7.7	7.7
Neither agree nor disagree	3	1,013	40.5	40.5
Somewhat agree	4	1,074	43.0	43.0
Strongly agree	5	204	8.2	8.2
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m14** R is at least as valuable as others

M14. I am at least as valuable as others

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	8	0.3	0.3
Somewhat disagree	2	100	4.0	4.0
Neither agree nor disagree	3	829	33.2	33.2
Somewhat agree	4	1,284	51.4	51.4
Strongly agree	5	276	11.0	11.0
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m15** R can do as good of a job as another person can

M15. I can do as good of a job as another person can

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	9	0.4	0.4
Somewhat disagree	2	115	4.6	4.6
Neither agree nor disagree	3	745	29.8	29.8
Somewhat agree	4	1,335	53.4	53.4
Strongly agree	5	290	11.6	11.6
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**m16** R has a positive attitude about himself/herself

M16. I have a positive attitude about myself

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	15	0.6	0.6
Somewhat disagree	2	120	4.8	4.8
Neither agree nor disagree	3	710	28.4	28.4
Somewhat agree	4	1,271	50.8	50.8
Strongly agree	5	378	15.1	15.1
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**m17** R is satisfied with himself/herself

M17. I am generally satisfied with myself

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	27	1.1	1.1
Somewhat disagree	2	253	10.1	10.1
Neither agree nor disagree	3	962	38.5	38.5
Somewhat agree	4	1,035	41.4	41.4
Strongly agree	5	219	8.8	8.8
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m18** R has very little to boast of

M18. I have very little to boast of

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	179	7.2	7.2
Somewhat disagree	2	701	28.0	28.0
Neither agree nor disagree	3	1,176	47.0	47.0
Somewhat agree	4	396	15.8	15.8
Strongly agree	5	45	1.8	1.8
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m19** R is not a good person

M19. I think that I am not a good person

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	564	22.6	22.6
Somewhat disagree	2	1,068	42.7	42.7
Neither agree nor disagree	3	648	25.9	25.9
Somewhat agree	4	192	7.7	7.7
Strongly agree	5	24	1.0	1.0
NA	9	4	0.2	0.2
		2,500	100.0	100.0



**m20** R is a useless person

M20. I am a useless person

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	860	34.4	34.4
Somewhat disagree	2	1,036	41.4	41.4
Neither agree nor disagree	3	452	18.1	18.1
Somewhat agree	4	130	5.2	5.2
Strongly agree	5	18	0.7	0.7
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m21** R has many shortcomings

M21. I have many shortcomings

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	235	9.4	9.4
Somewhat disagree	2	678	27.1	27.1
Neither agree nor disagree	3	1,035	41.4	41.4
Somewhat agree	4	509	20.4	20.4
Strongly agree	5	41	1.6	1.6
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m22** R will not be able to resolve my problems

M22. I don't think I will be able to resolve my problems

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	482	19.3	19.3
Somewhat disagree	2	1,025	41.0	41.0
Neither agree nor disagree	3	779	31.2	31.2
Somewhat agree	4	196	7.8	7.8
Strongly agree	5	14	0.6	0.6
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m23** R has many worries

M23. I have many worries

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	246	9.8	9.8
Somewhat disagree	2	779	31.2	31.2
Neither agree nor disagree	3	767	30.7	30.7
Somewhat agree	4	616	24.6	24.6
Strongly agree	5	91	3.6	3.6
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m24** R is depressed

M24. I am depressed

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	539	21.6	21.6
Somewhat disagree	2	973	38.9	38.9
Neither agree nor disagree	3	664	26.6	26.6
Somewhat agree	4	280	11.2	11.2
Strongly agree	5	44	1.8	1.8
		2,500	100.0	100.0

**m25** R is disheartened

M25. I am disheartened

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	556	22.2	22.2
Somewhat disagree	2	1,027	41.1	41.1
Neither agree nor disagree	3	634	25.4	25.4
Somewhat agree	4	252	10.1	10.1
Strongly agree	5	28	1.1	1.1
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m26** R is hopeless

M26. I am hopeless

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	665	26.6	26.6
Somewhat disagree	2	1,062	42.5	42.5
Neither agree nor disagree	3	604	24.2	24.2
Somewhat agree	4	144	5.8	5.8
Strongly agree	5	24	1.0	1.0
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m27** R is happy

M27. I am happy

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	51	2.0	2.0
Somewhat disagree	2	237	9.5	9.5
Neither agree nor disagree	3	993	39.7	39.7
Somewhat agree	4	935	37.4	37.4
Strongly agree	5	282	11.3	11.3
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m28** R is sad

M28. I am sad

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	547	21.9	21.9
Somewhat disagree	2	1,060	42.4	42.4
Neither agree nor disagree	3	582	23.3	23.3
Somewhat agree	4	276	11.0	11.0
Strongly agree	5	34	1.4	1.4
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m29** R feels lonely

M29. I feel lonely

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	493	19.7	19.7
Somewhat disagree	2	927	37.1	37.1
Neither agree nor disagree	3	630	25.2	25.2
Somewhat agree	4	391	15.6	15.6
Strongly agree	5	50	2.0	2.0
NA	9	9	0.4	0.4
		2,500	100.0	100.0

**m30** R feels like everything is in vain

M30. I feel like everything is in vain

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	676	27.0	27.0
Somewhat disagree	2	1,012	40.5	40.5
Neither agree nor disagree	3	576	23.0	23.0
Somewhat agree	4	197	7.9	7.9
Strongly agree	5	33	1.3	1.3
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**m31** R is so troubled these days that it's hard to sleep

M31. I am so troubled these days that I find it hard to sleep

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	870	34.8	34.8
Somewhat disagree	2	957	38.3	38.3
Neither agree nor disagree	3	491	19.6	19.6
Somewhat agree	4	157	6.3	6.3
Strongly agree	5	21	0.8	0.8
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m32** R has lost appetite

M32. I have lost my appetite

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	780	31.2	31.2
Somewhat disagree	2	936	37.4	37.4
Neither agree nor disagree	3	597	23.9	23.9
Somewhat agree	4	162	6.5	6.5
Strongly agree	5	23	0.9	0.9
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m33** R is enjoying life

M33. I am enjoying my life

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	54	2.2	2.2
Somewhat disagree	2	356	14.2	14.2
Neither agree nor disagree	3	1,138	45.5	45.5
Somewhat agree	4	801	32.0	32.0
Strongly agree	5	150	6.0	6.0
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m34** R is afraid

M34. I am afraid

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	490	19.6	19.6
Somewhat disagree	2	1,035	41.4	41.4
Neither agree nor disagree	3	654	26.2	26.2
Somewhat agree	4	293	11.7	11.7
Strongly agree	5	25	1.0	1.0
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m35** R can't remember things R has done

M35. I can't remember the things I have done

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	646	25.8	25.8
Somewhat disagree	2	957	38.3	38.3
Neither agree nor disagree	3	584	23.4	23.4
Somewhat agree	4	283	11.3	11.3
Strongly agree	5	28	1.1	1.1
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m36** Things don't work out well for R

M36. Things don't work out well for me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	388	15.5	15.5
Somewhat disagree	2	972	38.9	38.9
Neither agree nor disagree	3	779	31.2	31.2
Somewhat agree	4	321	12.8	12.8
Strongly agree	5	34	1.4	1.4
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**m37** R tends to talk less now than R usually does

M37. I tend to talk less now than I usually do

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	442	17.7	17.7
Somewhat disagree	2	1,002	40.1	40.1
Neither agree nor disagree	3	738	29.5	29.5
Somewhat agree	4	292	11.7	11.7
Strongly agree	5	26	1.0	1.0
		2,500	100.0	100.0

**m38** R feels like R has many obstacles blocking way

M38. I feel like I have many obstacles blocking my way

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	458	18.3	18.3
Somewhat disagree	2	1,099	44.0	44.0
Neither agree nor disagree	3	670	26.8	26.8
Somewhat agree	4	242	9.7	9.7
Strongly agree	5	27	1.1	1.1
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m39** R thinks life is a failure

M39. I think my life is a failure

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	685	27.4	27.4
Somewhat disagree	2	991	39.6	39.6
Neither agree nor disagree	3	614	24.6	24.6
Somewhat agree	4	180	7.2	7.2
Strongly agree	5	29	1.2	1.2
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m40** R doesn't feel close to people

M40. I don't feel close to people

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	555	22.2	22.2
Somewhat disagree	2	1,106	44.2	44.2
Neither agree nor disagree	3	619	24.8	24.8
Somewhat agree	4	195	7.8	7.8
Strongly agree	5	21	0.8	0.8
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m41** People seem to dislike R

M41. People seem to dislike me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	646	25.8	25.8
Somewhat disagree	2	1,223	48.9	48.9
Neither agree nor disagree	3	491	19.6	19.6
Somewhat agree	4	122	4.9	4.9
Strongly agree	5	16	0.6	0.6
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m42** R is doing as well as others

M42. I am doing as well as others

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	101	4.0	4.0
Somewhat disagree	2	257	10.3	10.3
Neither agree nor disagree	3	789	31.6	31.6
Somewhat agree	4	1,098	43.9	43.9
Strongly agree	5	251	10.0	10.0
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**m43** R is healthy

M43. I am healthy

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	49	2.0	2.0
Somewhat disagree	2	215	8.6	8.6
Neither agree nor disagree	3	741	29.6	29.6
Somewhat agree	4	1,117	44.7	44.7
Strongly agree	5	376	15.0	15.0
NA	9	2	0.1	0.1
		2,500	100.0	100.0



**m44** R is satisfied with health

M44. I am satisfied with my health

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	68	2.7	2.7
Somewhat disagree	2	272	10.9	10.9
Neither agree nor disagree	3	778	31.1	31.1
Somewhat agree	4	1,004	40.2	40.2
Strongly agree	5	373	14.9	14.9
NA	9	5	0.2	0.2
		2,500	100.0	100.0

**m45** R takes risks for the sake of having fun

M45. I often take risks for the sake of having fun

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	577	23.1	23.1
Somewhat disagree	2	918	36.7	36.7
Neither agree nor disagree	3	529	21.2	21.2
Somewhat agree	4	426	17.0	17.0
Strongly agree	5	49	2.0	2.0
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m46** R prefers thrilling adventure to safety

M46. I prefer thrilling adventure to safety

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	589	23.6	23.6
Somewhat disagree	2	876	35.0	35.0
Neither agree nor disagree	3	623	24.9	24.9
Somewhat agree	4	332	13.3	13.3
Strongly agree	5	78	3.1	3.1
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m47** R acts spontaneously

M47. I act spontaneously without thinking about what will happen later

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	629	25.2	25.2
Somewhat disagree	2	961	38.4	38.4
Neither agree nor disagree	3	583	23.3	23.3
Somewhat agree	4	279	11.2	11.2
Strongly agree	5	42	1.7	1.7
NA	9	6	0.2	0.2
		2,500	100.0	100.0

**m48** R often acts impulsively

M48. I often act impulsively

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	595	23.8	23.8
Somewhat disagree	2	942	37.7	37.7
Neither agree nor disagree	3	606	24.2	24.2
Somewhat agree	4	320	12.8	12.8
Strongly agree	5	35	1.4	1.4
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m49** R does things without planning ahead

M49. I do things without planning ahead

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	622	24.9	24.9
Somewhat disagree	2	999	40.0	40.0
Neither agree nor disagree	3	595	23.8	23.8
Somewhat agree	4	250	10.0	10.0
Strongly agree	5	31	1.2	1.2
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**m50** R acts the way R feels like acting

M50. I act the way I feel like acting

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	635	25.4	25.4
Somewhat disagree	2	1,004	40.2	40.2
Neither agree nor disagree	3	601	24.0	24.0
Somewhat agree	4	233	9.3	9.3
Strongly agree	5	26	1.0	1.0
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**m51** R thinks of everything in own perspective

M51. I think of everything in my own perspective

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	580	23.2	23.2
Somewhat disagree	2	986	39.4	39.4
Neither agree nor disagree	3	647	25.9	25.9
Somewhat agree	4	248	9.9	9.9
Strongly agree	5	37	1.5	1.5
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**m52** R often acts recklessly

M52. I often act recklessly

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	728	29.1	29.1
Somewhat disagree	2	1,043	41.7	41.7
Neither agree nor disagree	3	566	22.6	22.6
Somewhat agree	4	141	5.6	5.6
Strongly agree	5	21	0.8	0.8
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**N. The following questions are regarding your past. Please mark the applicable answer.**

**n1\_1** Family was in a difficult situation in elementary school years

N1. [In my elementary school years...]  
1) My family was in a difficult situation

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	214	8.6	8.6
Somewhat disagree	2	603	24.1	24.1
Neither agree nor disagree	3	835	33.4	33.4
Somewhat agree	4	621	24.8	24.8
Strongly agree	5	226	9.0	9.0
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**n1\_2** Parents raised R with love in elementary school years

N1. [In my elementary school years...]  
2) My parents raised me with love

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	46	1.8	1.8
Somewhat disagree	2	171	6.8	6.8
Neither agree nor disagree	3	751	30.0	30.0
Somewhat agree	4	1,021	40.8	40.8
Strongly agree	5	510	20.4	20.4
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**n1\_3** Family was warm and loving in elementary school years

N1. [In my elementary school years...]  
3) My family was warm and loving

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	43	1.7	1.7
Somewhat disagree	2	188	7.5	7.5
Neither agree nor disagree	3	772	30.9	30.9

## A Study on Drug Abuse and Attitudes towards Drugs

Somewhat agree	4	1,063	42.5	42.5
Strongly agree	5	433	17.3	17.3
NA	9	1	0.0	0.0
		2,500	100.0	100.0

**n1\_4** R couldn't adjust well to school in elementary school years

N1. [In my elementary school years...]

4) I couldn't adjust very well to school

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	835	33.4	33.4
Somewhat disagree	2	964	38.6	38.6
Neither agree nor disagree	3	527	21.1	21.1
Somewhat agree	4	129	5.2	5.2
Strongly agree	5	38	1.5	1.5
NA	9	7	0.3	0.3
		2,500	100.0	100.0

**n1\_5** Grades were poor in elementary school years

N1. [In my elementary school years...]

5) My grades were good

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	126	5.0	5.0
Somewhat disagree	2	293	11.7	11.7
Neither agree nor disagree	3	1,132	45.3	45.3
Somewhat agree	4	709	28.4	28.4
Strongly agree	5	237	9.5	9.5
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**n1\_6** R couldn't get along with friends in elementary school years

N1. [In my elementary school years...]

6) I couldn't get along with friends

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	961	38.4	38.4
Somewhat disagree	2	957	38.3	38.3

Neither agree nor disagree	3	455	18.2	18.2
Somewhat agree	4	103	4.1	4.1
Strongly agree	5	21	0.8	0.8
NA	9	3	0.1	0.1
		2,500	100.0	100.0

**n1\_7** R hung out with troublemakers in elementary school years

N1. [In my elementary school years...]  
7) I hung out with troublemakers

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,338	53.5	53.5
Somewhat disagree	2	724	29.0	29.0
Neither agree nor disagree	3	310	12.4	12.4
Somewhat agree	4	105	4.2	4.2
Strongly agree	5	21	0.8	0.8
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**n1\_8** R was a problematic child in elementary school years

N1. [In my elementary school years...]  
8) I was a problematic child

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,577	63.1	63.1
Somewhat disagree	2	581	23.2	23.2
Neither agree nor disagree	3	259	10.4	10.4
Somewhat agree	4	61	2.4	2.4
Strongly agree	5	20	0.8	0.8
NA	9	2	0.1	0.1
		2,500	100.0	100.0

**n2\_1** Family was in a difficult situation in middle/high school years

N2. [In my middle school and high school years...]

1) My family was in a difficult situation

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	212	8.5	8.8
Somewhat disagree	2	555	22.2	23.1
Neither agree nor disagree	3	878	35.1	36.6
Somewhat agree	4	611	24.4	25.4
Strongly agree	5	141	5.6	5.9
NA	9	4	0.2	0.2
NAP	0	99	4.0	
		2,500	100.0	100.0

**n2\_2** Parents raised R with love in middle/high school years

N2. [In my middle school and high school years...]

2) My parents raised me with love

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	32	1.3	1.3
Somewhat disagree	2	149	6.0	6.2
Neither agree nor disagree	3	769	30.8	32.0
Somewhat agree	4	973	38.9	40.5
Strongly agree	5	474	19.0	19.7
NA	9	4	0.2	0.2
NAP	0	99	4.0	
		2,500	100.0	100.0

**n2\_3** Family was warm and loving in middle/high school years

N2. [In my middle school and high school years...]

3) My family was warm and loving

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	42	1.7	1.7
Somewhat disagree	2	183	7.3	7.6
Neither agree nor disagree	3	784	31.4	32.7
Somewhat agree	4	994	39.8	41.4

## A Study on Drug Abuse and Attitudes towards Drugs

Strongly agree	5	392	15.7	16.3
NA	9	6	0.2	0.2
NAP	0	99	4.0	
		2,500	100.0	100.0

**n2\_4** R couldn't adjust well to school in middle/high school years

N2. [In my middle school and high school years...]

4) I couldn't adjust very well to school

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	816	32.6	34.0
Somewhat disagree	2	927	37.1	38.6
Neither agree nor disagree	3	482	19.3	20.1
Somewhat agree	4	145	5.8	6.0
Strongly agree	5	24	1.0	1.0
NA	9	7	0.3	0.3
NAP	0	99	4.0	
		2,500	100.0	100.0

**n2\_5** Grades were poor in middle/high school years

N2. [In my middle school and high school years...]

5) My grades were good

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	138	5.5	5.7
Somewhat disagree	2	334	13.4	13.9
Neither agree nor disagree	3	1,121	44.8	46.7
Somewhat agree	4	625	25.0	26.0
Strongly agree	5	179	7.2	7.5
NA	9	4	0.2	0.2
NAP	0	99	4.0	
		2,500	100.0	100.0



**n2\_6** R couldn't get along with friends in middle/high school years

N2. [In my middle school and high school years...]  
6) I couldn't get along with friends

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	977	39.1	40.7
Somewhat disagree	2	905	36.2	37.7
Neither agree nor disagree	3	413	16.5	17.2
Somewhat agree	4	82	3.3	3.4
Strongly agree	5	14	0.6	0.6
NA	9	10	0.4	0.4
NAP	0	99	4.0	
		2,500	100.0	100.0

**n2\_7** R hung out with troublemakers in middle/high school years

N2. [In my middle school and high school years...]  
7) I hung out with troublemakers

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,241	49.6	51.7
Somewhat disagree	2	703	28.1	29.3
Neither agree nor disagree	3	292	11.7	12.2
Somewhat agree	4	135	5.4	5.6
Strongly agree	5	27	1.1	1.1
NA	9	3	0.1	0.1
NAP	0	99	4.0	
		2,500	100.0	100.0

**n2\_8** R was a problematic child in middle/high school years

N2. [In my middle school and high school years...]  
8) I was a problematic adolescent

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly disagree	1	1,477	59.1	61.5
Somewhat disagree	2	570	22.8	23.7
Neither agree nor disagree	3	256	10.2	10.7
Somewhat agree	4	69	2.8	2.9

## A Study on Drug Abuse and Attitudes towards Drugs

Strongly agree	5	25	1.0	1.0
NA	9	4	0.2	0.2
NAP	0	99	4.0	
		2,500	100.0	100.0

**O. Please once again try to recall if you have ever used any of the following drugs and mark the number of the drugs you have used.**

**o11** Experience of drug use: Glue

O1-1. [Substances hazardous for inhalation] Glue

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	44	1.8	1.8
No	2	2,456	98.2	98.2
		2,500	100.0	100.0

**o12** Experience of drug use: Butane gas

O1-2. [Substances hazardous for inhalation] Butane gas

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	26	1.0	1.0
No	2	2,474	99.0	99.0
		2,500	100.0	100.0

**o13** Experience of drug use: Varnish/paint thinner/paint

O1-3. [Substances hazardous for inhalation] Varnish/paint thinner/paint

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	5	0.2	0.2
No	2	2,495	99.8	99.8
		2,500	100.0	100.0

**o14** Experience of drug use: Other substance hazardous for inhalation

O1-4. [Substances hazardous for inhalation] Other

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	3	0.1	0.1
No	2	2,497	99.9	99.9
		2,500	100.0	100.0

**o21** Experience of drug use: Marijuana

O2-1. [Hemp] Marijuana

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	47	1.9	1.9
No	2	2,453	98.1	98.1
		2,500	100.0	100.0

**o22** Experience of drug use: Hashish

O2-2. [Hemp] Hashish

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2	0.1	0.1
No	2	2,498	99.9	99.9
		2,500	100.0	100.0

**o31** Experience of drug use: Opium

O3-1. [Opium] Opium

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	4	0.2	0.2
No	2	2,496	99.8	99.8
		2,500	100.0	100.0

**o32** Experience of drug use: Morphine

O3-2. [Opium] Morphine

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	7	0.3	0.3
No	2	2,493	99.7	99.7
		2,500	100.0	100.0

**o33** Experience of drug use: Heroin

O3-3. [Opium] Heroin

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	4	0.2	0.2
No	2	2,496	99.8	99.8
		2,500	100.0	100.0

**o34** Experience of drug use: Nalbuhpine Hydrochloride

O3-4. [Opium] Nalbuhpine Hydrochloride

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2	0.1	0.1
No	2	2,498	99.9	99.9
		2,500	100.0	100.0

**o35** Experience of drug use: Other Opium

O3-5. [Opium] Other

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1	0.0	0.0
No	2	2,499	100.0	100.0
		2,500	100.0	100.0

**o41** Experience of drug use: Cocaine

O4-1. [Cocaine] Cocaine

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	7	0.3	0.3
No	2	2,493	99.7	99.7
		2,500	100.0	100.0

**o42** Experience of drug use: Crack

O4-2. [Cocaine] Crack

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	2	2,500	100.0	100.0
		2,500	100.0	100.0

**o51** Experience of drug use: Methamphetamine (Philopon)

O5-1. [Psychotropic stimulant] Methamphetamine (Philopon)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	5	0.2	0.2
No	2	2,495	99.8	99.8
		2,500	100.0	100.0

**o52** Experience of drug use: Other psychotropic stimulant

O5-2. [Psychotropic stimulant] Other

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	2	2,500	100.0	100.0
		2,500	100.0	100.0

**o61** Experience of drug use: LSD

O6-1. [Psychotropic hallucinogen] LSD

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2	0.1	0.1
No	2	2,498	99.9	99.9
		2,500	100.0	100.0

**o62** Experience of drug use: PCP

O6-2. [Psychotropic hallucinogen] PCP

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	2	2,500	100.0	100.0
		2,500	100.0	100.0

**o63** Experience of drug use: Peyote

O6-3. [Psychotropic hallucinogen] Peyote

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	2	2,500	100.0	100.0
		2,500	100.0	100.0

**o64** Experience of drug use: Other psychotropic hallucinogen

O6-4. [Psychotropic hallucinogen] Other

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2	0.1	0.1
No	2	2,498	99.9	99.9
		2,500	100.0	100.0

**o71** Experience of drug use: Ecstasy

O1-2. [New drugs] Ecstasy

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	8	0.3	0.3
No	2	2,492	99.7	99.7
		2,500	100.0	100.0

**o72** Experience of drug use: Yaba

O1-2. [New drugs] Yaba

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1	0.0	0.0
No	2	2,499	100.0	100.0
		2,500	100.0	100.0

**o73** Experience of drug use: GHB

O1-2. [New drugs] GHB

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	2	2,500	100.0	100.0
		2,500	100.0	100.0

**o74** Experience of drug use: Ketamine

O1-2. [New drugs] Ketamine

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	2	2,500	100.0	100.0
		2,500	100.0	100.0

**o75** Experience of drug use: Other new drugs

O1-2. [New drugs] Other

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	2	2,500	100.0	100.0
		2,500	100.0	100.0

**P. The following are general questions. Please mark the applicable answers.**

**p1** Respondent: Sex

P1. What is your gender?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Male	1	1,249	50.0	50.0
Female	2	1,251	50.0	50.0
		2,500	100.0	100.0

**p2** Respondent: Year of birth

P2. In what year were you born?  
: 19\_\_\_\_\_

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
29	29	1	0.0	0.0
30	30	1	0.0	0.0
34	34	1	0.0	0.0
35	35	13	0.5	0.5
36	36	9	0.4	0.4
37	37	9	0.4	0.4
38	38	26	1.0	1.0
39	39	23	0.9	0.9
40	40	31	1.2	1.2
41	41	32	1.3	1.3
42	42	32	1.3	1.3
43	43	40	1.6	1.6
44	44	30	1.2	1.2
45	45	27	1.1	1.1
46	46	22	0.9	0.9
47	47	25	1.0	1.0
48	48	27	1.1	1.1
49	49	33	1.3	1.3
50	50	44	1.8	1.8
51	51	26	1.0	1.0
52	52	54	2.2	2.2
53	53	52	2.1	2.1
54	54	67	2.7	2.7
55	55	40	1.6	1.6
56	56	38	1.5	1.5
57	57	51	2.0	2.0
58	58	59	2.4	2.4
59	59	58	2.3	2.3
60	60	68	2.7	2.7
61	61	56	2.2	2.2
62	62	58	2.3	2.3



63	63	85	3.4	3.4
64	64	74	3.0	3.0
65	65	57	2.3	2.3
66	66	77	3.1	3.1
67	67	55	2.2	2.2
68	68	74	3.0	3.0
69	69	64	2.6	2.6
70	70	74	3.0	3.0
71	71	77	3.1	3.1
72	72	58	2.3	2.3
73	73	66	2.6	2.6
74	74	61	2.4	2.4
75	75	52	2.1	2.1
76	76	90	3.6	3.6
77	77	49	2.0	2.0
78	78	60	2.4	2.4
79	79	58	2.3	2.3
80	80	72	2.9	2.9
81	81	63	2.5	2.5
82	82	60	2.4	2.4
83	83	48	1.9	1.9
84	84	73	2.9	2.9
		2,500	100.0	100.0

**p3** Respondent: Highest level of education

P3. What is the highest level of education you have attained?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Graduated from elementary school or lower	1	99	4.0	4.0
Graduated from middle school or lower	2	212	8.5	8.5
Graduated from high school or lower	3	1,191	47.6	47.6
Graduated from college or university or higher	4	933	37.3	37.3
NA	9	65	2.6	2.6
		2,500	100.0	100.0

**p4** Average monthly income of household

P4. What is the average monthly income of your household?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Less than 500,000 won	1	42	1.7	1.7
510,000 - 1,000,000 won	2	132	5.3	5.3
1,010,000 - 1,500,000 won	3	269	10.8	10.8
1,510,000 - 2,000,000 won	4	412	16.5	16.5
2,010,000 - 2,500,000 won	5	509	20.4	20.4
2,510,000 - 3,000,000 won	6	405	16.2	16.2
3,010,000 - 3,500,000 won	7	292	11.7	11.7
3,510,000 - 4,000,000 won	8	187	7.5	7.5
4,010,000 - 5,000,000 won	9	130	5.2	5.2
More than 5,010,000 won	10	76	3.0	3.0
NA	99	46	1.8	1.8
		2,500	100.0	100.0

**p5** Number of family members who are living with R

P5. How many family members are living with you in your home?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	99	4.0	4.0
2	2	261	10.4	10.4
3	3	562	22.5	22.5
4	4	1,161	46.4	46.4
5	5	319	12.8	12.8
6	6	65	2.6	2.6
7	7	22	0.9	0.9
8	8	3	0.1	0.1
9	9	1	0.0	0.0
NA	99	7	0.3	0.3
		2,500	100.0	100.0

**p6** Number of child(ren)

P6. How many children do you have?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
0	0	733	29.3	29.3
1	1	364	14.6	14.6
2	2	1,041	41.6	41.6
3	3	274	11.0	11.0
4	4	54	2.2	2.2
5	5	20	0.8	0.8
6	6	5	0.2	0.2
7	7	1	0.0	0.0
NA	99	8	0.3	0.3
		2,500	100.0	100.0

**p7** Respondent: Occupation

P7. What is your current occupation?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Professional	1	166	6.6	6.6
Management	2	106	4.2	4.2
Clerical	3	468	18.7	18.7
Sales	4	378	15.1	15.1
Service	5	287	11.5	11.5
Production	6	160	6.4	6.4
Famer/Fisherman	7	2	0.1	0.1
Student	8	210	8.4	8.4
Homemaker	9	622	24.9	24.9
Unemployed	10	89	3.6	3.6
NA	99	12	0.5	0.5
		2,500	100.0	100.0

**p8** Respondent: Marital status

P8. What is your marital status?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Never married	1	659	26.4	26.4
Married and have a spouse	2	1,727	69.1	69.1
Married but separated or divorced	3	52	2.1	2.1
Married but widowed and alone	4	49	2.0	2.0
Married but divorced or widowed and remarried	5	9	0.4	0.4
NA	9	4	0.2	0.2
		2,500	100.0	100.0

**p9** Respondent: Religion

P9. Do you have a religion?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1,218	48.7	48.7
No	2	1,271	50.8	50.8
NA	9	11	0.4	0.4
		2,500	100.0	100.0