



Survey on the Knowledge, Attitude, Belief and
Behavior of Youths Towards Sexuality and AIDS

CODE BOOK

Korea Social Science Data Archive

All works using or referring KOSSDA data collections should acknowledge the data sources by means of standard bibliographic citations. Citations must appear in footnotes or the reference section of publications.

KOSSDA Data Citation Requirement

Principal Investigator, Year of Collection, Title, Producer, Distributor, Data ID No, Version No

The bibliographic citation for this data collection is :

Sohn, Aeree. 2006. Survey on the Knowledge, Attitude, Belief and Behavior of Youths Towards Sexuality and AIDS. Producer: Korea Institute for HIV/AIDS Prevention, Sahmyook University. Distributor: KOSSDA. Year of Distribution: 2008. A1-2006-0074-Eng.

The bibliographic citation for this codebook is :

Korea Social Science Data Archive. 2013. *Survey on the Knowledge, Attitude, Belief and Behavior of Youths Towards Sexuality and AIDS Code Book*. pp.1-25.

SURVEY ON THE QUALITY OF LIFE OF JINJU CITIZENS, 2002 CODE BOOK

Copyrights © 2013 KOSSDA

For the codebook of this data collection, all rights are reserved to KOSSDA. It may not be copied, transmitted, published or redistributed without permission.

Study Description

<i>Study Title:</i>	Survey on the Knowledge, Attitude, Belief and Behavior of Youths Towards Sexuality and AIDS
<i>Fieldwork Dates:</i>	November, 2006 ~ November, 2006
<i>Principal Investigator:</i>	Sohn, Aeree
<i>Producers:</i>	Korea Institute for HV/AIDS Prevention, Sahmyook University
<i>Sample Type:</i>	Quota sampling
<i>Fieldwork Institute:</i>	Korea Institute for HV/AIDS Prevention, Sahmyook University
<i>Fieldwork Methods:</i>	Self-administered
<i>Number of Cases:</i>	2,898 (valid)
<i>Geographic Coverage:</i>	Seoul
<i>Universe:</i>	Middle and high school students
<i>Distributor:</i>	Korea Social Science Data Archive (KOSSDA)

Please note

In the codebook, each frequency table consists of a variable name, question, and frequency table. The first column, RESPONSE, indicates response categories and the second column, PUNCH, is a value for each response category. The third and fourth columns, FREQ and PERCENT, show the number of individuals and percentage of individuals belonging to a specific response category. The last column VALID % is the percentage of individuals who are assigned to a specific response category without missing data, such as DK (Don't know), NA (No answer), and NAP (Not applicable).

a1 R has heard about AIDS

1. Have you heard about AIDS?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2,771	95.6	95.6
No	2	97	3.3	3.3
NA	9	30	1.0	1.0
Total		2,898	100.0	100.0

a2 R has seen "Public Campaign on AIDS"

2. Have seen the "Public Campaign on AIDS" advertised for the prevention of AIDS on Television?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1,537	53.0	53.0
No	2	1,327	45.8	45.8
Na	9	34	1.2	1.2
Total		2,898	100.0	100.0

a3 R has seen posters advertised for prevention of AIDS

3. Have you seen posters advertised for the prevention of AIDS?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	1,218	42.0	42.0
No	2	1,647	56.8	56.8
Na	9	33	1.1	1.1
Total		2,898	100.0	100.0

※ Please tick the number which most closely describes your opinion. (Q4~Q28)

a4 It's okay to say no to partner who wants to have sex

4. It is okay to say no to the partner who wants to have sex in a relationship(or in a future relationship)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	1,081	37.3	37.3
True	2	794	27.4	27.4
So so	3	564	19.5	19.5

Not true	4	184	6.3	6.3
Not at all true	5	265	9.1	9.1
NA	9	10	0.3	0.3
Total		2,898	100.0	100.0

a5 It's okay to have sex before marriage

5. It is okay to have sex before marriage if the persons love each other

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	346	11.9	11.9
True	2	714	24.6	24.6
So so	3	673	23.2	23.2
Not true	4	617	21.3	21.3
Not at all true	5	539	18.6	18.6
NA	9	9	0.3	0.3
Total		2,898	100.0	100.0

a6 People should not have sex with someone other than spouse

6. Married people should not have sex with someone other than the spouse

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	1,453	50.1	50.1
True	2	678	23.4	23.4
So so	3	389	13.4	13.4
Not true	4	225	7.8	7.8
Not at all true	5	144	5.0	5.0
NA	9	9	0.3	0.3
Total		2,898	100.0	100.0

a7 Thought of AIDS makes R feel disgusted

7. The thought of AIDS makes me feel disgusted

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	810	28.0	28.0
True	2	886	30.6	30.6
So so	3	827	28.5	28.5
Not true	4	275	9.5	9.5

Not at all true	5	95	3.3	3.3
NA	9	5	0.2	0.2
Total		2,898	100.0	100.0

a8 R would avoid people with AIDS

8. If a student with AIDS sits beside me, I would avoid him/her

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	674	23.3	23.3
True	2	832	28.7	28.7
So so	3	780	26.9	26.9
Not true	4	426	14.7	14.7
Not at all true	5	181	6.2	6.2
NA	9	5	0.2	0.2
Total		2,898	100.0	100.0

a9 All AIDS infected people seem promiscuous

9. All AIDS infected people seem promiscuous to me

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	324	11.2	11.2
True	2	628	21.7	21.7
So so	3	876	30.2	30.2
Not true	4	789	27.2	27.2
Not at all true	5	268	9.2	9.2
NA	9	13	0.4	0.4
Total		2,898	100.0	100.0

a10 People with AIDS must bear responsibility for themselves

10. AIDS infected people must bear responsibility for themselves

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	444	15.3	15.3
True	2	859	29.6	29.6
So so	3	960	33.1	33.1
Not true	4	441	15.2	15.2
Not at all true	5	168	5.8	5.8

NA	9	26	0.9	0.9
Total		2,898	100.0	100.0

a11 Student with AIDS must be expelled from school

11. A student infected with AIDS must be expelled from school

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	257	8.9	8.9
True	2	279	9.6	9.6
So so	3	786	27.1	27.1
Not true	4	1,044	36.0	36.0
Not at all true	5	525	18.1	18.1
NA	9	7	0.2	0.2
Total		2,898	100.0	100.0

a12 AIDS infected people must be sent to facility

12. AIDS infected people must be separated from other people and sent to a facility

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	316	10.9	10.9
True	2	504	17.4	17.4
So so	3	830	28.6	28.6
Not true	4	805	27.8	27.8
Not at all true	5	428	14.8	14.8
NA	9	15	0.5	0.5
Total		2,898	100.0	100.0

a13 R can eat with AIDS infected people

13. I can eat with AIDS infected people

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	174	6.0	6.0
True	2	496	17.1	17.1
So so	3	967	33.4	33.4

Not true	4	747	25.8	25.8
Not at all true	5	500	17.3	17.3
NA	9	14	0.5	0.5
Total		2,898	100.0	100.0

a14 R can live together with family member with AIDS

14. I can live together at home with a family member who is infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	565	19.5	19.5
True	2	914	31.5	31.5
So so	3	876	30.2	30.2
Not true	4	351	12.1	12.1
Not at all true	5	175	6.0	6.0
NA	9	17	0.6	0.6
Total		2,898	100.0	100.0

a15 R can live in neighborhood with someone with AIDS

15. I can get along in the neighborhood with someone who is infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	195	6.7	6.7
True	2	500	17.3	17.3
So so	3	1,080	37.3	37.3
Not true	4	706	24.4	24.4
Not at all true	5	409	14.1	14.1
NA	9	8	0.3	0.3
Total		2,898	100.0	100.0

b16 AIDS is spread by kissing with AIDS infected people

16. If one kisses an AIDS infected person, s/he may become infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	1,132	39.1	39.1

False	2	1,181	40.8	40.8
Don't know	3	581	20.0	20.0
NA	9	4	0.1	0.1
Total		2,898	100.0	100.0

b17 AIDS is spread by using toilet AIDS infected people

17. If one uses the same toilet with an AIDS infected person, s/he may become infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	744	25.7	25.7
False	2	1,308	45.1	45.1
Don't know	3	838	28.9	28.9
NA	9	8	0.3	0.3
Total		2,898	100.0	100.0

b18 AIDS is spread by shaking hands with AIDS infected people

18. If one shakes hands with an AIDS infected person, s/he may become infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	258	8.9	8.9
False	2	2,252	77.7	77.7
Don't know	3	378	13.0	13.0
NA	9	10	0.3	0.3
Total		2,898	100.0	100.0

b19 AIDS is spread by sharing glass with AIDS infected people

19. If one shares the same glass with an AIDS infected person, s/he may become infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	1,119	38.6	38.6
False	2	1,225	42.3	42.3
Don't know	3	540	18.6	18.6
NA	9	14	0.5	0.5
Total		2,898	100.0	100.0

b20 AIDS is spread by sharing syringe with AIDS infected people

20. If one shares the same syringe with an AIDS infected person, s/he may become infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	2,428	83.8	83.8
False	2	141	4.9	4.9
Don't know	3	318	11.0	11.0
NA	9	11	0.4	0.4
Total		2,898	100.0	100.0

b21 AIDS is spread by a mosquito bite

21. One can become infected with AIDS by a mosquito bite

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	1,171	40.4	40.4
False	2	1,015	35.0	35.0
Don't know	3	704	24.3	24.3
NA	9	8	0.3	0.3
Total		2,898	100.0	100.0

b22 Using condoms can prevent AIDS infection

22. Using condoms in sexual intercourse can prevent AIDS infection

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	1,560	53.8	53.8
False	2	628	21.7	21.7
Don't know	3	705	24.3	24.3
NA	9	5	0.2	0.2
Total		2,898	100.0	100.0

b23 Even healthy-looking people could be AIDS patients

23. Even a healthy-looking person could be an AIDS patient

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	2,565	88.5	88.5
False	2	112	3.9	3.9

Don't know	3	214	7.4	7.4
NA	9	7	0.2	0.2
Total		2,898	100.0	100.0

b24 One would die once infected with AIDS

24. Once infected with AIDS, s/he would die in a couple of months

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	627	21.6	21.6
False	2	1,439	49.7	49.7
Don't know	3	823	28.4	28.4
NA	9	9	0.3	0.3
Total		2,898	100.0	100.0

b25 Child from AIDS infected mother could be infected by AIDS

25. A child born from an AIDS infected mother could be infected by AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	2,162	74.6	74.6
False	2	183	6.3	6.3
Don't know	3	546	18.8	18.8
NA	9	7	0.2	0.2
Total		2,898	100.0	100.0

b26 If well treated, AIDS infected people could live long

26. If well treated, AIDS infected people could live long

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	1,510	52.1	52.1
False	2	553	19.1	19.1
Don't know	3	830	28.6	28.6
NA	9	5	0.2	0.2
Total		2,898	100.0	100.0

b27 AIDS is spread by sharing school life with AIDS infected people

27. If one shares school life with an AIDS infected person, s/he may become infected with AIDS

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	630	21.7	21.7
False	2	1,561	53.9	53.9
Don't know	3	701	24.2	24.2
NA	9	6	0.2	0.2
Total		2,898	100.0	100.0

b28 AIDS is caused mainly because of same sex love

28. AIDS is caused mainly because of same sex love

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
True	1	628	21.7	21.7
False	2	1,355	46.8	46.8
Don't know	3	909	31.4	31.4
NA	9	6	0.2	0.2
Total		2,898	100.0	100.0

b29 R has had sexual intercourse

29. Have you ever had sexual intercourse in your life?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes, with someone with the opposite sex	1	117	4.0	4.0
Yes, with someone with the same sex	2	8	0.3	0.3
No	3	2,767	95.5	95.5
NA	9	6	0.2	0.2
Total		2,898	100.0	100.0

b30 When did R have sex for the first time: Age

30. When was the first time that you had sexual intercourse? : _____ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
12 years old	12	2	0.1	1.5
13 years old	13	1	-	0.8

Survey on the Knowledge, Attitude, Belief and Behavior of Youths Towards Sexuality and AIDS

14 years old	14	4	0.1	3.1
15 years old	15	10	0.3	7.6
16 years old	16	10	0.3	7.6
17 years old	17	9	0.3	6.9
19 years old	19	1	-	0.8
NA	99	94	3.2	71.8
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b30_1 When did R have sex for the first time

30. When was the first time that you had sexual intercourse?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
During elementary school	1	7	0.2	5.3
First year in middle school	2	8	0.3	6.1
Second year in middle school	3	21	0.7	16.0
Third year in middle school	4	28	1.0	21.4
First year in high school	5	21	0.7	16.0
Second year in high school	6	14	0.5	10.7
Third year in high school	7	3	0.1	2.3
NA	99	29	1.0	22.1
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b31 R was influenced by alcohol/drug when having first sex

31. Were you influenced by alcohol or drug at the time of your first sexual intercourse?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	38	1.3	29.0
No	2	67	2.3	51.1
Don't remember	3	11	0.4	8.4
NA	9	15	0.5	11.5
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b32 Who was the partner with whom R had first sex

32. Who was the partner with whom you experienced your first sexual intercourse?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Opposite sex friend	1	77	2.7	58.8
Same sex friend	2	2	0.1	1.5
An acquaintant	3	22	0.8	16.8
Employee of an entertainment establishment	4	3	0.1	2.3
Someone met by chance(online, at a club, etc)	5	8	0.3	6.1
Other	6	3	0.1	2.3
NA	9	16	0.6	12.2
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b33 R used condom while having first sex

33. Did you use condom during your first sexual intercourse?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	20	0.7	15.3
No	2	93	3.2	71.0
NA	9	18	0.6	13.7
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b34 R used condom while having sex recently

34. Did you use condom during the most recent sexual intercourse?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	37	1.3	28.2
No	2	78	2.7	59.5
NA	9	16	0.6	12.2
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b35 Reason for using condom during sex

35. If you use condom during sexual intercourse, what is the most important reason?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
For birth control	1	55	1.9	42.0
To prevent sexually transmitted illness or other diseases	2	14	0.5	10.7
I don't use condom	3	40	1.4	30.5
NA	9	22	0.8	16.8
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b36 Reason for not using condom during sex

36. If you do not use condom, what is the most important reason? (Please choose one)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I use other birth control methods	1	6	0.2	4.6
Partner doesn't want to use it	2	11	0.4	8.4
I don't like using it	3	23	0.8	17.6
I don't feel the need to use it	4	17	0.6	13.0
I can't get condom	5	33	1.1	25.2
I use condom	6	18	0.6	13.7
NA	9	23	0.8	17.6
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b37_1 Where did R have sex: At home

37. In which place do you usually have sex?

1) At home

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	47	1.6	35.9
Yes	1	65	2.2	49.6
NA	9	19	0.7	14.5
NAP	8	2,767	95.5	
Total		2,898	100.0	100.0

b37_2 Where did R have sex: At video room

37. In which place do you usually have sex?
2) At video room

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	93	3.2	71.0
Yes	1	19	0.7	14.5
NA	9	19	0.7	14.5
NAP	8	2,767	95.5	
Total		2,898	100.0	100.0

b37_3 Where did R have sex: At karaoke

37. In which place do you usually have sex?
3) At karaoke

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	106	3.7	80.9
Yes	1	6	0.2	4.6
NA	9	19	0.7	14.5
NAP	8	2,767	95.5	
Total		2,898	100.0	100.0

b37_4 Where did R have sex: At camping/travel sites

37. In which place do you usually have sex?
4) At camping or travel sites

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	107	3.7	81.7
Yes	1	5	0.2	3.8
NA	9	19	0.7	14.5
NAP	8	2,767	95.5	
Total		2,898	100.0	100.0

b37_5 Where did R have sex: At a motel

37. In which place do you usually have sex?
5) At a motel

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	81	2.8	61.8
Yes	1	31	1.1	23.7
NA	9	19	0.7	14.5
NAP	8	2,767	95.5	
Total		2,898	100.0	100.0

b37_6 Where did R have sex: At balls

37. In which place do you usually have sex?
6) At balls

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	111	3.8	84.7
Yes	1	1	-	0.8
NA	9	19	0.7	14.5
NAP	8	2,767	95.5	
Total		2,898	100.0	100.0

b37_7 Where did R have sex: Other

37. In which place do you usually have sex?
7) Other (_____)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	95	3.3	72.5
Yes	1	17	0.6	13.0
NA	9	19	0.7	14.5
NAP	8	2,767	95.5	
Total		2,898	100.0	100.0

b38 Number of people R have had sex

38. How many people have you had sexual intercourse in your lifetime?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
One	1	40	1.4	30.5
Two	2	24	0.8	18.3
Three	3	13	0.4	9.9
Four	4	4	0.1	3.1
Five	5	2	0.1	1.5
Six	6	5	0.2	3.8
Seven	7	2	0.1	1.5
Eight	8	1	-	0.8
Ten or more	10	21	0.7	16.0
NA	99	19	0.7	14.5
NAP	88	2,767	95.5	
Total		2,898	100.0	100.0

b39 R/Partner have had unwanted pregnancy

39. Have you or your sexual partner ever had an unwanted pregnancy?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	10	0.3	7.6
No	2	103	3.6	78.6
NA	9	18	0.6	13.7
NAP	0	2,767	95.5	
Total		2,898	100.0	100.0

b40 R/Partner have had abortion

40. Have you or your sexual partner ever had an abortion?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	92	3.2	70.2
Once	1	5	0.2	3.8
Twice	2	4	0.1	3.1
Three times	3	3	0.1	2.3
Five times	5	1	-	0.8

Survey on the Knowledge, Attitude, Belief and Behavior of Youths Towards Sexuality and AIDS

Six times	6	1	-	0.8
Ten times or more	10	4	0.1	3.1
Not sure	11	3	0.1	2.3
NA	99	18	0.6	13.7
NAP	88	2,767	95.5	
Total		2,898	100.0	100.0

c41 R currently smokes

41. Do you currently smoke?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I smoke everyday	1	191	6.6	6.6
I smoke sometimes	2	80	2.8	2.8
I smoked in the past but I no longer smoke	3	281	9.7	9.7
I never smoked	4	2,333	80.5	80.5
NA	9	13	0.4	0.4
Total		2,898	100.0	100.0

c41_1 [Smoking everyday] Number of cigarettes

41. Do you currently smoke?

1) Daily average : _____ cigarettes per day

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
0.5 cigarettes per day	0.5	1	-	0.5
1 cigarettes per day	1	5	0.2	2.5
2 cigarettes per day	2	8	0.3	3.9
3 cigarettes per day	3	20	0.7	9.8
4 cigarettes per day	4	7	0.2	3.4
5 cigarettes per day	5	28	1.0	13.7
6 cigarettes per day	6	5	0.2	2.5
7 cigarettes per day	7	9	0.3	4.4
8 cigarettes per day	8	12	0.4	5.9
9 cigarettes per day	9	1	-	0.5
10 cigarettes per day	10	39	1.3	19.1
11 cigarettes per day	11	1	-	0.5
12 cigarettes per day	12	1	-	0.5
13 cigarettes per day	13	3	0.1	1.5

Survey on the Knowledge, Attitude, Belief and Behavior of Youths Towards Sexuality and AIDS

15 cigarettes per day	15	16	0.6	7.8
17 cigarettes per day	17	1	-	0.5
19 cigarettes per day	19	1	-	0.5
20 cigarettes per day	20	14	0.5	6.9
NA	99	32	1.1	15.7
NAP	88	2,694	93.0	
Total		2,898	100.0	100.0

c41_2 [Smoking sometimes] Number of days

41. Do you currently smoke?

2) Average days during the last month : _____ days

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1 day	1	4	0.1	4.3
2 days	2	4	0.1	4.3
3 days	3	3	0.1	3.2
4 days	4	1	-	1.1
5 days	5	1	-	1.1
6 days	6	1	-	1.1
7 days	7	7	0.2	7.5
8 days	8	1	-	1.1
10 days	10	2	0.1	2.2
12 days	12	1	-	1.1
13 days	13	2	0.1	2.2
15 days	15	3	0.1	3.2
17 days	17	1	-	1.1
20 days	20	4	0.1	4.3
24 days	24	1	-	1.1
27 days	27	1	-	1.1
29 days	29	1	-	1.1
NA	99	55	1.9	59.1
NAP	88	2,805	96.8	
Total		2,898	100.0	100.0

c41_3 [Smoking sometimes] Number of cigarettes

41. Do you currently smoke?

3) Daily average when you smoke : _____ cigarettes per day

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1 cigarette per day	1	6	0.2	6.5
2 cigarettes per day	2	10	0.3	10.8
3 cigarettes per day	3	6	0.2	6.5
4 cigarettes per day	4	2	0.1	2.2
5 cigarettes per day	5	4	0.1	4.3
6 cigarettes per day	6	2	0.1	2.2
7 cigarettes per day	7	1	-	1.1
10 cigarettes per day	10	3	0.1	3.2
12 cigarettes per day	12	1	-	1.1
20 cigarettes per day	20	3	0.1	3.2
40 cigarettes per day	40	1	-	1.1
NA	99	54	1.9	58.1
NAP	88	2,805	96.8	
Total		2,898	100.0	100.0

c42 R has had drink in last month

42. Have you had drink in the last month?(excluding the times of ancestral rites or religious services, or a having a sip by accident)

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	862	29.7	29.7
No	2	2,025	69.9	69.9
NA	9	11	0.4	0.4
Total		2,898	100.0	100.0

c43 How often R drinks

43. How often do you drink?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I don't drink at all	1	34	1.2	1.2
Less than once a month	2	2,495	86.1	86.1
2~4 times a month	3	237	8.2	8.2

2~3 times a week	4	67	2.3	2.3
More than 4 times a week	5	14	0.5	0.5
NA	9	51	1.8	1.8
Total		2,898	100.0	100.0

c44 How much R drinks

44. When you drink, how much do you usually drink?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I don't drink at all	1	1,671	57.7	57.7
One glass	2	243	8.4	8.4
Two glasses	3	124	4.3	4.3
Three glasses	4	116	4.0	4.0
Four glasses	5	122	4.2	4.2
Five glasses	6	115	4.0	4.0
Six glasses	7	68	2.3	2.3
Seven glasses or more	8	374	12.9	12.9
NA	9	65	2.2	2.2
Total		2,898	100.0	100.0

c45 When was last time that R had drink

45. When was the last time that you had drink(more than several sips)?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
I don't drink at all	1	1,507	52.0	52.0
More than a year ago	2	153	5.3	5.3
More than a month ago but within a year	3	596	20.6	20.6
More than a week ago but within a month	4	333	11.5	11.5
Within the last week	5	253	8.7	8.7
NA	9	56	1.9	1.9
Total		2,898	100.0	100.0

c46 R has watched pornography

46. Have you ever watched pornography?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	2,055	70.9	70.9

No	2	835	28.8	28.8
NA	9	8	0.3	0.3
Total		2,898	100.0	100.0

c47 R has masturbated

47. Have you ever masturbated?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Never	1	1,629	56.2	56.2
Less than once a month	2	258	8.9	8.9
2~3 times a month	3	270	9.3	9.3
1~2 times a week	4	400	13.8	13.8
3~4 times a week	5	193	6.7	6.7
Almost everyday	6	106	3.7	3.7
NA	9	42	1.4	1.4
Total		2,898	100.0	100.0

c48 R has kissed with opposite sex friend

48. Have you ever kissed an opposite sex friend?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	747	25.8	25.8
No	2	2,134	73.6	73.6
NA	9	17	0.6	0.6
Total		2,898	100.0	100.0

c49 R has run away from home

49. Have you ever run away(for more than one night) from home?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	389	13.4	13.4
No	2	2,498	86.2	86.2
NA	9	11	0.4	0.4
Total		2,898	100.0	100.0

※ Please tick the number which most closely describes your opinion. (Q50~Q54)

c50 It's fine to study with homosexual people

50. It is fine for me to study with a homosexual person

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	209	7.2	7.2
True	2	559	19.3	19.3
So so	3	834	28.8	28.8
Not true	4	621	21.4	21.4
Not at all true	5	657	22.7	22.7
NA	9	18	0.6	0.6
Total		2,898	100.0	100.0

c51 R would get nervous if surrounded by homosexual people

51. I would get nervous and sensitive if surrounded by homosexual persons

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	571	19.7	19.7
True	2	814	28.1	28.1
So so	3	730	25.2	25.2
Not true	4	499	17.2	17.2
Not at all true	5	259	8.9	8.9
NA	9	25	0.9	0.9
Total		2,898	100.0	100.0

c52 R would get angry if brother/sister was homosexual

52. I would get angry if I found out that my brother or sister was a homosexual

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	862	29.7	29.7
True	2	868	30.0	30.0
So so	3	661	22.8	22.8
Not true	4	309	10.7	10.7
Not at all true	5	171	5.9	5.9

NA	9	27	0.9	0.9
Total		2,898	100.0	100.0

e53 R would feel disgusted if R sees men holding hands each other

53. I would feel disgusted if I see men holding hands each other in public place

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	564	19.5	19.5
True	2	633	21.8	21.8
So so	3	793	27.4	27.4
Not true	4	528	18.2	18.2
Not at all true	5	351	12.1	12.1
NA	9	29	1.0	1.0
Total		2,898	100.0	100.0

e54 R would feel fine if best same sex friend was homosexual

54. I would feel fine if I found out that my best same sex friend was a homosexual

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Very true	1	152	5.2	5.2
True	2	343	11.8	11.8
So so	3	905	31.2	31.2
Not true	4	871	30.1	30.1
Not at all true	5	602	20.8	20.8
NA	9	25	0.9	0.9
Total		2,898	100.0	100.0

e55 Respondent: Sex

55. What is your gender?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Male	1	1,704	58.8	58.8
Female	2	1,194	41.2	41.2
Total		2,898	100.0	100.0

e56 Respondent: Age

56. How old are you? : _____ years old

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
12 years old	12	70	2.4	2.4
13 years old	13	399	13.8	13.8
14 years old	14	480	16.6	16.6
15 years old	15	566	19.5	19.5
16 years old	16	420	14.5	14.5
17 years old	17	499	17.2	17.2
18 years old	18	392	13.5	13.5
19 years old	19	70	2.4	2.4
NA	99	2	0.1	0.1
Total		2,898	100.0	100.0

e57 Respondent: Grade

57. Which grade are you in?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
First year in middle school	1	458	15.8	15.8
Second year in middle school	2	487	16.8	16.8
Third year in middle school	3	609	21.0	21.0
First year in high school	4	407	14.0	14.0
Second year in high school	5	581	20.0	20.0
Third year in high school	6	356	12.3	12.3
Total		2,898	100.0	100.0

e58 Respondent: School performance

58. How well would you say you are doing in terms of school performance?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Upper	1	634	21.9	21.9
Middle	2	1,625	56.1	56.1
Lower	3	625	21.6	21.6
NA	9	14	0.5	0.5
Total		2,898	100.0	100.0

e59 R has a boy/girl friend

59. Do you have a boy/girl friend?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	527	18.2	18.2
No	2	2,356	81.3	81.3
NA	9	15	0.5	0.5
Total		2,898	100.0	100.0

e60 Current marital status of parents

60. What is the current marital status of your parents?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Married	1	2,525	87.1	87.1
Divorced	2	174	6.0	6.0
Separated	3	63	2.2	2.2
Widowed	4	46	1.6	1.6
Re-married	5	48	1.7	1.7
I do not have parents	6	10	0.3	0.3
Other	7	16	0.6	0.6
NA	9	16	0.6	0.6
Total		2,898	100.0	100.0

e61 Whom is R currently living with

61. Whom are you currently living with?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Both parents	1	2,533	87.4	87.4
Single parent	2	270	9.3	9.3
Relative	3	38	1.3	1.3
Friend	4	16	0.6	0.6
Alone(living by oneself, or lodging at someone's house)	5	11	0.4	0.4
Other	6	20	0.7	0.7
NA	9	10	0.3	0.3
Total		2,898	100.0	100.0

e62 Father's highest level of education

62. What is the highest level of education your father attained?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Elementary school or below	1	90	3.1	3.1
Middle school graduate	2	178	6.1	6.1
High school graduate	3	1,094	37.8	37.8
College graduate	4	1,166	40.2	40.2
Graduate school or over	5	333	11.5	11.5
NA	9	37	1.3	1.3
Total		2,898	100.0	100.0

e63 Mother's highest level of education

63. What is the highest level of education your mother attained?

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Elementary school or below	1	81	2.8	2.8
Middle school graduate	2	151	5.2	5.2
High school graduate	3	1,502	51.8	51.8
College graduate	4	921	31.8	31.8
Graduate school or over	5	193	6.7	6.7
NA	9	50	1.7	1.7
Total		2,898	100.0	100.0