



# Record Survey on Suicide

## **CODE BOOK**

Korea Social Science Data Archive

All works using or referring KOSSDA data collections should acknowledge the data sources by means of standard bibliographic citations. Citations must appear in footnotes or the reference section of publications.

### KOSSDA Data Citation Requirement

Principal Investigator, Year of Collection, Title, Producer, Distributor, Data ID No, Version No

#### The bibliographic citation for this data collection is :

Park, Hyung-Min. 2007. Record Survey on Suicide. Producer: Korean Institute of Criminology. Distributor: KOSSDA. Year of Distribution: 2008. A1-2007-0014-Eng

#### The bibliographic citation for this codebook is :

Korea Social Science Data Archive. 2013. *Record Survey on Suicide Code Book*. pp.1-57.

### RECORD SURVEY ON SUICIDE CODE BOOK

Copyrights © 2013 KOSSDA

For the codebook of this data collection, all rights are reserved to KOSSDA. It may not be copied, transmitted, published or redistributed without permission.

## Study Description

<i>Study Title:</i>	Record Survey on Suicide
<i>Fieldwork Dates:</i>	
<i>Principal Investigator:</i>	Park, Hyung-Min
<i>Producers:</i>	Korean Institute of Criminology
<i>Sample Type:</i>	Complete survey on the investigation records kept by Dongdaemun, Gwacheon, and Mokpo police station
<i>Fieldwork Institute:</i>	Korean Institute of Criminology
<i>Fieldwork Methods:</i>	Record survey
<i>Number of Cases:</i>	1,417 (valid)
<i>Geographic Coverage:</i>	
<i>Universe:</i>	The investigation records on suicide kept by the police
<i>Distributor:</i>	Korea Social Science Data Archive (KOSSDA)

## Please note

In the codebook, each frequency table consists of a variable name, question, and frequency table. The first column, RESPONSE, indicates response categories and the second column, PUNCH, is a value for each response category. The third and fourth columns, FREQ and PERCENT, show the number of individuals and percentage of individuals belonging to a specific response category. The last column VALID % is the percentage of individuals who are assigned to a specific response category without missing data, such as DK (Don't know), NA (No answer), and NAP (Not applicable).

**sq1 Office ID**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Gwacheon Police Station	1	458	21.9	21.9
Dongdaemun Police Station	2	896	42.9	42.9
Mokpo Police Station	3	732	35.0	35.0
NA	9	4	0.2	0.2
Total		2,090	100.0	100.0

**sq2 Year of incidence**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1997	1997	154	7.4	7.4
1998	1998	239	11.4	11.4
1999	1999	210	10.0	10.0
2000	2000	155	7.4	7.4
2001	2001	172	8.2	8.2
2002	2002	214	10.2	10.2
2003	2003	249	11.9	11.9
2004	2004	231	11.1	11.1
2005	2005	235	11.2	11.2
2006	2006	231	11.1	11.1
Total		2,090	100.0	100.0

**sq3 Case number**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
		2	0.1	0.1
001	001	96	4.6	4.6
002	002	103	4.9	4.9
003	003	93	4.4	4.4
004	004	90	4.3	4.3
005	005	92	4.4	4.4
006	006	87	4.2	4.2
007	007	88	4.2	4.2
008	008	94	4.5	4.5
009	009	79	3.8	3.8
010	010	68	3.3	3.3

011	011	73	3.5	3.5
012	012	73	3.5	3.5
013	013	73	3.5	3.5
014	014	83	4.0	4.0
015	015	64	3.1	3.1
016	016	56	2.7	2.7
017	017	58	2.8	2.8
018	018	59	2.8	2.8
019	019	62	3.0	3.0
020	020	51	2.4	2.4
021	021	47	2.2	2.2
022	022	41	2.0	2.0
023	023	41	2.0	2.0
024	024	39	1.9	1.9
025	025	29	1.4	1.4
026	026	27	1.3	1.3
027	027	33	1.6	1.6
028	028	29	1.4	1.4
029	029	20	1.0	1.0
030	030	21	1.0	1.0
031	031	28	1.3	1.3
032	032	25	1.2	1.2
033	033	17	0.8	0.8
034	034	12	0.6	0.6
035	035	19	0.9	0.9
036	036	10	0.5	0.5
037	037	9	0.4	0.4
038	038	13	0.6	0.6
039	039	16	0.8	0.8
040	040	9	0.4	0.4
041	041	9	0.4	0.4
042	042	9	0.4	0.4
043	043	5	0.2	0.2
044	044	6	0.3	0.3
045	045	5	0.2	0.2
046	046	4	0.2	0.2

047	047	5	0.2	0.2
048	048	3	0.1	0.1
049	049	7	0.3	0.3
050	050	4	0.2	0.2
051	051	2	0.1	0.1
052	052	1	0.0	0.0
120	120	1	0.0	0.0
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q1a11 [Suicide Victim] Date of birth: Year**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1904	1904	1	0.0	0.0
1907	1907	1	0.0	0.0
1908	1908	3	0.1	0.1
1909	1909	3	0.1	0.1
1911	1911	3	0.1	0.1
1912	1912	3	0.1	0.1
1913	1913	5	0.2	0.2
1914	1914	1	0.0	0.0
1915	1915	3	0.1	0.1
1916	1916	5	0.2	0.2
1917	1917	5	0.2	0.2
1918	1918	5	0.2	0.2
1919	1919	9	0.4	0.4
1920	1920	5	0.2	0.2
1921	1921	12	0.6	0.6
1922	1922	9	0.4	0.4
1923	1923	10	0.5	0.5
1924	1924	10	0.5	0.5
1925	1925	4	0.2	0.2
1926	1926	6	0.3	0.3
1927	1927	6	0.3	0.3
1928	1928	12	0.6	0.6
1929	1929	13	0.6	0.6
1930	1930	15	0.7	0.7
1931	1931	9	0.4	0.4

1932	1932	14	0.7	0.7
1933	1933	6	0.3	0.3
1934	1934	20	1.0	1.0
1935	1935	15	0.7	0.7
1936	1936	14	0.7	0.7
1937	1937	11	0.5	0.5
1938	1938	20	1.0	1.0
1939	1939	19	0.9	0.9
1940	1940	15	0.7	0.7
1941	1941	21	1.0	1.0
1942	1942	23	1.1	1.1
1943	1943	16	0.8	0.8
1944	1944	16	0.8	0.8
1945	1945	12	0.6	0.6
1946	1946	15	0.7	0.7
1947	1947	21	1.0	1.0
1948	1948	20	1.0	1.0
1949	1949	11	0.5	0.5
1950	1950	18	0.9	0.9
1951	1951	15	0.7	0.7
1952	1952	20	1.0	1.0
1953	1953	22	1.1	1.1
1954	1954	23	1.1	1.1
1955	1955	19	0.9	0.9
1956	1956	25	1.2	1.2
1957	1957	34	1.6	1.6
1958	1958	26	1.2	1.2
1959	1959	23	1.1	1.1
1960	1960	35	1.7	1.7
1961	1961	27	1.3	1.3
1962	1962	18	0.9	0.9
1963	1963	30	1.4	1.4
1964	1964	20	1.0	1.0
1965	1965	18	0.9	0.9
1966	1966	17	0.8	0.8
1967	1967	25	1.2	1.2

1968	1968	18	0.9	0.9
1969	1969	23	1.1	1.1
1970	1970	24	1.1	1.1
1971	1971	20	1.0	1.0
1972	1972	25	1.2	1.2
1973	1973	16	0.8	0.8
1974	1974	25	1.2	1.2
1975	1975	20	1.0	1.0
1976	1976	15	0.7	0.7
1977	1977	21	1.0	1.0
1978	1978	20	1.0	1.0
1979	1979	18	0.9	0.9
1980	1980	19	0.9	0.9
1981	1981	17	0.8	0.8
1982	1982	14	0.7	0.7
1983	1983	16	0.8	0.8
1984	1984	8	0.4	0.4
1985	1985	6	0.3	0.3
1986	1986	8	0.4	0.4
1988	1988	5	0.2	0.2
1989	1989	5	0.2	0.2
1990	1990	4	0.2	0.2
1992	1992	1	0.0	0.0
1994	1994	1	0.0	0.0
1996	1996	2	0.1	0.1
NA	9999	877	42.0	42.0
Total		2,090	100.0	100.0

**q1a12 [Suicide Victim] Date of birth: Month**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	118	5.6	5.6
2	2	103	4.9	4.9
3	3	110	5.3	5.3
4	4	84	4.0	4.0
5	5	111	5.3	5.3
6	6	101	4.8	4.8



7	7	97	4.6	4.6
8	8	87	4.2	4.2
9	9	96	4.6	4.6
10	10	109	5.2	5.2
11	11	90	4.3	4.3
12	12	101	4.8	4.8
NA	99	883	42.2	42.2
Total		2,090	100.0	100.0

**q1a13 [Suicide Victim] Date of birth: Day**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	47	2.2	2.2
2	2	41	2.0	2.0
3	3	39	1.9	1.9
4	4	32	1.5	1.5
5	5	66	3.2	3.2
6	6	36	1.7	1.7
7	7	36	1.7	1.7
8	8	29	1.4	1.4
9	9	30	1.4	1.4
10	10	68	3.3	3.3
11	11	33	1.6	1.6
12	12	31	1.5	1.5
13	13	34	1.6	1.6
14	14	34	1.6	1.6
15	15	71	3.4	3.4
16	16	46	2.2	2.2
17	17	47	2.2	2.2
18	18	36	1.7	1.7
19	19	35	1.7	1.7
20	20	56	2.7	2.7
21	21	24	1.1	1.1
22	22	38	1.8	1.8
23	23	36	1.7	1.7
24	24	43	2.1	2.1
25	25	52	2.5	2.5

26	26	30	1.4	1.4
27	27	32	1.5	1.5
28	28	36	1.7	1.7
29	29	28	1.3	1.3
30	30	39	1.9	1.9
31	31	2	0.1	0.1
NA	99	883	42.2	42.2
Total		2,090	100.0	100.0

**q1a2 [Suicide Victim] Age**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Under 19	1	72	3.4	3.4
20s	2	204	9.8	9.8
30s	3	228	10.9	10.9
40s	4	243	11.6	11.6
50s	5	190	9.1	9.1
60s	6	161	7.7	7.7
70s	7	108	5.2	5.2
80s or oldeer	8	65	3.1	3.1
NAP	9	819	39.2	39.2
Total		2,090	100.0	100.0

**q1a3 [Suicide Victim] Occupation**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Professionals and technicians	1	17	0.8	0.8
Administrative managers	2	9	0.4	0.4
Clerical workers	3	54	2.6	2.6
Sales workers	4	55	2.6	2.6
Service workers	5	65	3.1	3.1
Agricultural, forestry and fishery workers	6	38	1.8	1.8
Production workers	7	107	5.1	5.1
Student	8	87	4.2	4.2
Unemployed	9	794	38.0	38.0
Other	10	7	0.3	0.3
DK	11	11	0.5	0.5
NA	99	846	40.5	40.5
Total		2,090	100.0	100.0

**q1a4 [Suicide Victim] Sex**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Male	1	868	41.5	41.5
Female	2	384	18.4	18.4
NA	9	838	40.1	40.1
Total		2,090	100.0	100.0

**q2a1 [Suicide Victim] Has spouse or not**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Yes	1	574	27.5	27.5
No	2	556	26.6	26.6
NA	9	960	45.9	45.9
Total		2,090	100.0	100.0

**q2a11 [Suicide Victim] Marital status(with spouse)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
First marriage	1	447	21.4	29.1
Second marriage or over	2	23	1.1	1.5
Cohabiting	3	28	1.3	1.8
Separated	4	37	1.8	2.4
NA	9	999	47.8	65.1
NAP	8	556	26.6	
Total		2,090	100.0	100.0

**q2a12 [Suicide Victim] Marital status(not with spouse)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Never-married	1	316	15.1	20.8
Divorced	2	106	5.1	7.0
Widowed	3	72	3.4	4.7
NA	9	1,022	48.9	67.4
NAP	8	574	27.5	
Total		2,090	100.0	100.0

**q3a1 [Suicide Victim] Co-resident family: Father**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,125	53.8	53.8
Yes	1	139	6.7	6.7
NA	9	826	39.5	39.5
Total		2,090	100.0	100.0

**q3a2 [Suicide Victim] Co-resident family: Mother**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,064	50.9	50.9
Yes	1	199	9.5	9.5
NA	9	827	39.6	39.6
Total		2,090	100.0	100.0

**q3a3 [Suicide Victim] Co-resident family: Step-father**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,259	60.2	60.2
Yes	1	2	0.1	0.1
NA	9	829	39.7	39.7
Total		2,090	100.0	100.0

**q3a4 [Suicide Victim] Co-resident family: Step-mother**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,258	60.2	60.2
Yes	1	3	0.1	0.1
NA	9	829	39.7	39.7
Total		2,090	100.0	100.0

**q3a5 [Suicide Victim] Co-resident family: Spouse**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	769	36.8	36.8
Yes	1	494	23.6	23.6
NA	9	827	39.6	39.6
Total		2,090	100.0	100.0

**q3a6 [Suicide Victim] Co-resident family: Child**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	792	37.9	37.9
Yes	1	471	22.5	22.5
NA	9	827	39.6	39.6
Total		2,090	100.0	100.0

**q3a7 [Suicide Victim] Co-resident family: Grandfather**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,257	60.1	60.1
Yes	1	3	0.1	0.1
NA	9	830	39.7	39.7
Total		2,090	100.0	100.0

**q3a8 [Suicide Victim] Co-resident family: Grandmother**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,254	60.0	60.0
Yes	1	9	0.4	0.4
NA	9	827	39.6	39.6
Total		2,090	100.0	100.0

**q3a9 [Suicide Victim] Co-resident family: Brother**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,165	55.7	55.7
Yes	1	96	4.6	4.6
NA	9	829	39.7	39.7
Total		2,090	100.0	100.0

**q3a10 [Suicide Victim] Co-resident family: Sister**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,200	57.4	57.4
Yes	1	62	3.0	3.0
NA	9	828	39.6	39.6
Total		2,090	100.0	100.0

**q3a11 [Suicide Victim] Co-resident family: Sister/Brother-in-law**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,246	59.6	59.6
Yes	1	17	0.8	0.8
NA	9	827	39.6	39.6
Total		2,090	100.0	100.0

**q3a12 [Suicide Victim] Co-resident family: Other relative**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,212	58.0	58.0
Yes	1	51	2.4	2.4
NA	9	827	39.6	39.6
Total		2,090	100.0	100.0

**q3a13 [Suicide Victim] Co-resident family: Friend**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,251	59.9	59.9
Yes	1	12	0.6	0.6
NA	9	827	39.6	39.6
Total		2,090	100.0	100.0

**q3a14 [Suicide Victim] Co-resident family: Living in dormitory**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,252	59.9	59.9
Yes	1	9	0.4	0.4
NA	9	829	39.7	39.7
Total		2,090	100.0	100.0

**q3a15 [Suicide Victim] Co-resident family: Living alone**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,033	49.4	49.4
Yes	1	226	10.8	10.8
NA	9	831	39.8	39.8
Total		2,090	100.0	100.0

**q3a16 [Suicide Victim] Co-resident family: Other**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,133	54.2	54.2
Yes	1	127	6.1	6.1
NA	9	830	39.7	39.7
Total		2,090	100.0	100.0

**q4a1 [Suicide Victim] Parental death status: Mother**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Alive	1	328	15.7	15.7
Deceased	2	164	7.8	7.8
NA	9	1,598	76.5	76.5
Total		2,090	100.0	100.0

**q4a11 [Suicide Victim] Cause of death: Mother**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Illness	1	6	0.3	0.3
Accident	2	3	0.1	0.2
Suicide	5	6	0.3	0.3
NA	9	1,747	83.6	99.1
NAP	8	328	15.7	
Total		2,090	100.0	100.0

**q4a2 [Suicide Victim] Parental death status: Father**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Alive	1	243	11.6	11.6
Deceased	2	175	8.4	8.4
NA	9	1,672	80.0	80.0
Total		2,090	100.0	100.0

**q4a21 [Suicide Victim] Cause of death: Father**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Illness	1	6	0.3	0.3
Accident	2	2	0.1	0.1
Natural cause	3	1	0.0	0.0

Suicide	5	1	0.0	0.0
NAP	8	243	11.6	11.6
NA	9	1,837	87.9	87.9
Total		2,090	100.0	100.0

**q5a11 [Suicide Victim] Children's death status: Child(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Alive	1	616	29.5	29.5
Deceased	2	14	0.7	0.7
NA	9	1,460	69.9	69.9
Total		2,090	100.0	100.0

**q5a12 [Suicide Victim] Cause of death: Child(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Illness	1	3	0.1	0.2
Accident	2	5	0.2	0.3
Suicide	5	2	0.1	0.1
NA	9	1,464	70.0	99.3
NAP	8	616	29.5	
Total		2,090	100.0	100.0

**q5a21 [Suicide Victim] Children's death status: Child(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Alive	1	400	19.1	19.1
Deceased	2	10	0.5	0.5
NA	9	1,680	80.4	80.4
Total		2,090	100.0	100.0

**q5a22 [Suicide Victim] Cause of death: Child(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Illness	1	2	0.1	0.1
Accident	2	1	0.0	0.1
Suicide	5	3	0.1	0.2
Other	6	3	0.1	0.2
NA	9	1,681	80.4	99.5
NAP	8	400	19.1	
Total		2,090	100.0	100.0



**q5a31 [Suicide Victim] Children's death status: Child(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Alive	1	171	8.2	8.2
Deceased	2	2	0.1	0.1
NA	9	1,917	91.7	91.7
Total		2,090	100.0	100.0

**q5a32 [Suicide Victim] Cause of death: Child(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Accident	2	1	0.0	0.1
Suicide	5	1	0.0	0.1
NA	9	1,917	91.7	99.9
NAP	8	171	8.2	
Total		2,090	100.0	100.0

**q6 [Suicide Victim] Amount of monthly income**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
50	50	1	0.0	0.0
150	150	1	0.0	0.0
750000	750000	1	0.0	0.0
1200000	1200000	1	0.0	0.0
1800000	1800000	1	0.0	0.0
2100000	2100000	1	0.0	0.0
2500000	2500000	1	0.0	0.0
4000000	4000000	1	0.0	0.0
NA	9999999999	2,082	99.6	99.6
Total		2,090	100.0	100.0

**q7 [Suicide Victim] Amount of debt**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1500	1500	1	0.0	0.0
3000	3000	1	0.0	0.0
1500000	1500000	1	0.0	0.0
2000000	2000000	3	0.1	0.1
2500000	2500000	1	0.0	0.0

3000000	3000000	2	0.1	0.1
3500000	3500000	1	0.0	0.0
4760000	4760000	1	0.0	0.0
5000000	5000000	2	0.1	0.1
5500000	5500000	1	0.0	0.0
7000000	7000000	4	0.2	0.2
8000000	8000000	1	0.0	0.0
10000000	10000000	3	0.1	0.1
14000000	14000000	1	0.0	0.0
15000000	15000000	1	0.0	0.0
20000000	20000000	4	0.2	0.2
23000000	23000000	1	0.0	0.0
25000000	25000000	2	0.1	0.1
27100000	27100000	1	0.0	0.0
28600000	28600000	1	0.0	0.0
30000000	30000000	5	0.2	0.2
35000000	35000000	1	0.0	0.0
37000000	37000000	1	0.0	0.0
40000000	40000000	1	0.0	0.0
42000000	42000000	1	0.0	0.0
47600000	47600000	1	0.0	0.0
50000000	50000000	2	0.1	0.1
55000000	55000000	2	0.1	0.1
60000000	60000000	2	0.1	0.1
70000000	70000000	2	0.1	0.1
80000000	80000000	2	0.1	0.1
81000000	81000000	1	0.0	0.0
95000000	95000000	1	0.0	0.0
100000000	100000000	5	0.2	0.2
120000000	120000000	1	0.0	0.0
131000000	131000000	1	0.0	0.0
150000000	150000000	1	0.0	0.0
160000000	160000000	1	0.0	0.0
200000000	200000000	4	0.2	0.2
250000000	250000000	1	0.0	0.0
300000000	300000000	1	0.0	0.0

350000000	350000000	1	0.0	0.0
400000000	400000000	1	0.0	0.0
500000000	500000000	2	0.1	0.1
650000000	650000000	1	0.0	0.0
700000000	700000000	2	0.1	0.1
800000000	800000000	1	0.0	0.0
850000000	850000000	1	0.0	0.0
900000000	900000000	1	0.0	0.0
NA	9999999999	2,010	96.2	96.2
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q8 [Suicide Victim] Alcohol addiction**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	0	874	41.8	41.8
Currently addicted	1	68	3.3	3.3
Treated	2	2	0.1	0.1
NA	9	1,146	54.8	54.8
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q9 [Suicide Victim] Drug addiction**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	0	926	44.3	44.3
Currently addicted	1	9	0.4	0.4
NA	9	1,155	55.3	55.3
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q10 [Suicide Victim] Religion**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No religion	1	514	24.6	24.6
Protestant	2	53	2.5	2.5
Catholic	3	16	0.8	0.8
Buddhist	4	3	0.1	0.1
Other	7	1	0.0	0.0
NA	9	1,503	71.9	71.9
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q12 [Suicide Victim] Level of education**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No education	1	2	0.1	0.1
Elementary school	2	10	0.5	0.5
Middle school	3	21	1.0	1.0
High school	4	53	2.5	2.5
College (2-3 year)	5	18	0.9	0.9
4-year college	6	50	2.4	2.4
Graduate school	7	4	0.2	0.2
NA	9	1,932	92.4	92.4
Total		2,090	100.0	100.0

**q12a1 [Suicide Victim] Level of education: Attending vs. Graduated**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Currently attending	1	67	3.2	3.2
On leave of absence	2	14	0.7	0.7
Dropped out	3	16	0.8	0.8
Graduated	4	57	2.7	2.7
NA	9	1,934	92.5	92.6
NAP	8	2	0.1	
Total		2,090	100.0	100.0

**q13a11 [Suicide Victim] Mental illness: Name of disease(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	76	3.6	3.6
Schizophrenia	2	16	0.8	0.8
Mental retardation	3	4	0.2	0.2
Bipolar disorder	4	5	0.2	0.2
Nervousness	5	2	0.1	0.1
Dementia	7	9	0.4	0.4
Other	8	33	1.6	1.6
NA	9	1,945	93.1	93.1
Total		2,090	100.0	100.0

**q13a12 [Suicide Victim] Mental illness: Treatment status(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Completed	1	4	0.2	0.2
Currently under treatment	2	111	5.3	5.3
Not treated	3	4	0.2	0.2
NA	9	1,971	94.3	94.3
Total		2,090	100.0	100.0

**q13a21 [Suicide Victim] Mental illness: Name of disease(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	4	0.2	0.2
Schizophrenia	2	1	0.0	0.0
Mental retardation	3	1	0.0	0.0
Bipolar disorder	4	1	0.0	0.0
Alcoholism	6	2	0.1	0.1
Other	8	5	0.2	0.2
NA	9	2,076	99.3	99.3
Total		2,090	100.0	100.0

**q13a22 [Suicide Victim] Mental illness: Treatment status(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Completed	1	1	0.0	0.0
Currently under treatment	2	8	0.4	0.4
Not treated	3	1	0.0	0.0
NA	9	2,080	99.5	99.5
Total		2,090	100.0	100.0

**q13a31 [Suicide Victim] Mental illness: Name of disease(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Other	8	2	0.1	0.1
NA	9	2,088	99.9	99.9
Total		2,090	100.0	100.0

**q13a32 [Suicide Victim] Mental illness: Treatment status(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Currently under treatment	2	1	0.0	0.0
NA	9	2,089	100.0	100.0
Total		2,090	100.0	100.0

**q13a41 [Suicide Victim] Mental illness: Name of disease(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Other	8	2	0.1	0.1
NA	9	2,088	99.9	99.9
Total		2,090	100.0	100.0

**q13a42 [Suicide Victim] Mental illness: Treatment status(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Currently under treatment	2	1	0.0	0.0
NA	9	2,089	100.0	100.0
Total		2,090	100.0	100.0

**q14a11 [Suicide Victim] Other diseases: Name of disease(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Malignant neoplasm(cancer)	1	15	0.7	0.7
Endocrine disease	2	21	1.0	1.0
Circulatory disease	3	15	0.7	0.7
Respiratory disease	4	10	0.5	0.5
Digestive disease	5	14	0.7	0.7
Cerebrovascular disease	6	25	1.2	1.2
Infectious disease	7	7	0.3	0.3
Orthopedic disease	8	28	1.3	1.3
Other	9	10	0.5	0.5
NA	99	1,945	93.1	93.1
Total		2,090	100.0	100.0

**q14a12 [Suicide Victim] Other diseases: Treatment status(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Completed	1	15	0.7	0.7
Currently under treatment	2	93	4.4	4.4
Not treated	3	7	0.3	0.3
NA	9	1,975	94.5	94.5
Total		2,090	100.0	100.0

**q14a21 [Suicide Victim] Other diseases: Name of disease(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Malignant neoplasm(cancer)	1	1	0.0	0.0
Endocrine disease	2	10	0.5	0.5
Circulatory disease	3	10	0.5	0.5
Respiratory disease	4	4	0.2	0.2
Digestive disease	5	4	0.2	0.2
Cerebrovascular disease	6	9	0.4	0.4
Infectious disease	7	4	0.2	0.2
Orthopedic disease	8	8	0.4	0.4
Other	9	2	0.1	0.1
NA	99	2,038	97.5	97.5
Total		2,090	100.0	100.0

**q14a22 [Suicide Victim] Other diseases: Treatment status(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Completed	1	5	0.2	0.2
Currently under treatment	2	33	1.6	1.6
Not treated	3	3	0.1	0.1
NA	9	2,049	98.0	98.0
Total		2,090	100.0	100.0

**q14a31 [Suicide Victim] Other diseases: Name of disease(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Circulatory disease	3	1	0.0	0.0
Digestive disease	5	3	0.1	0.1
Cerebrovascular disease	6	2	0.1	0.1
Infectious disease	7	3	0.1	0.1
Orthopedic disease	8	2	0.1	0.1
Other	9	6	0.3	0.3
NA	99	2,073	99.2	99.2
Total		2,090	100.0	100.0

**q14a32 [Suicide Victim] Other diseases: Treatment status(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Currently under treatment	2	15	0.7	0.7
Not treated	3	1	0.0	0.0
NA	9	2,074	99.2	99.2
Total		2,090	100.0	100.0

**q14a41 [Suicide Victim] Other diseases: Name of disease(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Endocrine disease	2	1	0.0	0.0
Circulatory disease	3	2	0.1	0.1
Digestive disease	5	1	0.0	0.0
Cerebrovascular disease	6	1	0.0	0.0
Orthopedic disease	8	1	0.0	0.0
Other	9	2	0.1	0.1
NA	99	2,082	99.6	99.6
Total		2,090	100.0	100.0

**q14a42 [Suicide Victim] Other diseases: Treatment status(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Completed	1	1	0.0	0.0
Currently under treatment	2	5	0.2	0.2
NA	9	2,084	99.7	99.7
Total		2,090	100.0	100.0

**q14a51 [Suicide Victim] Other diseases: Name of disease(5)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Circulatory disease	3	1	0.0	0.0
NA	99	2,089	100.0	100.0
Total		2,090	100.0	100.0

**q14a52 [Suicide Victim] Other diseases: Treatment status(5)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Currently under treatment	2	1	0.0	0.0
NA	9	2,089	100.0	100.0
Total		2,090	100.0	100.0



**q15a1 [Case Information] Estimated time/date of death: Year**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1987	1987	1	0.0	0.0
1989	1989	1	0.0	0.0
1995	1995	1	0.0	0.0
1996	1996	6	0.3	0.3
1997	1997	89	4.3	4.3
1998	1998	150	7.2	7.2
1999	1999	106	5.1	5.1
2000	2000	96	4.6	4.6
2001	2001	111	5.3	5.3
2002	2002	113	5.4	5.4
2003	2003	146	7.0	7.0
2004	2004	158	7.6	7.6
2005	2005	140	6.7	6.7
2006	2006	110	5.3	5.3
NA	9999	862	41.2	41.2
Total		2,090	100.0	100.0

**q15a2 [Case Information] Estimated time/date of death: Month**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	78	3.7	3.7
2	2	76	3.6	3.6
3	3	120	5.7	5.7
4	4	111	5.3	5.3
5	5	132	6.3	6.3
6	6	105	5.0	5.0
7	7	110	5.3	5.3
8	8	109	5.2	5.2
9	9	959	45.9	45.9
10	10	106	5.1	5.1
11	11	88	4.2	4.2
12	12	96	4.6	4.6
Total		2,090	100.0	100.0

**q15a3 [Case Information] Estimated time/date of death: Date**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
0	0	1	0.0	0.0
1	1	48	2.3	2.3
2	2	43	2.1	2.1
3	3	45	2.2	2.2
4	4	33	1.6	1.6
5	5	35	1.7	1.7
6	6	37	1.8	1.8
7	7	41	2.0	2.0
8	8	41	2.0	2.0
9	9	911	43.6	43.6
10	10	43	2.1	2.1
11	11	52	2.5	2.5
12	12	26	1.2	1.2
13	13	32	1.5	1.5
14	14	37	1.8	1.8
15	15	45	2.2	2.2
16	16	39	1.9	1.9
17	17	40	1.9	1.9
18	18	38	1.8	1.8
19	19	46	2.2	2.2
20	20	42	2.0	2.0
21	21	33	1.6	1.6
22	22	37	1.8	1.8
23	23	38	1.8	1.8
24	24	36	1.7	1.7
25	25	39	1.9	1.9
26	26	41	2.0	2.0
27	27	44	2.1	2.1
28	28	39	1.9	1.9
29	29	44	2.1	2.1
30	30	43	2.1	2.1
31	31	21	1.0	1.0
Total		2,090	100.0	100.0

**q15a4 [Case Information] Estimated time/date of death: Hour**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
0	0	50	2.4	2.4
1	1	36	1.7	1.7
2	2	35	1.7	1.7
3	3	40	1.9	1.9
4	4	35	1.7	1.7
5	5	46	2.2	2.2
6	6	43	2.1	2.1
7	7	50	2.4	2.4
8	8	53	2.5	2.5
9	9	981	46.9	46.9
10	10	46	2.2	2.2
11	11	58	2.8	2.8
12	12	58	2.8	2.8
13	13	57	2.7	2.7
14	14	50	2.4	2.4
15	15	49	2.3	2.3
16	16	53	2.5	2.5
17	17	62	3.0	3.0
18	18	65	3.1	3.1
19	19	54	2.6	2.6
20	20	47	2.2	2.2
21	21	37	1.8	1.8
22	22	40	1.9	1.9
23	23	42	2.0	2.0
24	24	3	0.1	0.1
Total		2,090	100.0	100.0

**q16a1 [Case Information] Time/Date of discovery: Year**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1977	1977	1	0.0	0.0
1995	1995	1	0.0	0.0
1996	1996	6	0.3	0.3
1997	1997	88	4.2	4.2

1998	1998	162	7.8	7.8
1999	1999	112	5.4	5.4
2000	2000	102	4.9	4.9
2001	2001	115	5.5	5.5
2002	2002	117	5.6	5.6
2003	2003	151	7.2	7.2
2004	2004	157	7.5	7.5
2005	2005	143	6.8	6.8
2006	2006	112	5.4	5.4
NA	9999	823	39.4	39.4
Total		2,090	100.0	100.0

**q16a2 [Case Information] Time/Date of discovery: Month**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	85	4.1	4.1
2	2	76	3.6	3.6
3	3	122	5.8	5.8
4	4	114	5.5	5.5
5	5	126	6.0	6.0
6	6	112	5.4	5.4
7	7	112	5.4	5.4
8	8	115	5.5	5.5
9	9	927	44.4	44.4
10	10	111	5.3	5.3
11	11	97	4.6	4.6
12	12	93	4.4	4.4
Total		2,090	100.0	100.0

**q16a3 [Case Information] Time/Date of discovery: Date**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	46	2.2	2.2
2	2	48	2.3	2.3
3	3	50	2.4	2.4
4	4	34	1.6	1.6
5	5	40	1.9	1.9
6	6	32	1.5	1.5

7	7	40	1.9	1.9
8	8	45	2.2	2.2
9	9	863	41.3	41.3
10	10	44	2.1	2.1
11	11	54	2.6	2.6
12	12	28	1.3	1.3
13	13	40	1.9	1.9
14	14	32	1.5	1.5
15	15	48	2.3	2.3
16	16	43	2.1	2.1
17	17	41	2.0	2.0
18	18	41	2.0	2.0
19	19	44	2.1	2.1
20	20	45	2.2	2.2
21	21	37	1.8	1.8
22	22	39	1.9	1.9
23	23	43	2.1	2.1
24	24	33	1.6	1.6
25	25	43	2.1	2.1
26	26	46	2.2	2.2
27	27	41	2.0	2.0
28	28	46	2.2	2.2
29	29	45	2.2	2.2
30	30	39	1.9	1.9
31	31	20	1.0	1.0
Total		2,090	100.0	100.0

**q16a4 [Case Information] Time/Date of discovery: Hour**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
0	0	38	1.8	1.8
1	1	32	1.5	1.5
2	2	34	1.6	1.6
3	3	24	1.1	1.1
4	4	37	1.8	1.8
5	5	46	2.2	2.2
6	6	67	3.2	3.2

7	7	76	3.6	3.6
8	8	61	2.9	2.9
9	9	885	42.3	42.3
10	10	58	2.8	2.8
11	11	68	3.3	3.3
12	12	69	3.3	3.3
13	13	71	3.4	3.4
14	14	73	3.5	3.5
15	15	62	3.0	3.0
16	16	61	2.9	2.9
17	17	53	2.5	2.5
18	18	64	3.1	3.1
19	19	57	2.7	2.7
20	20	43	2.1	2.1
21	21	36	1.7	1.7
22	22	35	1.7	1.7
23	23	39	1.9	1.9
24	24	1	0.0	0.0
Total		2,090	100.0	100.0

**q17 [Case Information] Place of discovery**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
In the house of the deceased	1	522	25.0	25.0
Near the house of the deceased(Garden or the rooftop of the apartment)	2	207	9.9	9.9
At or near workplace of the deceased	3	38	1.8	1.8
In the house of the finder	4	19	0.9	0.9
Near the house of the finder(Garden or the rooftop of the apartment)	5	40	1.9	1.9
At or near workplace of the finder	6	73	3.5	3.5
In the house of a third person	7	11	0.5	0.5
Near the house of a third person(Garden or the rooftop of the apartment)	8	33	1.6	1.6
A secluded place such as a hill	9	133	6.4	6.4
Public place(street, park, etc)	10	97	4.6	4.6
Other	11	96	4.6	4.6
NA	99	821	39.3	39.3
Total		2,090	100.0	100.0

**q18a1 [Reporter] Relationship to the deceased**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Spouse	1	187	8.9	8.9
Child	2	152	7.3	7.3
Sibling	3	53	2.5	2.5
Grandfather/Grandmother	4	3	0.1	0.1
Grandson/Granddaughter	5	17	0.8	0.8
Other relative	6	48	2.3	2.3
Lover	7	14	0.7	0.7
Friend	8	20	1.0	1.0
Colleague or Superior at work	9	21	1.0	1.0
Business acquaintance	10	27	1.3	1.3
Stranger	11	466	22.3	22.3
Other	12	156	7.5	7.5
Parent	13	68	3.3	3.3
NA	99	858	41.1	41.1
Total		2,090	100.0	100.0

**q18a2 [Reporter] Sex**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Male	1	795	38.0	38.0
Female	2	460	22.0	22.0
NA	9	835	40.0	40.0
Total		2,090	100.0	100.0

**q18a3 [Reporter] Age**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
7	7	1	0.0	0.0
8	8	1	0.0	0.0
9	9	2	0.1	0.1
10	10	2	0.1	0.1
11	11	6	0.3	0.3
12	12	1	0.0	0.0
13	13	3	0.1	0.1
14	14	8	0.4	0.4

15	15	9	0.4	0.4
16	16	4	0.2	0.2
17	17	6	0.3	0.3
18	18	8	0.4	0.4
19	19	11	0.5	0.5
20	20	10	0.5	0.5
21	21	15	0.7	0.7
22	22	21	1.0	1.0
23	23	18	0.9	0.9
24	24	13	0.6	0.6
25	25	25	1.2	1.2
26	26	24	1.1	1.1
27	27	21	1.0	1.0
28	28	31	1.5	1.5
29	29	25	1.2	1.2
30	30	31	1.5	1.5
31	31	18	0.9	0.9
32	32	29	1.4	1.4
33	33	21	1.0	1.0
34	34	20	1.0	1.0
35	35	25	1.2	1.2
36	36	29	1.4	1.4
37	37	23	1.1	1.1
38	38	24	1.1	1.1
39	39	36	1.7	1.7
40	40	32	1.5	1.5
41	41	19	0.9	0.9
42	42	31	1.5	1.5
43	43	31	1.5	1.5
44	44	27	1.3	1.3
45	45	22	1.1	1.1
46	46	27	1.3	1.3
47	47	31	1.5	1.5
48	48	25	1.2	1.2
49	49	26	1.2	1.2
50	50	31	1.5	1.5



51	51	24	1.1	1.1
52	52	24	1.1	1.1
53	53	27	1.3	1.3
54	54	23	1.1	1.1
55	55	30	1.4	1.4
56	56	31	1.5	1.5
57	57	24	1.1	1.1
58	58	18	0.9	0.9
59	59	23	1.1	1.1
60	60	21	1.0	1.0
61	61	23	1.1	1.1
62	62	19	0.9	0.9
63	63	18	0.9	0.9
64	64	17	0.8	0.8
65	65	21	1.0	1.0
66	66	9	0.4	0.4
67	67	10	0.5	0.5
68	68	8	0.4	0.4
69	69	7	0.3	0.3
70	70	9	0.4	0.4
71	71	6	0.3	0.3
72	72	8	0.4	0.4
73	73	11	0.5	0.5
74	74	2	0.1	0.1
75	75	3	0.1	0.1
76	76	5	0.2	0.2
77	77	1	0.0	0.0
78	78	2	0.1	0.1
79	79	2	0.1	0.1
80	80	2	0.1	0.1
81	81	1	0.0	0.0
82	82	1	0.0	0.0
83	83	1	0.0	0.0
85	85	2	0.1	0.1
NA	99	834	39.9	39.9
Total		2,090	100.0	100.0

**q18a4 [Reporter] Occupation**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Professionals and technicians	1	46	2.2	2.2
Administrative managers	2	7	0.3	0.3
Clerical workers	3	185	8.9	8.9
Sales workers	4	115	5.5	5.5
Service workers	5	263	12.6	12.6
Agricultural, forestry and fishery workers	6	49	2.3	2.3
Production workers	7	133	6.4	6.4
Student	8	81	3.9	3.9
Unemployed	9	345	16.5	16.5
Other	10	18	0.9	0.9
DK	11	6	0.3	0.3
NA	99	842	40.3	40.3
Total		2,090	100.0	100.0

**q19 Details of discovery and report**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Discovered by chance	1	947	45.3	45.3
Discovered during a search after failing to contact	2	72	3.4	3.4
Discovered during a search after finding a suicide note	3	37	1.8	1.8
Discovered during a search for the missing	4	38	1.8	1.8
Other	5	140	6.7	6.7
NA	9	856	41.0	41.0
Total		2,090	100.0	100.0

**q20a1 Yes/No: Double suicide**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,171	56.0	56.0
Yes	1	55	2.6	2.6
NA	9	864	41.3	41.3
Total		2,090	100.0	100.0

**q20a2 Double suicide: Relationship**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Spouse	1	25	1.2	2.7
Child	2	5	0.2	0.5
Lover	7	3	0.1	0.3
Friend	8	8	0.4	0.9
Other	12	1	0.0	0.1
Parent	13	5	0.2	0.5
NA	99	872	41.7	94.9
NAP	88	1,171	56.0	
Total		2,090	100.0	100.0

**q20a3 Double suicide: Success or failure**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Success	1	39	1.9	4.2
Failure	2	9	0.4	1.0
NA	9	871	41.7	94.8
NAP	8	1,171	56.0	
Total		2,090	100.0	100.0

**q21a2 Corpse condition: External injury**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	1	759	36.3	36.3
Yes	2	290	13.9	13.9
NA	9	1,041	49.8	49.8
Total		2,090	100.0	100.0

**q22a2 Evidence: Suicidal tools**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
String, rope	1	532	25.5	25.5
Toxic substance	2	192	9.2	9.2
Knife, scissors	3	16	0.8	0.8
Gas	4	8	0.4	0.4
Oil, thinner	5	13	0.6	0.6
Other	6	7	0.3	0.3
NA	9	1,322	63.3	63.3
Total		2,090	100.0	100.0

**q22a3 Evidence: Suicide note**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	1	794	38.0	38.0
Yes	2	368	17.6	17.6
NA	9	928	44.4	44.4
Total		2,090	100.0	100.0

**q23 Characteristics of the suicide note**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Written on letter paper or white paper	1	125	6.0	9.6
Written on notepad or scratch pad	2	97	4.6	7.5
Written simply on memopad or diary	3	74	3.5	5.7
Written on a sheet of paper nearby(e.g., calender, wrapping paper, etc)	4	20	1.0	1.5
Written online (e.g., personal blog, etc)	5	4	0.2	0.3
Text message on cell phone(SMS)	6	1	0.0	0.1
Other	7	15	0.7	1.2
NA	9	960	45.9	74.1
NAP	8	794	38.0	
Total		2,090	100.0	100.0

**q24 Method of suicide**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strangling	1	27	1.3	2.1
Hanging	2	497	23.8	39.4
Drowning	3	19	0.9	1.5
Swords	4	23	1.1	1.8
Firearms	5	1	0.0	0.1
Explosive	6	1	0.0	0.1
Poison	7	220	10.5	17.4
Train	8	24	1.1	1.9
Gas poisoning	11	13	0.6	1.0
Fall	12	299	14.3	23.7
Fire	13	26	1.2	2.1
Other	15	111	5.3	8.8
NA	99	829	39.7	
Total		2,090	100.0	100.0

**q25 Preparation of suicidal tools**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No tools used (jumping, etc.)	1	340	16.3	16.3
Not prepared but used something nearby	2	494	23.6	23.6
Prepared in advance for suicide	3	368	17.6	17.6
Other	4	21	1.0	1.0
NA	9	867	41.5	41.5
Total		2,090	100.0	100.0

**q26 Medical cause leading to death**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Suffocation	1	581	27.8	27.8
Hemorrhage	2	46	2.2	2.2
Organ damage	3	198	9.5	9.5
Poisoning	4	181	8.7	8.7
Fire	5	23	1.1	1.1
Other	7	200	9.6	9.6
NA	9	861	41.2	41.2
Total		2,090	100.0	100.0

**q27a1 Psychological cause of suicide(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	209	10.0	10.0
Economic hardship	2	224	10.7	10.7
Anxiety	3	207	9.9	9.9
Family problems	4	103	4.9	4.9
Love affair	5	68	3.3	3.3
Other social relationship problem	6	34	1.6	1.6
Other	7	266	12.7	12.7
NA	9	979	46.8	46.8
Total		2,090	100.0	100.0

**q27a2 Psychological cause of suicide(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	18	0.9	0.9
Economic hardship	2	28	1.3	1.3
Anxiety	3	59	2.8	2.8
Family problems	4	41	2.0	2.0
Love affair	5	19	0.9	0.9
Other social relationship problem	6	8	0.4	0.4
Other	7	50	2.4	2.4
NA	9	1,867	89.3	89.3
Total		2,090	100.0	100.0

**q27a3 Psychological cause of suicide(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	2	0.1	0.1
Anxiety	3	4	0.2	0.2
Family problems	4	9	0.4	0.4
Love affair	5	4	0.2	0.2
Other	7	6	0.3	0.3
NA	9	2,065	98.8	98.8
Total		2,090	100.0	100.0

**q28a1 [Autopsy] Time/Date of autopsy: Year**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1997	1997	6	0.3	0.3
1998	1998	12	0.6	0.6
1999	1999	11	0.5	0.5
2000	2000	6	0.3	0.3
2001	2001	7	0.3	0.3
2002	2002	12	0.6	0.6
2003	2003	8	0.4	0.4
2004	2004	15	0.7	0.7
2005	2005	16	0.8	0.8
2006	2006	7	0.3	0.3
NA	9999	1,990	95.2	95.2
Total		2,090	100.0	100.0

**q28a2 [Autopsy] Time/Date of autopsy: Month**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	10	0.5	0.5
2	2	7	0.3	0.3
3	3	7	0.3	0.3
4	4	5	0.2	0.2
5	5	10	0.5	0.5
6	6	10	0.5	0.5
7	7	12	0.6	0.6
8	8	11	0.5	0.5
9	9	5	0.2	0.2
10	10	12	0.6	0.6
11	11	5	0.2	0.2
12	12	6	0.3	0.3
NA	99	1,990	95.2	95.2
Total		2,090	100.0	100.0

**q28a3 [Autopsy] Time/Date of autopsy: Date**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	1	0.0	0.0
2	2	3	0.1	0.1
3	3	3	0.1	0.1
4	4	4	0.2	0.2
5	5	1	0.0	0.0
6	6	4	0.2	0.2
7	7	2	0.1	0.1
8	8	5	0.2	0.2
9	9	2	0.1	0.1
10	10	8	0.4	0.4
11	11	2	0.1	0.1
12	12	2	0.1	0.1
13	13	5	0.2	0.2
14	14	1	0.0	0.0
17	17	5	0.2	0.2
18	18	4	0.2	0.2

19	19	1	0.0	0.0
20	20	5	0.2	0.2
21	21	3	0.1	0.1
22	22	2	0.1	0.1
23	23	6	0.3	0.3
24	24	1	0.0	0.0
25	25	5	0.2	0.2
26	26	3	0.1	0.1
27	27	4	0.2	0.2
28	28	4	0.2	0.2
29	29	9	0.4	0.4
30	30	3	0.1	0.1
31	31	1	0.0	0.0
NA	99	1,991	95.3	95.3
Total		2,090	100.0	100.0

**q28a4 [Autopsy] Time/Date of autopsy: Hour**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	1	0.0	0.0
9	9	8	0.4	0.4
10	10	11	0.5	0.5
11	11	6	0.3	0.3
12	12	1	0.0	0.0
13	13	2	0.1	0.1
14	14	1	0.0	0.0
15	15	1	0.0	0.0
NA	99	2,059	98.5	98.5
Total		2,090	100.0	100.0

**q29 [Autopsy] Family's reaction to autopsy**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Strongly resisted autopsy	1	1,008	48.2	48.2
Accepted autopsy if needed	2	13	0.6	0.6
Strongly demanded autopsy	3	18	0.9	0.9
Other	4	18	0.9	0.9
NA	9	1,033	49.4	49.4
Total		2,090	100.0	100.0



**q30a1 [Suicide Note] Date/Time written: Year**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1996	1996	2	0.1	0.1
1997	1997	11	0.5	0.5
1998	1998	15	0.7	0.7
1999	1999	6	0.3	0.3
2000	2000	5	0.2	0.2
2001	2001	5	0.2	0.2
2002	2002	7	0.3	0.3
2003	2003	4	0.2	0.2
2004	2004	13	0.6	0.6
2005	2005	8	0.4	0.4
2006	2006	4	0.2	0.2
NA	9999	2,010	96.2	96.2
Total		2,090	100.0	100.0

**q30a2 [Suicide Note] Date/Time written: Month**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	4	0.2	0.2
2	2	12	0.6	0.6
3	3	15	0.7	0.7
4	4	6	0.3	0.3
5	5	13	0.6	0.6
6	6	4	0.2	0.2
7	7	7	0.3	0.3
8	8	2	0.1	0.1
9	9	5	0.2	0.2
10	10	2	0.1	0.1
11	11	4	0.2	0.2
12	12	5	0.2	0.2
NA	99	2,011	96.2	96.2
Total		2,090	100.0	100.0

**q30a3 [Suicide Note] Date/Time written: Date**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
----------	-------	-------	---------	---------

1	1	6	0.3	0.3
2	2	3	0.1	0.1
3	3	2	0.1	0.1
4	4	1	0.0	0.0
5	5	4	0.2	0.2
6	6	2	0.1	0.1
7	7	3	0.1	0.1
8	8	1	0.0	0.0
10	10	1	0.0	0.0
11	11	3	0.1	0.1
12	12	3	0.1	0.1
14	14	3	0.1	0.1
15	15	4	0.2	0.2
16	16	4	0.2	0.2
17	17	2	0.1	0.1
18	18	5	0.2	0.2
19	19	1	0.0	0.0
20	20	1	0.0	0.0
21	21	1	0.0	0.0
22	22	1	0.0	0.0
23	23	3	0.1	0.1
24	24	1	0.0	0.0
25	25	8	0.4	0.4
26	26	4	0.2	0.2
27	27	4	0.2	0.2
29	29	5	0.2	0.2
30	30	2	0.1	0.1
NA	99	2,012	96.3	96.3
Total		2,090	100.0	100.0

**q30a4 [Suicide Note] Date/Time written: Hour**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
1	1	2	0.1	0.1
2	2	2	0.1	0.1
4	4	1	0.0	0.0
5	5	1	0.0	0.0

7	7	2	0.1	0.1
9	9	1	0.0	0.0
10	10	2	0.1	0.1
11	11	1	0.0	0.0
12	12	3	0.1	0.1
17	17	1	0.0	0.0
NA	99	2,074	99.2	99.2
Total		2,090	100.0	100.0

**q31a1 [Suicide Note] Major content(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Resentment against someone	1	39	1.9	1.9
Curse at someone	2	8	0.4	0.4
Self-blame	3	87	4.2	4.2
Self-abandonment	4	34	1.6	1.6
Worries about someone	5	57	2.7	2.7
Getting life in order	6	13	0.6	0.6
Request of funeral procedure	7	49	2.3	2.3
Guidance about Inheritance	8	9	0.4	0.4
Other	9	65	3.1	3.1
NA	99	1,729	82.7	82.7
Total		2,090	100.0	100.0

**q31a2 [Suicide Note] Major content(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Resentment against someone	1	8	0.4	0.4
Curse at someone	2	11	0.5	0.5
Self-blame	3	19	0.9	0.9
Self-abandonment	4	38	1.8	1.8
Worries about someone	5	59	2.8	2.8
Getting life in order	6	20	1.0	1.0
Request of funeral procedure	7	19	0.9	0.9
Guidance about Inheritance	8	17	0.8	0.8
Other	9	72	3.4	3.4
NA	99	1,827	87.4	87.4
Total		2,090	100.0	100.0

**q31a3 [Suicide Note] Major content(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Resentment against someone	1	7	0.3	0.3
Curse at someone	2	2	0.1	0.1
Self-blame	3	9	0.4	0.4
Self-abandonment	4	11	0.5	0.5
Worries about someone	5	31	1.5	1.5
Getting life in order	6	11	0.5	0.5
Request of funeral procedure	7	14	0.7	0.7
Guidance about Inheritance	8	9	0.4	0.4
Other	9	41	2.0	2.0
NA	99	1,955	93.5	93.5
Total		2,090	100.0	100.0

**q31a4 [Suicide Note] Major content(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Resentment against someone	1	1	0.0	0.0
Curse at someone	2	2	0.1	0.1
Self-blame	3	1	0.0	0.0
Self-abandonment	4	6	0.3	0.3
Worries about someone	5	3	0.1	0.1
Getting life in order	6	11	0.5	0.5
Request of funeral procedure	7	8	0.4	0.4
Guidance about Inheritance	8	4	0.2	0.2
Other	9	19	0.9	0.9
NA	99	2,035	97.4	97.4
Total		2,090	100.0	100.0

**q31a5 [Suicide Note] Major content(5)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Resentment against someone	1	1	0.0	0.0
Self-blame	3	1	0.0	0.0
Worries about someone	5	2	0.1	0.1
Getting life in order	6	1	0.0	0.0
Request of funeral procedure	7	4	0.2	0.2

Guidance about Inheritance	8	4	0.2	0.2
Other	9	5	0.2	0.2
NA	99	2,072	99.1	99.1
Total		2,090	100.0	100.0

**q31a6 [Suicide Note] Major content(6)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Resentment against someone	1	1	0.0	0.0
Self-abandonment	4	1	0.0	0.0
Guidance about Inheritance	8	1	0.0	0.0
Other	9	2	0.1	0.1
NA	99	2,085	99.8	99.8
Total		2,090	100.0	100.0

**q32a1 [Suicide Note] Addressee of suicide note(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Spouse	1	76	3.6	3.6
Child	2	59	2.8	2.8
Sibling	3	34	1.6	1.6
Grandfather/Grandmother	4	1	0.0	0.0
Grandson/Granddaughter	5	4	0.2	0.2
Other relative	6	8	0.4	0.4
Lover	7	19	0.9	0.9
Friend	8	10	0.5	0.5
Colleague or Superior at work	9	6	0.3	0.3
Business acquaintance	10	1	0.0	0.0
Stranger	11	3	0.1	0.1
Other	12	39	1.9	1.9
Parent	13	49	2.3	2.3
NA	99	1,781	85.2	85.2
Total		2,090	100.0	100.0

**q32a2 [Suicide Note] Addressee of suicide note(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Spouse	1	19	0.9	0.9
Child	2	49	2.3	2.3

Sibling	3	26	1.2	1.2
Grandfather/Grandmother	4	3	0.1	0.1
Grandson/Granddaughter	5	8	0.4	0.4
Other relative	6	8	0.4	0.4
Lover	7	12	0.6	0.6
Friend	8	12	0.6	0.6
Colleague or Superior at work	9	1	0.0	0.0
Business acquaintance	10	3	0.1	0.1
Other	12	13	0.6	0.6
Parent	13	26	1.2	1.2
NA	99	1,910	91.4	91.4
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q32a3 [Suicide Note] Addressee of suicide note(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Spouse	1	1	0.0	0.0
Child	2	8	0.4	0.4
Sibling	3	14	0.7	0.7
Grandfather/Grandmother	4	1	0.0	0.0
Grandson/Granddaughter	5	1	0.0	0.0
Other relative	6	12	0.6	0.6
Lover	7	3	0.1	0.1
Friend	8	10	0.5	0.5
Colleague or Superior at work	9	5	0.2	0.2
Other	12	12	0.6	0.6
Parent	13	13	0.6	0.6
NA	99	2,010	96.2	96.2
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q32a4 [Suicide Note] Addressee of suicide note(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Child	2	1	0.0	0.0
Sibling	3	7	0.3	0.3
Grandfather/Grandmother	4	1	0.0	0.0
Other relative	6	4	0.2	0.2
Lover	7	2	0.1	0.1

Friend	8	6	0.3	0.3
Colleague or Superior at work	9	2	0.1	0.1
Business acquaintance	10	1	0.0	0.0
Other	12	2	0.1	0.1
Parent	13	6	0.3	0.3
NA	99	2,058	98.5	98.5
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q32a5 [Suicide Note] Addressee of suicide note(5)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Sibling	3	1	0.0	0.0
Grandfather/Grandmother	4	1	0.0	0.0
Other relative	6	2	0.1	0.1
Lover	7	2	0.1	0.1
Business acquaintance	10	2	0.1	0.1
Other	12	7	0.3	0.3
Parent	13	1	0.0	0.0
NA	99	2,074	99.2	99.2
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q32a6 [Suicide Note] Addressee of suicide note(6)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Friend	8	1	0.0	0.0
Business acquaintance	10	1	0.0	0.0
Other	12	1	0.0	0.0
Parent	13	1	0.0	0.0
NA	99	2,086	99.8	99.8
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q33 [Affiant] Type**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Surviving Family	1	1,640	78.5	78.5
Testifier	2	331	15.8	15.8
Reporter	3	63	3.0	3.0
NA	9	56	2.7	2.7
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q34a1 [Affiant] Relationship to the deceased**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Spouse	1	417	20.0	20.0
Child	2	446	21.3	21.3
Sibling	3	362	17.3	17.3
Grandfather/Grandmother	4	8	0.4	0.4
Grandson/Granddaughter	5	18	0.9	0.9
Other relative	6	157	7.5	7.5
Lover	7	51	2.4	2.4
Friend	8	99	4.7	4.7
Colleague or Superior at work	9	45	2.2	2.2
Business acquaintance	10	35	1.7	1.7
Stranger	11	14	0.7	0.7
Other	12	126	6.0	6.0
Parent	13	256	12.2	12.2
NA	99	56	2.7	2.7
Total		2,090	100.0	100.0

**q34a2 [Affiant] Sex**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Male	1	1,143	54.7	54.7
Female	2	860	41.1	41.1
NA	9	87	4.2	4.2
Total		2,090	100.0	100.0

**q34a3 [Affiant] Age**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
3	3	1	0.0	0.0
8	8	1	0.0	0.0
9	9	1	0.0	0.0
10	10	3	0.1	0.1
11	11	4	0.2	0.2
12	12	1	0.0	0.0
13	13	7	0.3	0.3
14	14	8	0.4	0.4



15	15	15	0.7	0.7
16	16	13	0.6	0.6
17	17	13	0.6	0.6
18	18	17	0.8	0.8
19	19	28	1.3	1.3
20	20	16	0.8	0.8
21	21	20	1.0	1.0
22	22	21	1.0	1.0
23	23	33	1.6	1.6
24	24	29	1.4	1.4
25	25	31	1.5	1.5
26	26	40	1.9	1.9
27	27	33	1.6	1.6
28	28	30	1.4	1.4
29	29	37	1.8	1.8
30	30	47	2.2	2.2
31	31	29	1.4	1.4
32	32	45	2.2	2.2
33	33	42	2.0	2.0
34	34	46	2.2	2.2
35	35	47	2.2	2.2
36	36	38	1.8	1.8
37	37	50	2.4	2.4
38	38	42	2.0	2.0
39	39	51	2.4	2.4
40	40	57	2.7	2.7
41	41	51	2.4	2.4
42	42	53	2.5	2.5
43	43	68	3.3	3.3
44	44	70	3.3	3.3
45	45	54	2.6	2.6
46	46	77	3.7	3.7
47	47	69	3.3	3.3
48	48	50	2.4	2.4
49	49	42	2.0	2.0
50	50	45	2.2	2.2

51	51	39	1.9	1.9
52	52	38	1.8	1.8
53	53	36	1.7	1.7
54	54	36	1.7	1.7
55	55	43	2.1	2.1
56	56	45	2.2	2.2
57	57	29	1.4	1.4
58	58	21	1.0	1.0
59	59	24	1.1	1.1
60	60	28	1.3	1.3
61	61	25	1.2	1.2
62	62	23	1.1	1.1
63	63	16	0.8	0.8
64	64	16	0.8	0.8
65	65	17	0.8	0.8
66	66	9	0.4	0.4
67	67	8	0.4	0.4
68	68	10	0.5	0.5
69	69	13	0.6	0.6
70	70	14	0.7	0.7
71	71	5	0.2	0.2
72	72	8	0.4	0.4
73	73	11	0.5	0.5
74	74	2	0.1	0.1
75	75	6	0.3	0.3
76	76	5	0.2	0.2
77	77	2	0.1	0.1
78	78	3	0.1	0.1
79	79	2	0.1	0.1
81	81	1	0.0	0.0
85	85	1	0.0	0.0
89	89	1	0.0	0.0
NA	99	78	3.7	3.7
Total		2,090	100.0	100.0

**q34a4 [Affiant] Occupation**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Professionals and technicians	1	103	4.9	4.9
Administrative managers	2	12	0.6	0.6
Clerical workers	3	321	15.4	15.4
Sales workers	4	257	12.3	12.3
Service workers	5	220	10.5	10.5
Agricultural, forestry and fishery workers	6	109	5.2	5.2
Production workers	7	236	11.3	11.3
Student	8	149	7.1	7.1
Unemployed	9	549	26.3	26.3
Other	10	9	0.4	0.4
DK	11	1	0.0	0.0
NA	99	124	5.9	5.9
Total		2,090	100.0	100.0

**q35 [Affiant Statement] Whereabouts of deceased on suicide day**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Committed suicide while staying at home	1	999	47.8	47.8
Committed suicide while staying at another place other than home	2	356	17.0	17.0
Committed suicide by moving to another place after staying at home	3	226	10.8	10.8
Committed suicide by moving to another place after staying at somewhere other than home	4	153	7.3	7.3
Committed suicide after returning home from somewhere else	5	51	2.4	2.4
Other	6	33	1.6	1.6
NA	9	272	13.0	13.0
Total		2,090	100.0	100.0

**q36 [Affiant Statement] Reaction of affiant at confirmation of suicide**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
It could not have been a suicide	1	61	2.9	2.9
I knew s/he would kill him/herself	2	9	0.4	0.4
I suspected but did not know s/he would actually kill him/herself	3	66	3.2	3.2
Make another investigation	4	14	0.7	0.7

Other	5	50	2.4	2.4
Accepted calmly	6	1,752	83.8	83.8
NA	9	138	6.6	6.6
Total		2,090	100.0	100.0

**q37a1 [Affiant Statement] Cause of death speculated by affiant(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	341	16.3	16.3
Economic hardship	2	334	16.0	16.0
Anxiety	3	238	11.4	11.4
Family problems	4	163	7.8	7.8
Love affair	5	111	5.3	5.3
Other social relationship problem	6	41	2.0	2.0
Other	7	588	28.1	28.1
NA	9	274	13.1	13.1
Total		2,090	100.0	100.0

**q37a2 [Affiant Statement] Cause of death speculated by affiant(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	14	0.7	0.7
Economic hardship	2	59	2.8	2.8
Anxiety	3	94	4.5	4.5
Family problems	4	46	2.2	2.2
Love affair	5	27	1.3	1.3
Other social relationship problem	6	18	0.9	0.9
Other	7	76	3.6	3.6
NA	9	1,756	84.0	84.0
Total		2,090	100.0	100.0

**q37a3 [Affiant Statement] Cause of death speculated by affiant(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depression	1	3	0.1	0.1
Anxiety	3	15	0.7	0.7
Family problems	4	10	0.5	0.5
Love affair	5	7	0.3	0.3
Other social relationship problem	6	3	0.1	0.1
Other	7	8	0.4	0.4
NA	9	2,044	97.8	97.8
Total		2,090	100.0	100.0

**q37a4 [Affiant Statement] Cause of death speculated by affiant(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Family problems	4	2	0.1	0.1
NA	9	2,088	99.9	99.9
Total		2,090	100.0	100.0

**q38 [Affiant Statement] Personality of the deceased**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Depressed	1	249	11.9	11.9
Temperamental	2	43	2.1	2.1
Reserved	3	367	17.6	17.6
Gentle/Mild	4	235	11.2	11.2
Cheerful	5	189	9.0	9.0
Other	6	262	12.5	12.5
NA	9	745	35.6	35.6
Total		2,090	100.0	100.0

**q39 [Affiant Statement] Relationship between the deceased and family**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Close	1	209	10.0	10.0
Conflictual	2	233	11.1	11.1
Distant	3	148	7.1	7.1
Harmonious	4	931	44.5	44.5
Other	5	28	1.3	1.3
NA	9	541	25.9	25.9
Total		2,090	100.0	100.0

**q40 [Affiant Statement] Sleeping-out Habit**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
No	0	1,415	67.7	67.7
Yes	1	112	5.4	5.4
NA	9	563	26.9	26.9
Total		2,090	100.0	100.0

**q41 [Affiant Statement] Life problem**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Sleep disorder	1	38	1.8	1.8
Alcohol problem	2	195	9.3	9.3
Drug problem	3	15	0.7	0.7
NA	9	1,842	88.1	88.1
Total		2,090	100.0	100.0

**q42a1 [Affiant Statement] History of suicide attempt**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	0	1,503	71.9	71.9
Yes	1	222	10.6	10.6
NA	9	365	17.5	17.5
Total		2,090	100.0	100.0

**q42a2 [Affiant Statement] Method of suicide attempt**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Hanging	2	44	2.1	7.5
Drowning	3	6	0.3	1.0
Swords	4	32	1.5	5.5
Poison	7	65	3.1	11.1
Train	8	14	0.7	2.4
Car	9	6	0.3	1.0
Fall	12	38	1.8	6.5
Fire	13	4	0.2	0.7
NA	99	378	18.1	64.4
NAP	88	1,503	71.9	
Total		2,090	100.0	100.0

**q43a1 [Affiant Statement] History of self-injury**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	0	1,638	78.4	78.4
Yes	1	40	1.9	1.9
NA	9	412	19.7	19.7
Total		2,090	100.0	100.0

**q43a2 [Affiant Statement] Method of self-injury**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Hanging	1	1	0.0	0.2
Wrist cutting	2	28	1.3	6.2
Poison taking	3	1	0.0	0.2
Jumping	4	2	0.1	0.4
DK	5	3	0.1	0.7
NA	9	417	20.0	92.3
NAP	8	1,638	78.4	
Total		2,090	100.0	100.0

**q44a1 [Affiant Statement] Unusual behavior(1)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Talked about stories related to death	1	154	7.4	7.4
Missed family or friends	2	27	1.3	1.3
Organized surroundings	3	37	1.8	1.8
Wanted to leave far away	4	3	0.1	0.1
Talked about the vanity of life	5	5	0.2	0.2
Went away for a trip	6	7	0.3	0.3
Showed more irritation than usual	7	19	0.9	0.9
Became more quiet than usual	8	23	1.1	1.1
Was anxious and flustered	9	17	0.8	0.8
Other	10	536	25.6	25.6
NA	99	1,262	60.4	60.4
Total		2,090	100.0	100.0

**q44a2 [Affiant Statement] Unusual behavior(2)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Talked about stories related to death	1	7	0.3	0.3
Missed family or friends	2	4	0.2	0.2
Organized surroundings	3	12	0.6	0.6
Talked about the vanity of life	5	5	0.2	0.2
Showed more irritation than usual	7	6	0.3	0.3
Became more quiet than usual	8	2	0.1	0.1
Was anxious and flustered	9	7	0.3	0.3
Other	10	25	1.2	1.2
NA	99	2,022	96.7	96.7
Total		2,090	100.0	100.0

**q44a3 [Affiant Statement] Unusual behavior(3)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Organized surroundings	3	2	0.1	0.1
Showed more irritation than usual	7	3	0.1	0.1
Other	10	3	0.1	0.1
NA	99	2,082	99.6	99.6
Total		2,090	100.0	100.0

**q44a4 [Affiant Statement] Unusual behavior(4)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Was anxious and flustered	9	1	0.0	0.0
NA	99	2,089	100.0	100.0
Total		2,090	100.0	100.0

**q44a5 [Affiant Statement] Unusual behavior(5)**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Other	10	1	0.0	0.0
NA	99	2,089	100.0	100.0
Total		2,090	100.0	100.0

**q45a1 [Affiant Statement] Suicide prognosis**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	0	1,298	62.1	62.1
Yes	1	444	21.2	21.2
NA	9	348	16.7	16.7
Total		2,090	100.0	100.0

**q45a2 [Affiant Statement] Type of suicide prognosis**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Talked about wanting to die	1	234	11.2	11.2
Talked about dying together	2	10	0.5	0.5
Attempted suicide	3	31	1.5	1.5
Was pessimistic about his/her situation	5	26	1.2	1.2
Prepared for suicide tools	6	10	0.5	0.5
Organized life	7	17	0.8	0.8



Change of personality or life pattern	8	7	0.3	0.3
Preparation of suicide note, or making of a will	9	76	3.6	3.6
Talked about death	10	12	0.6	0.6
Other	11	7	0.3	0.3
NAP	88	1,298	62.1	62.1
NA	99	362	17.3	17.3
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q46a1 [Affiant Statement] Economic hardship**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Failure of business or investment	1	145	6.9	6.9
Debt	2	148	7.1	7.1
Unemployment	3	65	3.1	3.1
Failure of employment or school advance	4	36	1.7	1.7
Lack of hospital expenses	5	14	0.7	0.7
Poverty	6	63	3.0	3.0
Squandering of family fortune	7	29	1.4	1.4
Failure to get back the money s/he lent	8	11	0.5	0.5
Other	9	13	0.6	0.6
NA	99	1,566	74.9	74.9
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q46a2 [Affiant Statement] Psychological hardship**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Mental illness	1	262	12.5	12.5
Worsening of chronic disease, or falling ill	2	213	10.2	10.2
Alcoholism	3	19	0.9	0.9
Violence victimization	5	2	0.1	0.1
Pessimism about his/her circumstances	6	27	1.3	1.3
Complex	7	12	0.6	0.6
Feeling of guilt	8	17	0.8	0.8
Loneliness	9	28	1.3	1.3
Change of life environment	10	10	0.5	0.5
Other	11	14	0.7	0.7
NA	99	1,486	71.1	71.1
<b>Total</b>		<b>2,090</b>	<b>100.0</b>	<b>100.0</b>

**q46a3 [Affiant Statement] Family problem**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Loss of a family	1	53	2.5	2.5
Divorce	2	68	3.3	3.3
Problem occurred to a family	3	34	1.6	1.6
Family separation, dissolution	5	28	1.3	1.3
Spousal discord	6	161	7.7	7.7
Discord with children or parents	7	64	3.1	3.1
Discord with siblings or relatives	8	15	0.7	0.7
Feeling of sorry to the Family	9	14	0.7	0.7
Other	11	3	0.1	0.1
NA	99	1,650	78.9	78.9
Total		2,090	100.0	100.0

**q46a4 [Affiant Statement] Love problem**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
Partner's affair	1	24	1.1	1.1
Break-up with the lover	2	52	2.5	2.5
Discord with the lover	3	33	1.6	1.6
Family opposition	4	7	0.3	0.3
Other	5	7	0.3	0.3
NA	9	1,967	94.1	94.1
Total		2,090	100.0	100.0

**q47a1 [Affiant Statement] Suicide among persons around the deceased**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	0	1,651	79.0	79.0
Yes	1	13	0.6	0.6
NA	9	426	20.4	20.4
Total		2,090	100.0	100.0

**q47a2 [Affiant Statement] Relationship to person who committed suicide**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
		2,076	99.3	99.3
1		1	0.0	0.0
Husband		1	0.0	0.0
Brother/sister		1	0.0	0.0
Younger sister's husband		1	0.0	0.0
Mother		1	0.0	0.0
Son		1	0.0	0.0
Father		1	0.0	0.0
Mother		1	0.0	0.0
Younger son		1	0.0	0.0
Friend		4	0.2	0.2
Older brother		1	0.0	0.0
Total		2,090	100.0	100.0

**q47q3 [Affiant Statement] When did the person commit suicide**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
NA	9999	2,090	100.0	100.0

**q48a1 [Affiant Statement] History of family loss**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
None	0	1,493	71.4	71.4
Yes	1	175	8.4	8.4
NA	9	422	20.2	20.2
Total		2,090	100.0	100.0

**q48a2 [Affiant Statement] Relationship to the family**

RESPONSE	PUNCH	FREQ.	PERCENT	VALID %
		1,919	91.8	91.8
Husband		7	0.3	0.3
Older sister		1	0.0	0.0
Live-in girlfriend		2	0.1	0.1
Younger brother/sister		2	0.1	0.1
Second oldest brother		2	0.1	0.1

Daughter and younger brother/sister	1	0.0	0.0
Mother	13	0.6	0.6
Spouse	31	1.5	1.5
Ex-spouse(Two times)	2	0.1	0.1
Being seperated	1	0.0	0.0
Father	15	0.7	0.7
Parents	14	0.7	0.7
Parents(Father and mother passed away and only stepmother is alive)	1	0.0	0.0
Parents	2	0.1	0.1
Wife	6	0.3	0.3
Wife and mother	2	0.1	0.1
Son-in-law and the second son	2	0.1	0.1
Cousin	1	0.0	0.0
Mother-in-law	1	0.0	0.0
Wife	13	0.6	0.6
Son	8	0.4	0.4
Son and daughter-in-law	1	0.0	0.0
Father	11	0.5	0.5
Children	1	0.0	0.0
Mother	4	0.2	0.2
Mother and younger brother/sister	1	0.0	0.0
Older sister	1	0.0	0.0
Mother	4	0.2	0.2
Children	7	0.3	0.3
Children(Sons)	1	0.0	0.0
Child(the oldest son)	1	0.0	0.0
Children and daughter-in-law	1	0.0	0.0
Younger son	1	0.0	0.0
Ex-wife	1	0.0	0.0
Wife	1	0.0	0.0
Brother-in-law	1	0.0	0.0
Wife's father	1	0.0	0.0
Oldest brother	2	0.1	0.1
Older brother	1	0.0	0.0
Older brother and sister	1	0.0	0.0
Older brother and the second son	2	0.1	0.1
<b>Total</b>	<b>2,090</b>	<b>100.0</b>	<b>100.0</b>